

# INDASA PERFECT FINISH, WE KNOW HOW.

(f) (in) (iii) (ii

**DIGITAL** CATALOGUE



#### CONTENTS

- 6 Research & Development
- 8 INDASA Academy
- 9 Automotive Repair Process Guide
- 10 Process to Profit

#### ABRASIVES

- 12 Product
- Product Type 13 Abrasive Plan
- 14 The Components Fastening Systems FEPA Grit
- 15 Safety Recommendations

#### Discs

- 16 Rhynogrip HT Line Ultravent
- 18 Rhynogrip HT Line
- 20 Rhynogrip Film Line Ultravent Rhynogrip Film Line
- 21 Rhynocell Rhynofinish
- 22 Rhynogrip Red Line Rhynogrip Plus Line Ultravent
- 23 Rhynogrip Plus Line
- 25 Rhynogrip White Line Rhynostick White Line
- 26 Rhynostick MFS
- 27 Rhynofibre Silver
- 28 Locking Discs
- 29 Quickfix

#### Strips

- 30 Rhynogrip HT Line
- 31 Rhynogrip Plus Line
- 32 Rhynostick White Line

#### Sheets

- 33 Rhynowet Plus Line
- 34 Rhynowet White Line Rhynalox Plus Line

#### Rolls

- 35 Rhynalox Plus Line
- 36 Rhynolite Yellow Line
- 37 Rhynolite Heavy Line

#### **Sponges & Web**

- 39 Rhynosoft Pre-Cut
- 40 Rhynosponge Double Sided Sponge Auto Double Sided Sponge Sanding Pads Sponge Sanding Pads
- 41 Four Sided Sanding Blocks Nylon Web

#### Relts

42 Rhyno X/Z

#### TOOLS

- 44 Indasa Orbital Palm Sander
- 45 Indasa Electric Sander Indasa Electric Polisher
- 46 Mobile Vacuum Unit

#### ANCILLARIES

- 48 Rhynogrip Backing Pad Low Profile Ultravent Rhynogrip Backing Pad Ultravent Locking Disc Holder
- 49 Rhynogrip Backing Pad Rhynostick Backing Pad
- 50 Autogloss Backing Pad Softform Adaptor Pad
- 51 Rhynogrip Blocks Rhynogrip Block Board Hand Sanding Block
- 52 Paint Scraper Low Tack Cloth Eraser Wheel Kit Rhyno Mixing Board
- 3 Workstation Pro
- Workwear Polyester Coverall Knee Pads

#### SEALANTS. ADHESIVES & COATINGS

- 56 Cartridge Sealants
- 57 Plastic Repair Adhesives
- 58 Anti-Corrosion
- 59 Sound Deadening Dry Guide Coat
- 60 Aerosol Coatings
- 62 EVERCOAT
- 64 LORD Fusor
- 66 Applicators & Nozzles

#### **POLISHING**

- 68 Autogloss Compound Plus Autogloss High-Gloss Plus
- 70 Autogloss Mops Autogloss Micro Fibre Cloth

#### TECHNICAL TAPES

- 72 Masking Tape MTG
  - Masking Tape MTE Low Bake
- 73 Masking Tape MTY
- Masking Tape MTX
- 74 Precision Masking Tape Low Tack Masking Tape Masking Cover Rolls
- 75 Fast Mask Paper Rhyno Masking Foam
- 76 Double Sided Badge Tape Fine Line Tape (Blue)
- 77 Fine Line Tape (Green) Acrylic Fixing Tape
- 78 Trim Masking Tape Fast Fix Tape
- 79 Badge and Emblem Adhesive Anti-Slip Tape
- 81 Resource
- 82 Terms & Conditions



## PROFESSIONAL SANDING SYSTEMS











INDUSTRIES

BUILDING

TOGETHER



Founded in 1979, INDASA is now one of Europe's leading manufacturers of high performance coated abrasives.

From its headquarters in Aveiro, Portugal, the company specialises in the production of

innovative sanding materials and systems that deliver market specific solutions to a wide range of manufacturing and service industries.

An ongoing program of investment has resulted in the manufacturing plant becoming one of the most modern production facilities in Europe, with increased capacity to respond to the growing demands of the global market for INDASA's Rhyno brand of abrasive products. The consistently high standards of development, production and marketing of coated abrasives has earned the company a number of globally recognized accreditations over the years.

The INDASA Group consists of 8 wholly owned subsidiaries that are located in Spain, UK, France, Germany, Poland, Brazil, USA and Italy.

Export markets have been established in over 100 countries worldwide with a network of key distribution partners that service local market demand and promote continued business development.



Over the past 43 years, INDASA has successfully positioned itself as one of the leading coated abrasives brands in the UK. With a commitment to our customers and innovative product range, INDASA has become synonymous with performance, satisfaction and quality. INDASA offers a wide range of abrasives and accessories for your needs. regardless of your industry. We strive to continually develop and supply a wide range of quality products and systems to meet all of the strict and ever-





THE INTERNATIONAL CERTIFICATION NETWORK

#### *CERTIFICATE*

APCER has issued an IQNet recognized certificate that

the organization

INDASA - INDÚSTRIA DE ABRASIVOS, S.A.

Zona Industrial de Aveiro, Lote 46 - Taboeira 3801-101 AVEIRO - PORTUGAL

has implemented and maintains a

Quality Management System

for the following scope:

Development, manufacturing and marketing of coated abrasives and marketing of complementary products

which fulfils the requirements of the following standard

ISO 9001:2015

Issued on: 2021-10-28 Expires on: 2024-12-08

This attestation is directly linked to the IQNet Partner's original certificate and shall not be used as a stand-alone document

Registration Number: PT- 1994/CEP.196

− iQNet -

Stath To

מאכפר ר

Alex Stoichitoiu José Leitão President of IQNet APCER CEO

IQNet Partners\*\*.

IQNet Partners\*\*.

IQNet Partners\*\*.

AENOR Spain AFNOR Certification France AFCER Portugal CCC Ogene CISQ Italy

CQC China CQM China CQS Carech Regulable Cro Cert Crostin DQS Hoding GmbH Germany EAGLE Certification Group US

FCM Brand FONDONGRIA Venezuela CONTEC Colombia Inspects Sertificiation Op Finland INTECO Conta Rico

IRMA Marginina (QA, Injune NUV Rosen MERCE Groves MSCI, Talmogray Nemios AS Narong ISMA beliand

SERIM QAS International, Malaysin SQS Switnerland SBAC Remonits TEST St Petersburg Bassart TSE Turkey VUQS Serbin
\*\*Talk Marginina\*\* (CA) Annual Contact Contact





In 1994 INDASA implemented a Quality Assurance System according to the NP EN ISO 9002 which was a natural step to strengthen and standardise our manufacturing capabilities.

INDASA extended its certification to ISO 9001 in 2000, including development, manufacturing and distribution of flexible abrasives.

The company's management system is currently certified for the "development, manufacturing and selling of flexible abrasives and complementary products."

## INDASA CORE VALUES

#### **MANUFACTURING**

We have been at the forefront of manufacturing abrasives for over 40 years. Fundamental to our strategic goal is our desire to continuously fulfil the highest quality and performance standards.

An essential component of our work ethic is our manufacturing expertise, which is a direct result of the investment in the personal development of the INDASA employee. This collaborative synergy ensures that we manufacture and operate with customer value and market specific solutions in mind.

#### **QUALITY AND R&D**

Our commitment to deliver an inspired and valued range of products, is one that can only be achieved by a company whose culture strives for excellence.

We utilise our key areas of expertise in the manufacturing process to ensure that nothing but the highest quality product leaves our production plant and represents our brand.

Through highly competent internal resources, unique partnerships with key suppliers, universities and R&D centres, we have created a business and operating model that differentiates us from other renowned global players.

Our ability to challenge traditional concepts in an ever-evolving industry positions us as a leading provider for performance products, materials and service.

#### **CORPORATE RESPONSIBILITY**

It's becoming increasingly evident that responsible business practices are imperative for a successful future.

Corporate responsibility and sustainability drives our business development and innovation - ultimately it shapes the way in which we operate.

#### **ENVIRONMENTAL SUSTAINABILITY**

Recognition of our environmental sustainability is gaining momentum throughout the business operation, from energy resource or waste generation to commercial mileage consumption.

We believe that having a positive reputation exemplifies our proposition for our customers, employees, shareholders and business partners alike.







RESEARCH & DEVELOPMENT






Research & Development plays a crucial role in the ongoing development of technically advanced, high performance abrasive materials. Only the highest quality raw materials and FEPA compliant mineral grains are used, thus providing consistency of performance and efficiency across the abrasive grit range.

INDASA ultilises its key areas of expertise to offer complete systems for surface treatment, preparation and finishing, across diverse market sectors such as automotive, marine & composite, woodworking and building & decorative trades.





INDASA has developed a unique and highly advanced dust free sanding solution with the ability to transform the future of machine sanding. The extraction capacity of the new Ultravent system virtually eliminates abrasive clogging, prolongs performance and provides a clean, healthy working environment. The superior dust free sanding process produces a highly consistent finish, maximizes operator efficiency and optimises bodyshop key performance indicators (KPI's).



#### INNOVATIVE CELL TECHNOLOGY

INDASA launched the Rhynocell abrasive system that brings a new dimension to specialised surface preparation for compound and high gloss polishing applications. It is a system resulting from a collaboration between our R&D department and leading paint and polish companies. This prepolishing process incorporates an innovative cell technology developed by INDASA. The uniformity and consistency of scratch delivers the optimum surface for compound/polish applications and offers a labour efficient and material savings polishing process.

You can see it in the finish.

## INDASA ACADEMY









Opened in January 2016, the INDASA Academy welcomes customers from all over the world serving the broadest spectrum of industry markets.

The Academy represents not only a major investment in the facility but also the commitment and delivery of technical expertise and instruction.



The application of best working practice is a key essential in driving efficiency for the workforce and business operation. Our team of experienced technicians instruct delegates in the very latest process and application techniques utilising INDASA's innovative range of abrasive system technologies. The bespoke and tailored training programmes develop the customer's skill base and optimise efficiencies in the workplace.















## **AUTOMOTIVE REPAIR** PROCESS GUIDE



**METHOD** film residue from panel leaving a clean/dry repair area. PRODUCT

Remove all dust, dirt and traffic Panel wipe cloth



a clean, bare metal surface or

prepare the OE paint finish if using multi-substrate body filler. **PRODUCT** Rhynogrip HT Line ULTRAVENT disc

**EQUIPMENT** Orbital nalm sander with 5mm orbit Dust extraction



Mix the hardener with the filler to a 2% ratio (by weight) on the

**PRODUCT** EVERCOAT Rage Ultra **EQUIPMENT** Rhyno mixing board Autofill spreader 



METHOD

Apply Dry Guide Coat to the filler area then hand sand with dust extraction block to achieve the equired shape of repair.

**PRODUCT** Rhynogrip HT Line strip Grit P80 - P180 (size to suit)

**EOUIPMENT** Dust extraction block Dust extraction



Machine sand the repair area to remove all scratches, leaving a feather edge into the surrounding

**PRODUCT** Rhynogrip HT Line ULTRAVENT Grit P180- P320 (feather edge)

EQUIPMENT PROPERTY Orbital palm sande with 5mm orbit Dust extraction

**METHOD** 

In the UK, INDASA provides on a daily basis:

► High performance abrasive systems and innovative refinishing solutions

Consistency through a compliant repair process

Commercial advantage through best working pratice

Structured programme for enhanced bodyshop profitability



The INDASA ACADEMY represents the commitment and delivery of technical expertise and instruction. Training programmes are tailored to develop the customer's skill base and optimise performance efficiencies in the workplace.

oanel leaving a clean/dry repair **PRODUCT** Panel wine cloth

Degreaser

Remove all dust and dirt from



**METHOD** 

Apply a small amount with a cloth cover the repair area. Wipe off residue and leave to dry for 15 PRODUCT EVERCOAT 440 Express



**METHOD** Apply masking tape to the edge of the repair area to protect any

> adiacent panels. **PRODUCT** Masking tape MTE Masking Foam



METHOD

Remove all dust/dirt particles from repair area leaving a clean/dry panel surface for

**PRODUCT** ow tack cloth



Refer to the paint manufacturer's technical data

sheet for application process. Please follow recommended

guidelines for cure time and if IR compatible **PRODUCT** 

Compliant paint refinish

METHOD Apply masking tape to the edge adiacent panels. RODUCT

sking tape MTE



METHOD Apply Dry Guide Coat then hand and the repair area, leaving a mooth, primed surface finish.

PRODUCT Rhynogrip HT Line strip Grit P320 (size to suit) Double sided sponges Auto (SF) Dry Guide Coat

**EQUIPMENT** Dust extraction block Oust extraction



**METHOD** Machine sand the primed area to a smooth finish.

**PRODUCT** Rhynogrip HT Line ULTRAVENT Grit P500

**EQUIPMENT** Orbital palm sander with 2,5 mm orbit Softform adaptor pad Dust extraction



**METHOD** 

Machine sand the area to be blended for clear coat. Hand sand any edges and awkward areas. **PRODUCT** 

Rhynogrip HT Line ULTRAVENT disc Grit 1000 Nylon Web (grey) or Double sided sponges Auto (MF)

**EQUIPMENT** Orbital palm sander Softform adaptor pad

Polish the panel to a showroom gloss



**METHOD** 

Mask and protect the car before it goes into the spray booth to apply **PRODUCT** 

Trim masking tape MTE Masking tape Masking Foam





**METHOD** Remove all dust/dirt particles from repair area leaving a clean/dry panel surface for

Before spraying degrease as per manufacturer's quidelines and tack wipe the entire area to

**PRODUCT** Low tack cloth

Remove any paint imperfections (nibs)



METHOD or small areas denib by hand. lachine sand large areas.

RODUCT nynostick MFS daisy discs vnoarin Film Line disc Grit P1500 (size to suit) **EOUIPMENT** 

rbital palm sander with 2,5 mm Softform adaptor pad ust extraction



**METHOD** 

Dust extraction

Prepare the surface area for

Machine sand the area to remove all traces of sanding marks in the surface. PRODUCT

Rhynocell disc. Grit MF3000 (size to suit) **EQUIPMENT** Orbital nalm sander with 2.5 mm



METHOD Low speed polisher with

rotary polisher

Machine compound the repair area

ompound to remove all traces of sanding marks and to leave **PRODUCT** Autogloss Compound Plus Autogloss Mop (white) **EQUIPMENT** E-Series electric





**METHOD** Low speed polisher with liquid olish to remove swirl marks



**METHOD** Clean the surface to a high

Remove all residue to a flawless finish.



**Health and safety compliance is** required for all processes.









indasa-abrasives.com



#### DRIVING **EFFICIENCY**

The application of best working practices is a key essential in driving efficiency for the workforce and business operation.

We have developed a structured programme of advanced repair techniques and procedures to position the INDASA product proposition at the pinnacle of industry standards.

#### A PROCESS THAT DELIVERS

As organisations seek to improve profitability, current working practices come under increased scrutiny and pressure. In order to help our business operator, INDASA provides on a daily basis:

- High performance abrasive systems
- Innovative refinish solutions
- Training and technical expertise to maximise workforce competence
- Business operational KPIs
- Commercial advantage
- Consistency through a structured repair and refinish process
- Structured programme for bodyshop profitability
- ... We call it Process-to-Profit.



The Automotive Process Guide is fully integrated with our Process to Profit program.

How can our Guide help?

- 1. It is a structured and process-oriented approach, providing the latest and best working practices and repair techniques
- 2. Consistency of repair through the compliant process, effective and efficient use of materials, improvement of productivity, and reduced repair costs;
- 3. The Process Guide is also available as a video presentation: on the YouTube channel @INDASAAbrasives-Official

With a scope to provide a clear insight to all bodyshop professionals, we have compiled video repair process guides for the 4 key stages of vehicle repair: Panel Repair, Preparation for Primer, Preparation for Topcoat, Paint Rectification and Polich

#### 1 / 4 Panel Repair





2 / 4 Preparation for Primer





3 / 4 Preparation for Topcoat





4 / 4 Paint Rectification and Polish



# ABRASIVES BEST CHOICE FOR SURFACE PREPARATION



## PRODUCT

INDASA's flexible abrasive materials integrate a full range of product for the most demanding sanding processes.

**HT**Line

Faster and sustained power Increased flexibility Prolonged performance

**Film**Line

Flexible film backing Micro finishing grain Consistent scratch pattern

**Plus**Line

Flexible paper backing Excellent clog resistance Longer working life

**Red**Line

High performance abrasive grain Latex paper backing Lubricant coating minimises loading

**White**Line

High performance abrasive grain Latex paper backing Lubricant coating minimises loading

**Heavy**Line

Heavy duty paper backing Aluminium oxide mineral grain Durable cutting performance



## PRODUCT TYPE













## ABRASIVE PLAN

ABRASI	VE PLAI															Į.	Z)			v sanding	preparation	or blending shing / rectifying	ning key paint work	conditioning	& tape removal paint removal	oval		S	r0	ace s & welding seems	_	nd Shoes	esinous wood	tings oors	dry walls oncrete	irface rface					
			P16 P20	P24 P30	P36	P50 P60	P80 P100	P120 P150 P180	P220 P240	P280 P320	P360 P400	P500	P800 P1000	P1200 P1500	P2000 P2500	MF 3000 Medium	Very fine X Very fine	Ultra fine Fine	Super fine Micro fine	Grinding Heavy dut	Sanding / Fine sandi	Sanding for Micro-finishi	Pre-polisihing Scuffing / key	Surface oo Sanding	Adhesive a	Paint remo	Fillers Primers	Top coats Clear coat	Fibre glass Gel coat	Solid surfac Metal burrs	Metal Hard metal	Leather and Glass	Soft and re Hard wood	Wood coal Wooden fl	Walls and Stone & co	Painted su Primed su	Polyester 1 Composite Plastic	Wood	STRIPS	ROLLS DELTAS	BELIS SPONGES
DESCRIPTION	BACKING	ABRASIVE							A-P GRI								GR	ITS		Ė	APPL	ICATION	SUGGE	STION	S	t		Ė	Ė			SUBST	RATE						PRODU	CT TYPI	
Rhynogrip Film Line	Polyester Film	Special Alum. Oxide			П											$\top$			$\top$		• •	0 0	$\top$	П	П															TT	$\blacksquare$
Rhynogrip HT Line	D / B Paper Latex	Special Alum. Oxide					•	000						• •	•			$\dashv$	+	•		$\vdash$						• •			$\vdash$			+	$\dashv$				•		+
Rhynocell	Sponge Microcellular	Special Alum. Oxide												$\top$	$\top$			$\dashv$					•			$\top$		•			$\sqcap$		H	+							$\forall$
Rhynogrip Red Line	D Paper / B Paper Latex	Aluminum Oxide					• •							• •		$\dashv \dagger$		$\dashv$	$\top$	•		• •	$\dashv$		1			• •			• •				$\dashv \vdash$				•		$\forall$
Rhynogrip Plus Line	D Paper / C / B Paper Latex	Aluminum Oxide					• •					•		$\top$				$\dashv$	$\top$	•	• •	•					• •	• •	•		$\sqcap$					• • •			•	•	$\forall$
Rhynogrip White Line	D / C Paper	Aluminum Oxide			• •		• •					• •						$\dashv \dashv$	$\top$		• •						•	• •	• •		•				•	• • •	•		•		$\forall$
Rhynogrip Heavy Line	E Paper	Aluminum Oxide			• •		• •											$\top$	$\top$	_	•						•		• •		•		• •		•	• • •	•				$\forall$
Rhynalox White Line	D Paper	Aluminum Oxide			• •		• •							$\top$				$\top$	$\top$								•		• •		•				•	• • •					$\forall$
Rhynodry White Line	D / C Paper	Aluminum Oxide					• •	000		•									П	•						•	• •		• •						•					•	$\forall$
Rhynodry Red Line	D Paper / B Paper Latex	Aluminum Oxide				•	• •	000		•				• •	•				П	•	• •	• •					• •	• •	• •		•					• • •	• •	,			$\forall$
Rhynowet Red Line	C / A Paper Latex	Aluminum Oxide / Silicon Carbide				•	• •	• • •	•	•	• •	•	• •	• •	• •					•	• •	• •				•	•	• •	•	•					•	•	•	,	•		
Rhynowet Plus Line	C / A Paper Latex	Aluminum Oxide / Silicon Carbide					•	• • •	• •	•	• •	•	• •	•	•					•	• •	• •				•	•	• •	•	•					•	•	•	)	•		
Rhynalox Plus Line	D / C / B Paper Latex	Aluminum Oxide			•	•	•	• • •	•	•	• •	•							Ш	•	• •	•				• •	• •	• •	• •		Ш			•	•	• •	• •	)	•	•	
Rhynostick Heavy Line	E Paper	Aluminum Oxide			•	•	•	• • •	•	•									Ш	•	•					• •	• •		• •	•	•		• •	• •	•	• •	• •	, •			
Rhynostick White Line	D / C Paper	Aluminum Oxide			•	•	•	• • •	•	•	• •	• •							Ш	•	• •					• •	• •		• •		•			•	•	• • •	• •	, •	•	•	
Rhynostick Plus Line	D / C / B Paper Latex	Aluminum Oxide			•	•	•	• • •	•	•	• •	• •	• •							•	• •	•				• •	• •	• •	• •		Ш			•	•	• •		, •		•	
Rhynostick Red Line	D / C Paper	Aluminum Oxide			•	•	•	• • •	•	•	• •	• •								•	•	•				• •	• •	• •	• •	•	• •			• •	•	• •		, •	•	•	
Rhynofibre 'A' Silver	Vulcanized Fibre	Aluminum Oxide			•	• •	•													•					•						•		Ш					•			
Rhynofibre 'Z' Silver	Vulcanized Fibre	Zirconium				•														•					•						• •		Ш					•			
Rhynogrip SiC	F Paper	Silicon Carbide				•	•													•	•									•	П	•		•				•			
Rhynoblue	Cloth Blue	Aluminum Oxide				• •	•													•	•																		•		
Rhynowood	B Paper	Aluminum Oxide					•		•											•	•																				
Rhynosoft Plus / Red Line	B / C Latex + Sponge	Aluminum Oxide					•		•		•			•							• •	• •					•	•	•							•	•	,	1		•
Rhynobelt	Cloth X	Aluminum Oxide			•	• •	•													•	•																				•
Nylon Web	Nylon Web	Aluminum Oxide / Silicon Carbide														•	•	•				• •	•				•	• •	•		•			•		•	•	,	•	•	
Sponge Auto	Sponge	Aluminum Oxide														•			•		• •	• •	•				•	• •	• •	• •	Ш			•		• •	• •	)			•
Sponge Double Sided	Sponge	Silicon Carbide				•	•	• • •		•									Ш		•										Ш			•	•	•		•			•
4 Sided Block	Sponge	Aluminum Oxide				•	•	• • •													•										Ш			•	•						•
Daisy Discs	C Paper Latex	Silicon Carbide													• •				Ш			•				Ш		• •			Ш		Ш					•			
Locking Discs	Cloth X	Aluminum Oxide / Zirconium / Ceramic		•	•	•	•													•					•	•				•	•		Ш					•			
			P16 P20	P24 P30	P36	P50	P80 P100	P120 P150 P180	P220 P240	P280 P320	P360 P400	P500	P800 P1000	P1200	P2000 P2500	MF 3000 Medium	Very fine XZ Very fine	Ultra fine fine	Super fine Micro fine	Grinding Heavy duty sanding	Sanding / preparation Fine sanding	Sanding for blending Micro-finishing / rectifying	Pre-polisihing Scuffing / key paint work	Surface conditioning Sanding	Adhesive & tape removal Rust and paint removal	Paint removal Old paint	Fillers Primers	Top coats Clear coats	Fibre glass Gel coat	Solid surface Metal burrs & welding seems	Metal Hard metal	Leather and shoes Glass	Soft and resinous wood Hard wood	Wood coatings Wooden floors	Walls and dry walls Stone & concrete	Painted surface Primed surface	Composite Plastic	Wood_ DISCS_	STRIPS	ROLLS DELTAS	SPONGES_

## THE COMPONENTS



#### RHYNO ABRASIVE SYSTEMS

Rhyno products offer the optimum performance and durability for all refinishing operations. Developed specifically to meet the exact standards of the professionals and to keep pace with advanced refinishing techniques, they perform quicker and last longer while producing the ideal surface for the next stage of the work process.

#### **ABRASIVES**

High performance mineral grains: Aluminum oxide Silicon carbide Zirconium

#### **BONDING**

Advanced modified synthetic

#### DRY SANDING SPECIAL COATING

As a 3rd coating, a clog resistant lubricant technology is used in specific products for dry sanding operations.

#### **BACKINGS**

#### PAPER

The most used are the following premium backing papers:

A B C D E G H

The waterproof latex papers incorporate a synthetic polymer which also increases flexibility.

#### **CLOTH**

F <sup>1</sup>	$X^1$	<b>Y</b> <sup>2</sup>
flexibility		Resistance

#### **VULCANIZED FIBRE**

Is used in abrasive discs for very heavy duty applications.

#### **POLYESTER FILM**

Used for finishing operations performed with microfine grits.

## FASTENING SYSTEMS

#### THE TAB SYSTEM



INDASA has developed a simple but efficient system – the "Tab" – that allows the quick

removal of the release paper from the Rhynostick discs.



#### THE GRIP SYSTEM



The brushed nylon "Grip" system enables the removal of the **Rhynogrip** 

discs from the machine's backing pad for reuse.



INDASA abrasives systems are at the forefront of coated abrasive technology. The investments in the development of our products are always in response to the needs of our customers and in trend with the latest surface treatment techniques, resulting in the unquestionable recognition of our brand worldwide. INDASA's offering includes a complete range of accessories

for the autobody professionals.

## GRIT STANDARDS

INDASA coated abrasives are manufactured using the highest quality raw materials and in compliance with FEPA grit standards.

P16         1324           P24         764           P30         642           P36         538           P40         425           P50         336           P60         269           P80         201           P100         162           P120         125           P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8           P2500         8.4 ±0.5	FEPA-P Grit	(micra)
P30         642           P36         538           P40         425           P50         336           P60         269           P80         201           P100         162           P120         125           P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P16	1324
P36         538           P40         425           P50         336           P60         269           P80         201           P100         162           P120         125           P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P24	764
P40         425           P50         336           P60         269           P80         201           P100         162           P120         125           P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P30	642
P50         336           P60         269           P80         201           P100         162           P120         125           P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P36	538
P60         269           P80         201           P100         162           P120         125           P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P40	425
P80         201           P100         162           P120         125           P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P50	336
P100         162           P120         125           P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P60	269
P120         125           P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P80	201
P150         100           P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P100	162
P180         82           P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P120	125
P220         68           P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P150	100
P240         58.5 ±2.0           P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P180	82
P280         52.2 ±2.0           P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1200         15.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P220	68
P320         46.2 ±1.5           P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1200         15.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P240	58.5 ±2.0
P360         40.5 ±1.5           P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1200         15.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P280	52.2 ±2.0
P400         35.0 ±1.5           P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1200         15.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P320	46.2 ±1.5
P500         30.2 ±1.5           P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1200         15.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8		40.5 ±1.5
P600         25.8 ±1.0           P800         21.8 ±1.0           P1000         18.3 ±1.0           P1200         15.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P400	35.0 ±1.5
P800         21.8 ±1.0           P1000         18.3 ±1.0           P1200         15.3 ±1.0           P1500         12.6 ±1.0           P2000         10.3 ±0.8	P500	30.2 ±1.5
P1000     18.3 ±1.0       P1200     15.3 ±1.0       P1500     12.6 ±1.0       P2000     10.3 ±0.8	P600	25.8 ±1.0
P1200     15.3 ±1.0       P1500     12.6 ±1.0       P2000     10.3 ±0.8	P800	21.8 ±1.0
P1500 12.6 ±1.0 P2000 10.3 ±0.8	P1000	18.3 ±1.0
P2000 10.3 ±0.8	P1200	15.3 ±1.0
	P1500	12.6 ±1.0
P2500 8.4 ±0.5		10.3 ±0.8
	P2500	8.4 ±0.5



<sup>2</sup> Polyester

## SAFETY RECOMMENDATIONS

Ensure that the working area is clean and tidy.
Wear protective ear and eye equipment.

Wear suitable respiratory equipment when working with hazardous materials.
Wear protective gloves.
Follow the correct procedures for handling and storage.
Make sure that the abrasive selected is suitable for its

Avoid clogging to ensure the abrasive works efficiently. Let the abrasive stop naturally, not by applying pressure to its surface.

intended use.

As the majority of coated abrasive backings are hygroscopic, they cause different superficial tensions with the resin layer.

This phenomenon might cause positive (convex) or negative (concave) flexing.

In order to maintain the abrasives in their natural form (straight), it is recommended that they be stored at a temperature between 64-70 F and a relative humidity of 55-60%.





READ THE INSTRUCTIONS



**WEAR EYE PROTECTION** 



WEAR A RESPIRATOR



**WEAR GLOVES** 



WEAR HEARING PROTECTION



ONLY PERMITTED WITH A BACK-UP PAD



NOT PERMITTED FOR HAND-HELD MACHINES




NOT PERMITTED FOR WET GRINDING




NOT PERMITTED FOR FACE GRINDING



DO NOT USE IF DAMAGED








#### RHYNOGRIP HT LINE ULTRAVENT

Advanced dust extraction → Cleaner working environment Increased efficiency → Maximises productivity **High flexibility**  $\rightarrow$  Adaptable to curves & contoured surfaces **High initial cutting action**  $\rightarrow$  Rapid stock removal Uniformity of scratch pattern  $\rightarrow$  Optimum substrate preparation High strength resin bond  $\rightarrow$  Minimal grit shedding







		150mm		
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C56333	P80	50	10	30.15
C56331	P120	50	10	30.15
C56330	P150	50	20	28.77
C56329	P180	50	20	28.77
C56207	P240	50	20	28.77
C56209	P320	50	20	28.77
C56211	P400	50	20	28.77
C56212	P500	50	20	28.77
C56213	P600	50	20	28.77
C56214	P800	50	20	28.77
C56215	P1000	50	20	28.77
C55369	P1200	50	20	28.77
C55370	P1500	50	20	28.77
C55371	P2000	50	20	28.77



21 Holes 57 Holes

## ULTRAVENT ADVANCED DUST FREE SOLUTION



## **CLEANER FASTER CLEVER**

#### Advanced dust free solution

INDASA has developed a unique and highly advanced dust free sanding solution with the scope to transform the future of machine sanding.



Surface preparation is one of the most labour intensive and time consuming phases of the painting process.



**ULTRAVENT** adds value by saving time and providing a cleaner working environment.

**ULTRAVENT** 150mm **Backing Pad** 

> **INDASA Orbital** Sander



**MORE ABOUT ULTRAVENT** 



PERFECT FINISH, WE KNOW HOW.

@INDASAUK









www.indasa-abrasives.com

### (0)

#### RHYNOGRIP HT LINE

High flexibility → Adaptable to curves & contoured surfaces
High initial cutting action → Rapid stock removal
Uniformity of scratch pattern → Optimum substrate preparation
High strength resin bond → Minimal grit shedding
Advanced technology clog resistant coating → Extended working performance





		75mm		
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C55952	P40	50	10	16.49
C55953	P60	50	10	16.49
C55954	P80	50	10	14.74
C55956	P120	50	10	14.74
C55958	P180	50	20	14.74
C55960	P240	50	20	14.74
C55962	P320	50	20	14.74
C55964	P400	50	20	14.74
C55965	P500	50	20	14.74
C55966	P600	50	20	14.74
C55967	P800	50	20	14.74
C55968	P1000	50	20	14.74
C55969	P1200	50	20	14.74
C55970	P1500	50	20	14.74
C55971	P2000	50	20	14.74



75mm 3H											
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX							
C55972	P40	50	10	16.49							
C55973	P60	50	10	16.49							
C55974	P80	50	10	14.74							
C55976	P120	50	10	14.74							
C55978	P180	50	20	14.74							
C55980	P240	50	20	14.74							
C55982	P320	50	20	14.74							
C55984	P400	50	20	14.74							
C55985	P500	50	20	14.74							
C55986	P600	50	20	14.74							
C55987	P800	50	20	14.74							
C55988	P1000	50	20	14.74							
C55989	P1200	50	20	14.74							
C55990	P1500	50	20	14.74							
C55991	P2000	50	20	14.74							



	15	50mm 15	5H	
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C51126	P40	50	10	35.20
C51127	P60	50	10	35.20
C51128	P80	50	10	30.15
C51130	P120	50	10	30.15
C51131	P150	50	20	28.77
C51132	P180	50	20	28.77
C51134	P240	50	20	28.77
C51136	P320	50	20	28.77
C51138	P400	50	20	28.77
C51139	P500	50	20	28.77
C51140	P600	50	20	28.77
C51141	P800	50	20	28.77
C51142	P1000	50	20	28.77
C51143	P1200	50	20	28.77
C51144	P1500	50	20	28.77
C51145	P2000	50	20	28.77



## INDASA

indasa-abrasives.com






## **份了Line**

## CUTTING EDGE ABRASIVES

FOR EXCELLENT PERFORMANCE



☆ PREMIUM FEATURE



## UPGRADE YOUR EFFICIENCY WITH OUR SANDING **TECHNOLOGY**

Our High-Tech performance line was innovatively designed to meet the most demanding users.

Its new manufacturing process comprises both a special abrasive grain and a special lubricant layer, tailored to improve the effectiveness of each sanding process.

## (0)

#### RHYNOGRIP FILM LINE ULTRAVENT

Advanced dust extraction → Cleaner working environment
Increased efficiency → Maximises productivity
Flexible film backing → Crease & tear resistant
Uniformity of scratch pattern → Optimum substrate preparation
High strength resin bond → Minimal grit shedding
Advanced technology clog resistant coating → Extended working performance







	150mm 57H											
PART #	GRIT	QTY P/ B0X	QTY P/ CASE	PRICE PER BOX								
C56853	P600	50	5	47.10								
C56296	P800	50	5	47.10								
C56297	P1000	50	5	47.10								
C56298	P1200	50	5	47.10								
C56299	P1500	50	5	47.10								

#### RHYNOGRIP FILM LINE

Flexible film backing → Crease & tear resistant
Uniformity of scratch pattern → Optimum substrate preparation
High strength resin bond → Minimal grit shedding
Advanced technology clog resistant coating → Extended working performance





		75mm		
PART #		QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C39040	P600	50	5	24.59
C39041	P800	50	5	24.59
C48616	P1000	50	5	24.59
C39042	P1200	50	5	24.59
C38562	P1500	50	5	24.59



	75mm 3H												
PART #		QTY P/ B0X	QTY P/ CASE	PRICE PER BOX									
C42696	P600	50	5	24.59									
C42697	P800	50	5	24.59									
C49067	P1000	50	5	24.59									
C42618	P1200	50	5	24.59									
C42619	P1500	50	5	24.59									



	150mm 15H											
PART #		QTY P/ BOX	QTY P/ CASE	PRICE PER BOX								
C40758	P600	50	5	47.10								
C40565	P800	50	5	47.10								
C48620	P1000	50	5	47.10								
C40566	P1200	50	5	47.10								
C40567	P1500	50	5	47.10								



DISCS

0

#### **RHYNOCELL**

Fully integrated surface finishing system  $\rightarrow$  Continuity of process Significant reduction of P1500 sanding scratches  $\rightarrow$  Faster polishing time and less material usage Dry use  $\rightarrow$  Cleaner, faster and easier









#### RHYNOFINISH

Flexible foam backing with nylon grip backing system Ideal for paint rectification and pre-polish applications Uniformity of grit eliminates rogue scratches



75mm											
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX							
C43487	Super Fine	20	5	30.22							
C43367	Micro Fine	20	5	30.22							



150mm					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C42363	Super Fine	20	5	55.72	
C42364	Micro Fine	20	5	55.72	






#### **RHYNOGRIP RED LINE**

**High flexibility**  $\rightarrow$  Adaptable to curves & contoured surfaces **High initial cutting action**  $\rightarrow$  Rapid stock removal **Uniformity of scratch pattern** → Optimum substrate preparation **High strength resin bond** → Minimal grit shedding Clog resistant coating → Long lasting sanding






150mm 15H					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C39243	P40	50	10	35.55	
C39244	P60	50	10	35.55	
C39166	P80	50	10	30.43	
C39164	P120	50	10	30.43	
C39246	P150	50	20	29.04	
C39247	P180	50	20	29.04	
C39249	P240	50	20	29.04	
C39167	P320	50	20	29.04	
C39168	P400	50	20	29.04	
C38667	P500	50	20	29.04	
C38668	P600	50	20	29.04	
C38669	P800	50	20	29.04	
C38670	P1000	50	20	29.04	
C38671	P1200	50	20	29.04	
C38672	P1500	50	20	29.04	
C38673	P2000	50	20	29.04	

#### **RHYNOGRIP PLUS LINE ULTRAVENT**

**Advanced dust extraction** → Cleaner working environment Increased efficiency → Maximises productivity **High flexibility** → Adaptable to curves & contoured surfaces **Uniformity of scratch pattern** → Optimum substrate preparation Clog resistant coating → Long lasting sanding





150mm 21/57H					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C56844	P80	50	10	27.80	
C56845	P100	50	10	27.80	
C56846	P120	50	10	27.80	
C56847	P150	50	20	27.80	
C56848	P180	50	20	27.80	
C55360	P240	50	20	27.80	
C55362	P320	50	20	27.80	
C55364	P400	50	20	27.80	
C55365	P500	50	20	27.80	





21 Holes 57 Holes

#### **RHYNOGRIP PLUS LINE**

**High flexibility** → Adaptable to curves & contoured surfaces **Uniformity of scratch pattern** → Optimum substrate preparation **Clog resistant coating** → Long lasting sanding







75mm					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C37394	P40	50	10	16.66	
C37395	P60	50	10	16.66	
C37380	P80	50	10	14.55	
C37414	P120	50	10	14.55	
C37415	P150	50	20	14.55	
C37381	P180	50	20	14.55	
C37383	P240	50	20	14.55	
C37385	P320	50	20	14.55	
C37387	P400	50	20	14.55	
C37388	P500	50	20	14.55	



75mm 3H					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C42676	P40	50	10	16.66	
C42677	P60	50	10	16.66	
C42678	P80	50	10	14.55	
C42680	P120	50	10	14.55	
C42681	P150	50	20	14.55	
C42682	P180	50	20	14.55	
C42684	P240	50	20	14.55	
C42686	P320	50	20	14.55	
C42688	P400	50	20	14.55	
C42689	P500	50	20	14.55	



125mm					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C32266	P40	50	10	25.03	
C32267	P60	50	10	25.03	
C32268	P80	50	10	23.08	
C29965	P120	50	10	23.08	
C30171	P150	50	20	23.08	
C32265	P180	50	20	23.08	
C32488	P240	50	20	23.08	
C30343	P320	50	20	23.08	
C28374	P400	50	20	23.08	
C28375	P500	50	20	23.08	




125mm 8H				
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C22206	P40	50	10	25.03
C22207	P60	50	10	25.03
C22208	P80	50	10	23.08
C22210	P120	50	10	23.08
C22211	P150	50	20	23.08
C22212	P180	50	20	23.08
C22214	P240	50	20	23.08
C22216	P320	50	20	23.08
C22193	P400	50	20	23.08
C23328	P500	50	20	23.08



### (0)

#### **RHYNOGRIP PLUS LINE**

**High flexibility**  $\rightarrow$  Adaptable to curves & contoured surfaces **Uniformity of scratch pattern**  $\rightarrow$  Optimum substrate preparation **Clog resistant coating**  $\rightarrow$  Long lasting sanding





		150mm		
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C22259	P40	50	10	32.67
C22258	P60	50	10	32.67
C22260	P80	50	10	27.80
C22262	P120	50	10	27.80
C22217	P150	50	20	27.80
C22218	P180	50	20	27.80
C22220	P240	50	20	27.80
C22222	P320	50	20	27.80
C22224	P400	50	20	27.80
C22225	P500	50	20	27.80




150mm 15H					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C39414	P40	50	10	32.67	
C39415	P60	50	10	32.67	
C39416	P80	50	10	27.80	
C39418	P120	50	10	27.80	
C39419	P150	50	20	27.80	
C39420	P180	50	20	27.80	
C39422	P240	50	20	27.80	
C39424	P320	50	20	27.80	
C39426	P400	50	20	27.80	
C39427	P500	50	20	27.80	



#### **RHYNOGRIP WHITE LINE**

**High initial cutting action** → Rapid stock removal **Clog resistant coating** → Long lasting sanding **Durable paper backing** → Tear resistant



20

20

20

20

24.51

24.51

24.51

24.51

50

50

50

50

P240

P320

P400

P500

39236

39238

39240

39241





DISCS

0



#### **RHYNOSTICK WHITE LINE**

 $\textbf{High initial cutting action} \rightarrow \textbf{Rapid stock removal}$ Clog resistant coating  $\rightarrow$  Long lasting sanding Protective release paper → Maximum adhesion to backing pad



		150mm		
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C00150	P40	50	10	26.15
C00151	P60	50	10	23.01
C00152	P80	100	10	42.10
C00153	P100	100	10	41.80
C00154	P120	100	10	41.80
C00364	P150	100	10	35.39
C00365	P180	100	10	35.39
C00367	P240	100	10	35.39
C00369	P320	100	10	35.39
C00371	P400	100	10	35.39
C15620	P500	100	10	35.39



150mm 6H					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C00164	P40	50	10	26.15	
C00165	P60	50	10	23.01	
C00166	P80	100	10	42.10	
C00167	P100	100	10	41.80	
C00168	P120	100	10	41.80	
C00382	P150	100	10	35.39	
C00383	P180	100	10	35.39	
C00385	P240	100	10	35.39	
C00387	P320	100	10	35.39	
C00389	P400	100	10	35.39	
C15622	P500	100	10	35.39	



### 0

#### RHYNOSTICK MFS

Latex backing paper → Waterproof & crease resistant
Uniformity of scratch pattern → Optimum surface preparation
36mm disc size → Ideal for SMART repair and rectification





		36mm		
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
096MFS	P2000	100	10	31.12
097MFS	P2500	100	10	31.12

DISCS

 $\circ$ 

#### RHYNOFIBRE SILVER

Heavy duty vulcanised fibre backing  $\rightarrow$  Crease & tear resistant High initial cutting action  $\rightarrow$  Rapid stock removal High strength resin bond  $\rightarrow$  Eliminates grit shedding








	10	00 x 16m	ım	
PART #		QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C28348	P24	25	5	28.21
C27360	P36	25	5	26.51
C27691	P60	25	5	24.86
C27361	P80	25	5	23.83

115 x 23mm						
PART #		QTY P/ B0X	QTY P/ CASE	PRICE PER BOX		
C27280	P24	25	5	35.32		
C26798	P36	25	5	34.47		
C27362	P60	25	5	32.16		
C27490	P80	25	5	31.37		



127 x 23mm					
PART #		QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C27244	P24	25	5	37.54	
C27245	P36	25	5	26.70	
C27247	P60	25	5	35.15	
C27248	P80	25	5	32.49	





	18	30 x 23m	ım	
PART #		QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C27253	P24	25	5	60.62
C27254	P36	25	5	58.80
C26794	P60	25	5	55.66
C27257	P80	25	5	55.05



#### $\bigcirc$

#### **LOCKING DISCS**

Versatile abrasive discs that tackle a wide range of metalwork applications Locking mechanism allows for quick change of disc 50mm & 75mm diameter Sanding, grinding, deburring, blending, stripping, cleaning and finishing





For use with Hi-speed sander (item code NCNA-142)



ALUMINIUM OXIDE					
PART #	SIZE		QTY P/ BOX	PRICE PER BOX	
514917	50mm	P36	25	23.91	
514955		P60	25	23.91	
514979		P80	25	23.91	
515013	75mm	P36	25	34.85	
515495		P60	25	34.85	
515051		P80	25	34.85	





ZIRCONIUM				
PART #	SIZE	GRIT	QTY P/ BOX	PRICE PER BOX
515112	_ _ 50mm	P36	25	28.93
563069		P60	25	28.93
563076		P80	25	28.93
515174		P36	25	42.80
515075	75mm	P60	25	42.80
563083		P80	25	42.80







NON WOVEN					
PART #	PART # SIZE GRIT		QTY P/ BOX	PRICE PER BOX	
515334		Coarse	25	43.40	
515358	50mm	Medium	25	43.40	
515372		Very Fine	25	43.40	
515396		Coarse	25	70.14	
515419	75mm	Medium	25	70.14	
515433		Very Fine	25	70.14	



#### QUICKFIX

Quickfix locking system Heavy duty cloth backing with zirconium mineral grain Overlapping flap construction minimises heat build up



PART	# GF	RIT QT' P/ B0		
C9771	18 P	40 10	5	64.95
C9771	19 P	60 10	5	64.95
C9772	20 P8	30 10	5	64.95
C9772	21 P1	20 10	5	64.95



MINIDISC 50mm					
	PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
	C97722	P40	10	5	64.95
	C97723	P60	10	5	64.95
	C97724	P80	10	5	64.95
	C97725	P120	10	5	64.95







## STRIPS

#### RHYNOGRIP HT LINE

High flexibility → Adaptable to curves & contoured surfaces
High initial cutting action → Rapid stock removal
Uniformity of scratch pattern → Optimum substrate preparation
High strength resin bond → Minimal grit shedding
Advanced technology clog resistant coating → Extended working performance





70 x 198mm 11H					
GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX		
P40	50	10	36.31		
P60	50	10	35.35		
P80	50	10	34.83		
P120	50	10	32.69		
P180	50	10	32.09		
P240	50	10	32.09		
P320	50	10	32.09		
P400	50	10	32.09		
P500	50	10	32.09		
	P40 P60 P80 P120 P180 P240 P320 P400	GRIT         QTY P/BOX           P40         50           P60         50           P80         50           P120         50           P180         50           P240         50           P320         50           P400         50	GRIT         QTY P/BOX         QTY P/CASE           P40         50         10           P60         50         10           P80         50         10           P120         50         10           P180         50         10           P240         50         10           P320         50         10           P400         50         10		



70 x 420mm 23H						
PART #	GRIT	QTY P/ BOX	QTY PER CASE	PRICE PER BOX		
C55938	P40	50	10	69.78		
C55939	P60	50	10	67.88		
C53305	P80	50	10	66.94		
C53306	P120	50	10	61.63		
C53308	P180	50	10	60.53		
C55941	P240	50	10	60.53		
C53310	P320	50	10	60.53		
C55944	P400	50	10	60.53		
C55945	P500	50	10	60.53		

#### **RHYNOGRIP PLUS LINE**

**High flexibility**  $\rightarrow$  Adaptable to curves & contoured surfaces **Uniformity of scratch pattern**  $\rightarrow$  Optimum substrate preparation **Clog resistant coating**  $\rightarrow$  Long lasting sanding







70 x 125mm					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C21572	P40	50	10	19.36	
C21573	P60	50	10	19.26	
C21574	P80	50	10	19.06	
C21576	P120	50	10	17.36	
C21577	P150	50	10	17.36	
C21578	P180	50	10	17.36	
C21580	P240	50	10	17.36	
C21582	P320	50	10	17.36	
C21584	P400	50	10	17.36	
C21585	P500	50	10	17.36	



70 x 127mm 11H						
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX		
C45665	P40	50	10	19.36		
C45666	P60	50	10	19.26		
C45667	P80	50	10	19.06		
C45669	P120	50	10	17.36		
C45670	P150	50	10	17.36		
C45671	P180	50	10	17.36		
C45673	P240	50	10	17.36		
C45675	P320	50	10	17.36		
C45677	P400	50	10	17.36		
C45678	P500	50	10	17.36		



70 x 198mm 11H						
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX		
C43425	P40	50	10	35.33		
C43426	P60	50	10	34.41		
C43427	P80	50	10	33.86		
C43429	P120	50	10	31.17		
C43430	P150	50	10	31.17		
C43431	P180	50	10	31.17		
C43432	P240	50	10	31.17		
C43433	P320	50	10	31.17		
C43434	P400	50	10	31.17		
C43435	P500	50	10	31.17		



70 x 420mm					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C28391	P40	50	10	67.86	
C28392	P60	50	10	64.52	
C28393	P80	50	10	61.71	
C28395	P120	50	10	58.78	
C28397	P180	50	10	58.78	
C28399	P240	50	10	58.78	
C28401	P320	50	10	58.78	
C28403	P400	50	10	58.78	
C28404	P500	50	10	58.78	

## STRIPS

#### **RHYNOGRIP PLUS LINE**

**High flexibility**  $\rightarrow$  Adaptable to curves & contoured surfaces **Uniformity of scratch pattern**  $\rightarrow$  Optimum substrate preparation **Clog resistant coating**  $\rightarrow$  Long lasting sanding





70 x 420mm 23H					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C45693	P40	50	10	67.86	
C45694	P60	50	10	64.52	
C45397	P80	50	10	61.71	
C45398	P120	50	10	58.78	
C45696	P150	50	10	58.78	
C45697	P180	50	10	58.78	
C45698	P240	50	10	58.78	
C45700	P320	50	10	58.78	
C45702	P400	50	10	58.78	
C45703	P500	50	10	58.78	



115 x 230mm 22H					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C45704	P40	50	10	82.71	
C45705	P60	50	10	81.92	
C45706	P80	50	10	81.58	
C45708	P120	50	10	75.53	
C45709	P150	50	10	75.53	
C45710	P180	50	10	75.53	
C45712	P240	50	10	75.53	
C45714	P320	50	10	75.53	
C45716	P400	50	10	75.53	
C45717	P500	50	10	75.53	


#### RHYNOSTICK WHITE LINE

High initial cutting action → Rapid stock removal Clog resistant coating → Long lasting sanding Protective release paper → Maximum adhesion to block



70 x 450mm				
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C00124	P40	50	5	46.19
C00126	P80	100	5	78.52
C00128	P120	100	5	75.41





#### **RHYNOWET PLUS LINE**

**Durable latex backing paper**  $\rightarrow$  Waterproof sanding Uniformity of scratch pattern → Optimum surface preparation High performance silicon carbide grain → Micro-finishing



230 x 280mm				
PART #	GRIT	QTY P/ PACK	QTY P/ CASE	PRICE PER PACK
C00018	P60	25	20	42.83
C00019	P80	25	20	37.97
C00021	P120	25	20	27.68
C00022	P150	25	20	26.10
C00023	P180	25	20	21.21
C00025	P240	25	20	21.21
C00027	P320	25	20	21.21
C00029	P400	25	20	21.21
C00030	P500	25	20	21.21
C00031	P600	25	20	21.21
C00032	P800	25	20	21.21
C00033	P1000	25	20	21.21
C00034	P1200	25	20	21.21




140 x 230mm				
PART #	GRIT	QTY P/ PACK	QTY P/ CASE	PRICE PER PACK
C21225	P1500	50	10	27.69
C21226	P2000	50	10	27.69
C21227	P2500	50	10	27.69



For wet sanding

#### RHYNOWET WHITE LINE

**Durable backing paper** → Crease & tear resistant **Aluminium oxide grain** → Fast sanding action **Clog resistant** → Longer lasting cut



230 x 280mm					
PART #	GRIT	QTY P/ PACK	QTY P/ CASE	PRICE PER PACK	
C42806	P60	25	20	24.20	
C42807	P80	25	20	23.63	
C42809	P120	25	20	18.10	
C42810	P150	25	20	17.96	
C42811	P180	25	20	16.08	
C42813	P240	25	20	16.08	
C42815	P320	25	20	16.08	
C42817	P400	25	20	16.08	
C42819	P600	25	20	16.08	
C42820	P800	25	20	16.08	
C42821	P1000	25	20	16.08	
C42822	P1200	25	20	16.08	



#### **RHYNALOX PLUS LINE**

**High flexibility**  $\rightarrow$  Adaptable to curves & contoured surfaces **Uniformity of scratch pattern**  $\rightarrow$  Optimum substrate preparation **Clog resistant coating**  $\rightarrow$  Long lasting sanding



230 x 280mm					
GRIT	QTY P/ PACK	QTY P/ CASE	PRICE PER PACK		
P40	50	10	45.59		
P60	50	10	42.65		
P80	50	10	38.82		
P100	50	10	38.82		
P120	50	10	38.82		
P150	50	10	38.82		
P180	50	10	38.82		
P240	50	10	38.82		
P320	50	10	38.82		
P400	50	10	38.82		
P500	50	10	38.82		
	P40 P60 P80 P100 P120 P150 P180 P240 P320 P400	GRIT         QTY P/ PACK           P40         50           P60         50           P80         50           P100         50           P120         50           P150         50           P180         50           P240         50           P320         50           P400         50	GRIT         QTY P/PACK P/CASE         QTY P/PACK P/CASE           P40         50         10           P60         50         10           P80         50         10           P100         50         10           P120         50         10           P150         50         10           P180         50         10           P240         50         10           P320         50         10           P400         50         10		





#### **RHYNALOX PLUS LINE**

**High flexibility**  $\rightarrow$  Adaptable to curves & contoured surfaces **Uniformity of scratch pattern**  $\rightarrow$  Optimum substrate preparation **Clog resistant coating**  $\rightarrow$  Long lasting sanding





	115mm x 50m					
PART #	GRIT	QTY	PRICE PER ROLL			
C22486	P40	1	84.52			
C22700	P60	1	71.33			
C22487	P80	1	70.86			
C22307	P100	1	70.86			
C22701	P120	1	70.86			
C22498	P150	1	70.86			
C22499	P180	1	70.86			
C22501	P240	1	70.86			
C22503	P320	1	70.86			
C22505	P400	1	70.86			
C22506	P500	1	70.86			



#### **RHYNALOX PLUS LINE**

**High flexibility**  $\rightarrow$  Adaptable to curves & contoured surfaces **Uniformity of scratch pattern**  $\rightarrow$  Optimum substrate preparation **Clog resistant coating**  $\rightarrow$  Long lasting sanding





115mm x 10m					
PART #	GRIT	QTY	PRICE PER ROLL		
C49861	P40	1	18.29		
C49862	P60	1	15.47		
C49863	P80	1	14.90		
C49864	P100	1	14.90		
C49865	P120	1	14.90		
C47665	P150	1	14.90		
C47662	P180	1	14.90		
C47663	P240	1	14.90		
C47664	P320	1	14.90		
C49869	P400	1	14.90		
C49870	P500	1	14.90		

115mm x 5m				
PART #	GRIT	QTY	PRICE PER ROLL	
C41639	P80	1	8.85	
C41640	P120	1	8.85	
C50086	P180	1	8.85	
C50088	P240	1	8.85	
C50090	P320	1	8.85	
C50092	P400	1	8.85	
C50093	P500	1	8.85	

#### **RHYNOLITE YELLOW LINE**

Durable E & D weight paper → Crease & tear resistant High strength resin bond → Prevents grit shedding Aluminium oxide mineral grain → Fast cutting action Excellent clog resistance → Longer working life





115mm x 50m				
PART #	GRIT	QTY	PRICE PER ROLL	
C32420	P40	1	53.62	
C32421	P60	1	48.87	
C32422	P80	1	42.67	
C32423	P100	1	40.30	
C32424	P120	1	38.00	
C32425	P150	1	37.06	
C32426	P180	1	34.14	
C32427	P240	1	32.72	

115mm x 10m					
GRIT	QTY	PRICE PER ROLL			
P40	1	13.14			
P60	1	11.97			
P80	1	10.47			
P100	1	9.90			
P120	1	9.33			
P150	1	9.10			
P180	1	8.39			
P240	1	8.07			
	P40 P60 P80 P100 P120 P150 P180	GRIT         QTY           P40         1           P60         1           P80         1           P100         1           P120         1           P150         1           P180         1			

#### **RHYNOLITE YELLOW LINE**

**Durable E & D weight paper**  $\rightarrow$  Crease & tear resistant **High strength resin bond**  $\rightarrow$  Prevents grit shedding **Aluminium oxide mineral grain**  $\rightarrow$  Fast cutting action **Excellent clog resistance**  $\rightarrow$  Longer working life







PART #	GRIT	QTY	PRICE PER ROLL
C41508	P40	1	7.76
C40492	P60	1	7.09
C40184	P80	1	6.18
C40185	P100	1	5.83
C39099	P120	1	5.49
C42705	P150	1	5.37
C42664	P180	1	4.97
C42706	P240	1	4.76

#### RHYNOLITE HEAVY LINE

Heavy duty E weight paper → Crease & tear resistant High strength resin bond → Prevents grit shedding Anti-static → Excellent clog resistance






PART #	GRIT	QTY	PRICE PER ROLL
C00308	P40	1	114.58
C00309	P60	1	103.21
C00310	P80	1	98.59
C00311	P100	1	91.27
C00312	P120	1	89.68

	115mm x 10m				
PART #	GRIT	QTY	PRICE PER ROLL		
C37343	P40	1	30.58		
C37344	P60	1	27.81		
C37345	P80	1	26.33		
C37346	P100	1	24.41		
C30389	P120	1	23.95		











#### **RHYNOSOFT PRE-CUT**


**Sponge Sanding** → Adapts to contours for precision sanding and finishing **High density sponge** → Improves the user sanding experience Single pad → Perfect for hand sanding **Cut innovation** → Eliminates sanding marks Pre-cut roll → Provides easy handling and roll efficiency Two pads → Machine sand size - 115 x280mm sander **Grit print on sponge** → For better identification





**Innovative perforation** → High tensile strength

115mm x 25m					
PART #		QTY P/ BOX	PRICE PER BOX		
602249	P120	1	58.14		
594148	P180	1	58.14		
594162	P240	1	58.14		
594186	P320	1	58.14		
594193	P400	1	58.14		
594209	P500	1	58.14		
594216	P600	1	58.14		
594223	P800	1	58.14		
594230	P1000	1	58.14		
602263	P1500	1	58.14		



#### **RHYNOSOFT**

**High flexibility** → Adaptable to curves & contoured surfaces

**Foam backing** → Prevents oversanding

**Tear resistant** → Ideal for hand sanding hard to access areas



SHEETS 115 x 140mm				
PART #		QTY P/ BOX	PRICE PER BOX	
493595	P80	20	11.34	
495445	P100	20	11.34	
321727	P120	20	11.34	
C29512	P180	20	11.34	
C29513	P240	20	11.34	
C29514	P320	20	11.34	





#### **RHYNOSPONGE - DOUBLE SIDED SPONGE AUTO**

Highly flexible sponge sanding pads Soft density foam eliminates risk of oversanding Colour coded foam for ease of identification Ideal for blending, keying and paint rectification applications




120 x 98 x 13mm					
PART #		COLOUR	QTY P/ PACK	PRICE P/ PACK	
595077	Medium	Orange	100	114.43	
595107	Fine	Yellow	100	114.43	
595121	Super Fine	Green	100	114.43	
595145	Ultra Fine	Blue	100	114.43	
595169	Micro Fine	Beige	100	114.43	

#### **DOUBLE SIDED SPONGE SANDING PADS**

General purpose hand sanding applications **Extremely flexible** → For curved & contoured surfaces **Highly conformable** → Ideal for hard to reach areas





122 x 98 x 13mm				
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
CSP-60	- P60	10	5	9.60
CSPBULK-60	F00	250	-	231.99
CSP-80	DOO	10	5	9.60
CSPBULK-80	- P80	250	-	231.99
CSP-100	- P100	10	5	9.60
CSPBULK-100		250	-	231.99
CSP-120	D1 00	10	5	9.60
CSPBULK-120	P120	250	-	231.99
CSP-150	P150	10	5	9.60
CSP-180	- P180	10	5	9.60
CSPBULK-180	FIOU	250	-	231.99
CSP-220	- P220	10	5	9.60
CSPBULK-220	FZZU	250	-	231.99
CSP-240	P240	10	5	9.60
CSPBULK-240	· r240	250	-	231.99

#### **SPONGE SANDING PADS**

**High flexibility** → Adaptable to curves & contoured surfaces **Sponge backing** → Prevents oversanding Tear resistant → Ideal for hand sanding hard to access areas





115 x 140 x 5mm					
	PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
	CSPONGE-M	Medium	20	5	28.78
	CSPONGE-F	Fine	20	5	28.78
	CSPONGE-SF	Super Fine	20	5	28.78
	CSPONGE-MF	Micro Fine	20	5	28.78

#### FOUR SIDED SANDING BLOCKS

**High density foam block**  $\rightarrow$  Ideal for sanding edges and corners **High strength resin bond**  $\rightarrow$  Minimal grit shedding








100 x 70 x 25mm					
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX	
C46299	P60	50	1	44.80	
C46300	P100	50	1	44.80	
C46301	P180	50	1	44.80	
C46302	P220	50	1	44.80	

#### **NYLON WEB**

Abrasive impregnated nylon web → Consistent scratch

Extremely flexible & conformable → Ideal for hard to reach areas

Quicker. stronger & prolonged cut → Ideal for keying paintwork & profile sanding



HANDPADS 150 x 230mm				
PART #	GRIT	QTY P/ BOX	PRICE PER BOX	
C45908	Medium	20	17.95	
C45909	Very Fine	20	17.95	
C45910	Ultra Fine	20	17.95	



#### **NYLON WEB**

Abrasive impregnated nylon web → Consistent scratch

Extremely flexible & conformable → Ideal for hard to reach areas

Quicker. stronger & prolonged cut → Ideal for keying paintwork & profile sanding



PART #	GRIT	QTY P/ BOX	PRICE PER BOX
C44067	Medium	1	42.83
C44064	Very Fine	1	42.83
C44065	Ultra Fine	1	42.83
	C44067 C44064	PART # GRIT C44067 Medium C44064 Very Fine	PART # GRIT P/ BOX  C44067 Medium 1  C44064 Very Fine 1



DISC 150mm				
PART #		QTY P/ BOX	PRICE PER BOX	
C57769	Very Fine	20	30.18	
C57467	Ultra Fine	20	30.18	







# BELTS

#### RHYNO X/Z

Polyester X weight cloth backing → Tear resistant Zirconium mineral grain → Self sharpening for longer life Heat resistant resin bond → Prevents grit shedding



10 x 330mm				
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C52724	P40	10	10	16.31
C52729	P60	10	10	15.69
C52730	P80	10	10	15.42
C52732	P120	10	10	15.05

20 x 520mm				
PART #	GRIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
C52733	P40	10	10	38.02
C52734	P60	10	10	34.84
C52735	P80	10	10	34.19
C52738	P120	10	10	33.51



#### INDASA ORBITAL PALM SANDER



Robust & versatile orbital palm sander

Ergonomic design → For one handed operation

Lightweight composite engineering → Maximises sanding performance

Variable speed regulator → Fingertip control

Vacuum dust extraction → Cleaner working environment

**Compatible with Rhynogrip abrasive systems** → 75mm 3 hole / 150mm 15 hole extraction



		75mm		
PART #	ORBIT	QTY P/ BOX	QTY P/ CASE	PRICE PER BOX
441640	2.5mm	1	1	222.32



	1	50mm		
PART #	ORBIT	QTY P/ B0X	QTY P/ CASE	PRICE PER BOX
463208	5mm	1	1	269.31
526934	2.5mm	1	1	269.31

#### **INDASA ELECTRIC SANDER**



Fully compatible with Rhynogrip abrasive system → 15 hole extraction Variable speed regulator → Optimum working speed Brushless motor → Low maintenance and down time E-series technology → Portable throughout the workplace Ergonomic design → One handed operation and ease of use Low noise and vibration → Improved operator comfort

	1	50mm			
PART #	ORBIT	QTY P/ B0X	QTY P/ CASE	PRICE PER BOX	
579138	5mm	1	1	579.32	_
579145	2.5mm	1	1	579.32	



#### **INDASA ELECTRIC POLISHER**

Advanced composite materials → Durable, lightweight construction Ergonomic design → Ease of handling

Variable speed regulator → Fingertip adjustment and control

Double gear reduction → Optimised power delivery





PROF	ESSI	JANC	CTRIC	TOOLS

REPLACEMENT BRUSHES

INDASA ELECTRIC POLISHER

431.62

558829

#### **MOBILE VACUUM UNIT**

**E**-SERIES

Powerful dust extraction on demand → Maximising the efficiency of your Rhynogrip sanding system and delivering a cleaner working environment



VACUUM UNIT 30 LITRE					
PART #	DESCRIPTION	PACK QTY	PRICE PER PACK		
581308	Vacuum Unit 30 litre	1	682.79		

VACUUM UNIT 30 LITRE TECHNICAL DATA				
Filter classification	L			
Power	1200 W			
Air flow rate	165 m³/h EN60335-2-69			
Weight	10.2kg			
Noise level	70dB(A) EN 60704-3			
Filter surface area	1m <sup>2</sup>			
Container capacity	30 litre			
Dimensions (cm)	H x 43 W x 42.5 D x 51			











VACUUM UNIT 45 LITRE				
PART #	DESCRIPTION	PACK QTY	PRICE PER PACK	
558775	Vacuum Unit 45 litre	1	941.40	

VACUUM UNIT 4	15 LITRE TECHNICAL DATA
Filter classification	L
Power	1200 W
Power output	2400 W
Weight	13.5kg
Air flow rate	165m <sup>2</sup> /h EN 60335-2-69
Feed pressure	6 bar
Noise level	67dB(A) EN 60704-3
Filter surface area	1m²
Container capacity	45 litre
Dimensions (cm)	H x 63.5 W x 45 D x 45

Accessories supplied					
ITEM	PART #				
Fleece Dust Bags (1pk)	558799				
Hose Assembly (5m)	558805				
Threaded Rubber (A)	567661				
Threaded Rubber (B)	567654				
2-way Union (C)	558782				







(C)

	ACCESSORIES				
PART #	DESCRIPTION	PACK QTY	PRICE PER PACK		
558799	Vacuum Dust Bags	5	75.09		
558805	Hose Assembly (5m)	1	175.79		
567661	Hose Gauge Adaptor	1	29.90		
567654	Threaded Hose Adaptor	1	16.91		
558782	Two Way Hose Union	1	34.69		
DCA-69	Threaded Plastic Adaptor	1	16.66		
570142	Replacement Brush + Brush Holder	1	16.50		
581797	Antistatic Hose (4m)	1	76.54		

# ANCILLARIES INNOVATIVE PRODUCTS FOR SMARTER WORKING



#### RHYNOGRIP BACKING PAD ULTRAVENT LOW PROFILE



**SULTRAVENT** 

Ultravent technology → Unique and highly advanced dust free sanding solution

Durable composite body → Hard wearing

Fully compatible with Rhynogrip abrasive systems → Maximised performance

Heat bonded stud assembly → Excellent durability


Well balanced → Optimised sanding performance

**Low profile structure** → Ergonomic and efficient sanding



150mm 49H				
PART # QTY PRICE				
599495	1	51.97		

#### RHYNOGRIP BACKING PAD ULTRAVENT





	150mm 49H			
P	ART#	QTY	PRICE	
50	61836	1	56.35	

#### **LOCKING DISC HOLDER**

Quick fix locking system → Instant disc change over Heat sealed → High durability Well balanced → Optimal functionality

50 / 75mm			
PART # DIMENSION QTY PRICE			
515451	50mm	1	21.55
515475	75mm	1	24.87



#### **RHYNOGRIP BACKING PAD**

15 hole dust extraction → Cleaner working environment
Compatible with Rhynogrip abrasive systems
Medium foam density → Lightweight & balanced for smooth operation
Backing pad 442623 → Supplied with a universal adaptor



	3"		
PART #	HOLES	QTY	PRICE
432938	ЗН	1	34.25





150mm 15H			
PART #	TYPE	QTY	PRICE
454657	Low Profile	1	51.97
442623	-	1	56.35

#### **RHYNOSTICK BACKING PAD**

Plain & 6 hole extraction

Medium foam density → Lightweight & balanced for smooth operation

Heat bonded stud assembly → Secure fixing





150mm				
HOLES	QTY	PRICE		
-	1	52.13		
6H	1	52.13		
	HOLES -	HOLES QTY - 1		

#### **AUTOGLOSS BACKING PAD**

Nylon grip backing system  $\rightarrow$  Quick & easy to fit 120mm backing pad  $\rightarrow$  Allows a soft edge on the foam pad



120mm				
PART # COLOUR QTY PRICE				
567678	White	1	43.79	

#### **SOFTFORM ADAPTOR PAD**

Compatible with Rhynogrip abrasive systems



75mm 3H				
PART # QTY PRICE				
433669	1	8.29		



150mm ULTRAVENT				
PART # THICKNESS QTY PRICE				
575833	5mm	1	10.98	
561843	10mm	1	11.42	



150mm 15H			
PART #	THICKNESS	QTY	PRICE
442630	10mm	1	11.42

#### RHYNOGRIP BLOCKS

**Durable composite body**  $\rightarrow$  Hard wearing **Rigid baseplate**  $\rightarrow$  Optimises sanding efficiency



			RHYNOGRIP BLOCKS		
PART #	DIMENSION	HOLES	HOLES LAYOUT	QTY	PRICE
449257	70 x 125mm	11H	• • • •	1	71.84
435175	70 x 198mm	11H	• • • •	1	75.99
449271	70 x 400mm	23H	• • • • • • • •	1	87.75
449288	115 x 230mm	22H		1	78.20



RHYNOGRIP BLOCK BOARD				
PART #	QTY	PRICE		
DCA-8B*	1	108.38		

<sup>\*</sup> Rhynogrip blocks are supplied separately

#### **HAND SANDING BLOCK**

**Ergonomic design** → Operator comfort



36mm				
PART :	# QTY	PRICE		
GCA-9	18 1	12.62		

#### **PAINT SCRAPER**

Effective removal of paint & coatings from timber Lightweight ergonomic handle design Fitted with hard wearing tungsten carbide blade Quick release mechanism Reversible 50mm blade

50mm				
PART #	TYPE	QTY P/ PACK	PRICE P/ PACK	
R-TCS50	Scraper	1	17.43	
R-TCB5	Blades	5	43.32	



#### **LOW TACK CLOTH**

Low tack adhesive → No streaking or residue transfer Non woven lint free cloth → Excellent dust absorption Resealable foil bag → Prolongs cloth effectiveness



400 x 400mm				
PART # QTY P/ PACK QTY P/ CASE PRICE P/ CASE				
436783	15	20	264.40	

#### **ERASER WHEEL KIT**

Fast removal of adhesive residue 6mm spindle size 5/16 threaded spindle Natural rubber

90mmx 15mm				
	PART #	QTY P/ PACK	QTY P/ CASE	PRICE P/ CASE
	234237	1	1	15.51



#### **RHYNO MIXING BOARD**

Clean mixing surface  $\rightarrow$  Contamination free mixing Rigid backing board  $\rightarrow$  Easy to mix filler Non-porous paper sheet  $\rightarrow$  Single sheet usage Easy tear  $\rightarrow$  No wastage



215 x 250mm				
PART # QTY P/ PACK QTY P/ CASE PRICE P/ CASE				
408339	20	1	141.69	

#### **WORKSTATION PRO**

Dimension  $\rightarrow$  1336mm x 1043mm x 643mm (H x W x D) Weight → 54 kg



INDASA WORKSTATION PRO				
PRICE				
783.67				

#### INCLUDES

- Lockable drawer
- 4 lockable wheels
- 4 metal hooks
- 1 removable shelf1 waste bin with retractable support
- Hose reel holder
- Hook for electric cable
- 4 slots for sanding machines or blocks
- Container for bottles
- Robust handle bar







ACCESSORIES				
DESCRIPTION	QTY P/ PACK	PRICE PER PACK		
Extra Metal Hook (A)	4	27.69		
Paper Roll Holder (B)	1	76.91		
Extra Shelf (C)	1	48.89		
	DESCRIPTION  Extra Metal Hook (A)  Paper Roll Holder (B)	DESCRIPTION QTY P/ PACK  Extra Metal Hook (A) 4  Paper Roll Holder (B) 1		


#### **WORKWEAR POLYESTER COVERALL**

100% polyester protective coverall Ideal for general panel shop applications Lint and silicone free Ventilation inset for operator comfort



1	POLYESTER COVERALL				
	PART #	DIMENSION	QTY P/ PACK	PRICE P/ PACK	
	596722	Medium	1	40.96	
	596739	Large	1	40.96	
	596746	X Large	1	40.96	
	596753	XX Large	1	40.96	
	596777	XXX Large	1	40.96	

KNEE PADS (PAIR)				
PART #	QTY P/ PACK	PRICE P/ PACK		
596760	1	10.52		



### SEALANTS, ADHESIVES & COATINGS

Comprehensive range of performance body repair materials for key areas of panel sealing and bonding, anti-corrosion, plastic repair and aerosol coatings.

Refer to technical data sheet for product specifications.

#### **CARTRIDGE SEALANTS**

#### **POLYURETHANE SEALANT**

High strength adhesive sealant → Excellent bonding properties
Fast drying moisture cure → Can be painted when fully dry
Resistant to UV, water and oil → Forms a tough permanently flexible seal

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472576	Black		12	12.98
472583	Grey	310ml	12	12.98
472590	White	_	12	12.98



High solids sealant adhesive  $\rightarrow$  Superior strength adhesive properties Fast drying moisture cure  $\rightarrow$  Can be painted wet on wet Isocyanate and silicone free  $\rightarrow$  Compliant use in the bodyshop

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472637	Black	- 290ml	12	21.23
472644	White	- 2901111	12	21.23

#### **MS SPRAYABLE SEALANT**

**High solids sealant adhesive** → Superior strength adhesive properties **Extremely versatile** → Apply as spray seam, extruded bead, bush seam and spray coating **Textured spray finish** → Replicates OEM finish on joints and bulkheads

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472675	Grey	– 290ml	12	27.37
472682	Beige	- 290IIII	12	27.37

#### **CAR BODY SEALANT**

Synthetic rubber base general purpose seam sealant Good adhesion to bare or painted metal Quick drying and paintable when cured

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472552	Grey	310ml	12	12.12



#### **DIRECT GLAZING SEALANT**

One part PU sealant adhesive for bonded windscreen Excellent adhesive bond to glass, metal and painted surfaces High shear strength and UV resistance Use in conjunction with cleaner and primer



PART #	ТҮРЕ	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472620	Sealant	Black	310ml	1	24.80
472606	Cleaner	-	30ml	1	13.47
472569	Primer	Black	30ml	12	17.62

#### **BRUSHABLE SEAM SEALANT**

Synthetic based sealant for welded or bolted seams Replicates OEM finish on overlap seams and joints Brushes out without stringing or sagging



ı	PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
	472545	Grey	1kg	12	30.09

#### PLASTIC REPAIR ADHESIVES

#### **PLASTIC REPAIR ADHESIVE**

2 part PU adhesive → Exceptional bond strength 1 or 5 minute application/work time → High speed cure rate **Automatic one step mixing nozzle** → Easy extrusion and beading Repair and bond on rigid and semi rigid plastics

PART #	TYPE	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472767	1 min	Black		1	41.18
472774	1 min	Clear	- 50ml	1	41.18
493953	5 min	Black	_	1	41.18

#### **POWER WELD**

2 part methacrylate adhesive → Excellent shear strength Fast fixing and cure rate → Can be painted after 1 hour **Automatic one step mixing nozzle** → Easy extrusion and beading Bonds & seals simultaneously → Provides for excellent corrosion resistance

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472781	Black	50ml	1	37.45



#### **ANTI-CORROSION**

#### **UNDERBODY COATING**

Bitumen based protective coating → Spray gun application

Excellent adhesion properties → Long term resistance to corrosive elements

Flexible/elastic coating → Protects against stone chip penetration

Available in aerosol for small repair & touch up coverage

Wax based protective coating → Spray gun application

PART #	TYPE	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472200	Bitumen		1lt	12	12.67
472217	Wax	Black	III	12	26.03
472132	Aerosol	-	500ml	12	17.15



#### **STONE CHIP COATING**

Synthetic rubber based protective coating  $\rightarrow$  Replicates OEM finish Excellent adhesion properties  $\rightarrow$  Long term resistance to stone chip penetration Textured finish achieved by application  $\rightarrow$  Can be painted once fully cured Available in aerosol for small repair & touch up coverage

	TYPE	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
14	Tin	Black		12	21.25
21	Tin	Grey	1lt	12	21.25
38	Tin	White		12	21.25
84 A	erosol	Black		12	25.06
91 A	erosol	Grey	500ml	12	25.06
07 A	erosol	White		12	25.06
	14 21 38 84 A 91 A	14 Tin 21 Tin 38 Tin 84 Aerosol 91 Aerosol	14 Tin Black 21 Tin Grey 38 Tin White 84 Aerosol Black 91 Aerosol Grey	14         Tin         Black           21         Tin         Grey           38         Tin         White           84         Aerosol         Black           91         Aerosol         Grey         500ml	14         Tin         Black         12           21         Tin         Grey         1lt         12           38         Tin         White         12           84         Aerosol         Black         12           91         Aerosol         Grey         500ml         12



#### **CAVITY WAX**

Wax coating for cavity & box section bodywork  $\rightarrow$  Resistant to corrosive elements Excellent penetration  $\rightarrow$  Maximum coverage & protection Amber or clear  $\rightarrow$  Replicates OEM finish Available in aerosol for small repair & touch up coverage

PART #	ТҮРЕ	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472118	Aerosol	Amber	500ml	12	19.76
472149	Tin	Amber	1lt	12	23.05
472156	Tin	Amber	5lt	4	113.56
472125	Aerosol	Clear	500ml	12	19.76
472170	Tin	Clear	1lt	12	23.05
472187	Tin	Clear	5lt	4	113.56



#### **SOUND DEADENING**

Self adhesive sound absorption pads replicate OEM finish Easy to cut to shape & apply Flame retardant compliance FMVS302

PART #	TYPE	SIZE	PACK SIZE	CTN QTY	PRICE PER PACK
461273	Dottorn	500 x 500mm	4	1	54.44
461280	Pattern	200 x 500mm	10	1	54.44



#### **DRY GUIDE COAT**

**Maximises coverage on filler/primer**  $\rightarrow$  Effective detection of surface imperfections **Black powder coating**  $\rightarrow$  No masking, no overspray, no drying time Supplied with hand applicator → Quick & easy to apply



PART #	PACK SIZE	CTN QTY	PRICE PER CTN
528983	100g	6	131.88



#### **AEROSOL COATINGS**

#### HIGH BUILD PRIMER AEROSOL

Versatile one pack acrylic based primer Excellent adhesion to prepared substrates Quick drying

	PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
	472927	Dark grey		12	21.93
	472934	Grey	500ml	12	21.93
_	472941	White		12	21.93



#### **HIGH BUILD PRIMER PLUS+**

Superb build and scratch filling properties Excellent adhesion Ideal for bare metal rub through repair Suitable for plastics (no need for adhesion promoter)

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
598610	White		12	23.01
598627	Grey	- 500ml -	12	23.01
598634	Dark Grey		12	23.01
598641	Black		12	23.01



#### **ETCH PRIMER AEROSOL**

Primer & adhesion promoter for bare metal Excellent anti-corrosion properties High build for superior coverage

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472965	Grey	400ml	12	21.93



#### ZINC WELD PRIMER AEROSOL

Zinc rich weldable primer for mig or spot weld applications Excellent anti-corrosion properties Fast drying

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
472972	Grey	400ml	12	19.91



#### ACRYLIC TOPCOAT AEROSOL

Hard, durable topcoat paint finish Excellent build and coverage Quick drying High gloss clearcoat Fade out thinner for blend repairs

COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
Gloss Black		12	8.75
Satin Black		12	8.75
Matt Black	500ml	12	8.75
Wheel Silver		12	8.75
Clearcoat		12	21.93
	Gloss Black Satin Black Matt Black Wheel Silver	Gloss Black Satin Black Matt Black Wheel Silver	Gloss Black         12           Satin Black         12           Matt Black         500ml         12           Wheel Silver         12



#### PLASTIC COATING AEROSOL

Refinish coatings for plastic components Concise range covers popular colours Compatible with compliant refinish systems

PART #	COLOUR	PACK SIZE	CTN QTY	PRICE PER PACK
481899	Light Grey		12	21.99
481905	Mid Grey	_	12	21.99
481912	Dark Grey	_	12	21.99
481929	Black	- 400ml	12	21.99
481936	Fine Texture Black	4001111	12	21.99
481943	Primer Grey		12	21.99
481967	Plastic Preparation		12	21.99
481950	Adhesion Promoter	_	12	21.99



#### **EVERCOAT**



Market leading range of surface preparation materials Specialist in automotive crash repair applications Growing number of unique and patented products Innovative Repair Solutions that Perform Refer to technical data sheet for product specification

PART #	ТҮРЕ	COLOUR	FORM	PACK SIZE	CTN QTY	PRICE PER PACK
101341	Rage Ultra - Universal Lightweight Filler	Beige	Tim	3lt	4	76.38
101380	Rage Optex - Premium Filler	Pink	Tin	JIL	4	81.71
101385	Metal Glaze Optex - Premium Putty	Pink	Pump dispenser	880ml	6	42.59
104106	Rage Gold - Premium Lightweight Filler	Yellow			4	46.71
101667	Z-Grip - Lightweight Filler	White	Tin	3lt	4	57.06
101342	EZ Ultra Lite - Ultra Lightweight Filler	Grey			4	40.88
104425	Metal Glaze Ultra - Flowable Fine Filler				6	37.05
101669	Easy Sand - Flowable Finishing Putty	White	Pump dispenser	880ml	6	32.68
104411	Polyflex - Flexible Finishing Putty	-	uisperisei		6	43.28
104116	Fiber Tech - Reinforced Repair Filler	Purple	Pouch	814g	6	29.90
104622	Everglass - Reinforced Repair Filler	Green		3lt	6	82.42
104708	Click Cond Dolyantar Drimar Curfacer	Crou	Tin	946ml	6	48.41
104709	Slick Sand - Polyester Primer Surfacer	Grey		3.78lt	4	172.24
104415	440 Evarage Migra Binhala Eliminator		Bottle	118ml	12	20.09
104440	440 Express - Micro Pinhole Eliminator	-	DOUG	473ml	6	69.22
101475	Hardener	Blue	Tube	78g	24	6.21
101490	Light Speed Optex	Pink	Tin	3lt	4	93.95
101494	Light Speed 440 Express	-	Bottle	118ml	12	25.04
101498	Light Speed High Build Primer	Grey	Tin	946ml	6	76.06
101400	Super Build Optex	Pink	Tin	3,78lt	2	158.36
101403	Catalyst 4:1	-	Bottle	946ml	6	69.18







## **EVERCSAT**







Rage OPTEX body filler changes colour from pink to light green, letting the bodyshop technician know the repair is properly catalysed and ready to sand.

A BODY FILLER THAT LETS YOU KNOW WHEN TO SAND



Properly catalyzed body filler means a better repair with less rework, saving bodyshops time and money.

Rage OPTEX colour change technology combines with Evercoat's leading body filler performance to maximise technician efficiency to the bodyshop process.





The world's first environmentally friendly resin which also delivers superior sanding capabilities. Evercoat leads the world in "green" technology.





#### **LORD FUSOR**



Collision focused repair adhesives and sealers

The very latest in acrylic, urethane and epoxy adhesive technologies

Proprietary technology and OEM replication

Outstanding performance delivering reduced cycle times, faster curing for quicker painting and increased productivity

Refer to technical data sheet for product specifications

#### METAL ADHESIVES

PART #	ТҮРЕ	PACK SIZE	PACK QTY	PRICE PER PACK
FUSOR108BE	Metal Bonding Adhesive (Medium)	— 225ml	1	100.65
FUSOR110B	Metal Bonding Adhesive (Fast)	2251111	1	100.65
FUSOR208B	Panel Bonding Adhesive (Slow)	300ml	1	114.85

#### PLASTIC ADHESIVES

PART #	ТҮРЕ	PACK SIZE	PACK QTY	PRICE PER PACK
FUSOR132	Plastic Repair Adhesive (Super Fast)	300ml	1	105.92
FUSOR133	Plastic Repair Adhesive (Super Fast)	50ml	1	51.84
FUSOR142	Plastic Repair Adhesive (Fast)	300ml	1	105.92
FUSOR143	Plastic Repair Adhesive (Fast)	50ml	1	51.84
FUSOR152	Plastic Repair Adhesive (Medium)	300ml	1	105.92
FUSOR140	Clear Plastic Bonding Adhesive (Fast)	50ml	1	51.84
FUSOR114LG	Plastic Finishing Adhesive (Fast)	300ml	1	114.85

#### SEALERS

PART #	TYPE	PACK SIZE	PACK QTY	PRICE PER PACK
FUSOR129	Controlled Flow Seam Sealer (Fast)	300ml	1	110.27

#### ACCESSORIES

AUGULGOOTHE	.0			
PART #	TYPE	PACK SIZE	PACK QTY	PRICE PER PACK
FUSOR300	Manual Dispensing Gun Cartridge	50ml	1	107.60
FUSOR302	Manual Dispensing dun Carthuge	300/225ml	1	168.50
FUSOR400	Cortridge Miving Tipe	50ml		31.53
FUSOR401	Cartridge Mixing Tips	300/225ml	12	37.75
FUSOR602EZ	Surface Modifier	255ml	1	45.80
FUSOR700	Reinforcing Mesh	102mm x 3.7m	1	30.95
FUSOR702	Fibreglass Cloth	102111111 X 3.7111	1	47.66
FUSOR703	Adhesion Prep/Cleaner	946ml	1	42.47
FUSOR704	Saturation Roller	76mm	1	54.98
571231	Magnetic Lining Strip	12.7mm x 1.5mm x 3m	1	5.93
577974	Sealant Profile Spreader	-	5	21.12

## **Fusor**®

#### **Aftermarket Repair Adhesives**

LORD Fusor® Automotive Repair Adhesives are used to return vehicles to are used to return vehicles to pre-accident condition. These adhesives are specially formulated to repair all types of automotive substrates, using the same proven adhesive technology that is delivered to the OEMs.





Crash tested, OEM-approved assembly and repair adhesives

#### Fusor® PERFORMANCE PRODUCTS

- Collision focused repair adhesives, sealers & sound control
- Proprietary technology for OEM specification and replication
- Outstanding performance delivering reduced cycle times, faster curing for quicker painting and increased productivity

 Compact product range incorporating the very latest in acrylic, urethane and epoxy adhesive technologies

Metal adhesives

Plastic adhesives

Sealers & Foam





LORD provides valuable expertise in adhesives and coatings, vibration and motion control. Innovative and responsive in an ever-changing marketplace, we are focused on providing solutions for our customers worldwide. Our UK distribution partner (Indasa Abrasives) has been chosen to deliver the highly specialised products, technical support and customer service.... Ask Us How.

#### **APPLICATORS & NOZZLES**

Pneumatic & manual equipment for sealants & anti-corrosion coatings Nozzles & accessories  $\,$ 



PART #	ТҮРЕ	PACK QTY	PRICE PER PACK
473054	Cavity Wax Spray Gun	1	67.94
473061	Underbody Coating Gun	1	67.94



PART #	ТҮРЕ	PACK QTY	PRICE PER PACK
473047	Pneumatic gun for MS Spray Sealant	1	580.04



PART #	ТҮРЕ	PACK QTY	PRICE PER PACK
472897	2 Part Adhesive Cartridge Gun	1	88.02



PART #	ТҮРЕ	PACK QTY	PRICE PER PACK
472712	Inner Nozzle for 473047	1	2.94
472729	Narrow Nozzle for 473047	1	8.04
472736	Wide Nozzle for 473047	1	8.04
472866	Mixer Nozzle for 472897	12	28.60
481134	Cartridge Nozzle 310ml Flat Bead	12	34.75
593974	Butterfly Nozzle for 310ml Cartridge	12	30.76





SCAN FOR POLISHING LIST

#### **AUTOGLOSS COMPOUND PLUS**

Single stage process → Superior system efficiency to achieve gloss finish Fast cutting abrasive power → Permanent removal of P1500 scratch marks Dry use → Cleaner and quicker process. No dusting or splatter Reduces heat build-up → Less swirls and holograms

VOC Free → Environmentally and user friendly and compliant

High Gloss Level → Great for all colours, especially dark ones

Multi-Substrate → For all paint surfaces, old, new and fresh

Silicone free formulation → Safe for the bodyshop



PART #	SIZE	QTY	PRICE
578094	1kg	1	40.90
578117	250g	1	14.05

#### **AUTOGLOSS HIGH-GLOSS PLUS**

Fine cut action → Removal of fine sanding scratches and refreshing aged paintwork Material does not dry out, easier to clean up → Longer working time High Gloss Level → Great for all colours, especially dark ones VOC Compliant → Environmentally friendly and compliant No fillers → No shrink back

Dry use → Cleaner, with no dusting or splatter

Colour restoration → Professional showroom finish

Multi substrate → For all paint surfaces, old, new and fresh

Silicone free formulation → Safe for the bodyshop





PART #	SIZE	QTY	PRICE
578124	1kg	1	40.90
578148	250g	1	14.05





#### **AUTOGLOSS MOP**

Soft / medium / hard density → Smear free polishing / increased flexibility / long lasting performance Removes swirl marks → Restores high gloss finish

Nylon grip backing system → Quick & easy to fit

Open cell foam → Minimises heat build up

80mm diameter → Ideal for smart repair applications












#### **AUTOGLOSS MICRO FIBRE CLOTH**

Multipurpose usage → Extremely versatile
Silicone free → Compliant use for bodyshop
Microfibre technology → Scratch and lint free polishing
Machine washable → Long lasting



PART #	SIZE	QTY P/ PACK	PRICE PER PACK
484029	320 x 360 mm	2	10.21



#### **MASKING TAPE - MTG**

Ideal for general paint masking and industrial applications Extremely flexible and conformable → Easy to tear **Excellent adhesion** → Good mechanical strength



36

24

20

12

LOW BAKE

48

36

24

12

47.22

47.22

47.22

52.51

47.22

39.71

39.71

43.74

39.71



#### **MASKING TAPE - MTE LOW BAKE**

**Excellent adhesion** → Good mechanical strength **Flexible**  $\rightarrow$  Easy to shape on contours Easy/clean removal → Leaves no residue Solvent resistant → Paint will not bleed Consistency of thickness → Uniform paint edge Easy roll release → Easy to apply **80°C temp rating** → Low bake refinishing





# **MASKING TAPE - MTY**

Excellent adhesion → Good mechanical strength
Flexible → Easy to shape on contours
Solvent resistant → Paint will not bleed
Consistency of thickness → Uniform paint edge
Easy roll release → Easy to apply
Waterproof backing → Indoor & outdoor use
110°C temp rating → High bake refinishing
UV resistant → Easy clean removal without adhesive transfer





PREMIUM REFINISH GRADE			
PART #	SIZE	BOX QTY	PRICE PER BOX
556740	18mm x 50m	48	75.33
565957	24mm x 50m	36	75.33
556771	36mm x 50m	24	75.33
563199	48mm x 50m	20	83.67

# **MASKING TAPE - MTX**

Superior adhesion  $\rightarrow$  Excellent mechanical strength 120°C temperature rating Excellent UV resistance  $\rightarrow$  Up to 14 days Water resistant backing  $\rightarrow$  Indoor & outdoor use



HIGH TEMPERATURE			
PART #	SIZE	BOX QTY	PRICE PER BOX
MTX-24	24mm x 50m	36	91.97
MTX-36	36mm x 50m	24	91.97
MTX-48	48mm x 50m	20	100.87

# **PRECISION MASKING TAPE**

Washi rice paper technology Excellent UV resistance Produces a clean sharp paint line Ideal for precision critical paintwork



SHARP PAINT LINE			
PART #	SIZE	BOX QTY	PRICE PER ROLL
589601	25mm x 50m	12	4.22
589625	38mm x 50m	8	6.34
589649	50mm x 50m	6	8.43

# **LOW TACK MASKING TAPE**

Washi rice paper technology Low tack acrylic adhesive for delicate surfaces Clean removal after 21 days (indoor)



	DELICATE SHARP PAINT LINE			E
ı	PART #	SIZE	BOX QTY	PRICE PER ROLL
_	589663	25mm x 50m	12	4.22
	589687	38mm x 50m	8	6.34
	589700	50mm x 50m	6	8.43

# **MASKING COVER ROLLS**

High density polyethylene masking film (9 micron) Decorator's grade crepe paper masking tape Static cling for easy application Pre-folded for convenient dispensing Easy roll release



PART #	SIZE	BOX QTY	PRICE PER ROLL
460559	350mm x 25m	50	2.84
460566	600mm x 25m	50	3.42
462973	1200mm x 25m	25	6.00
460573	1800mm x 25m	25	7.57
603086	2400mm x 25m	15	9.87

# **FAST MASK PAPER**

Woodfree kraftpaper  $\rightarrow$  Prevents paint bleed Excellent adhesion  $\rightarrow$  Secure masking on vertical surfaces Easy roll release  $\rightarrow$  Quick to apply Conformable and flexible  $\rightarrow$  Ideal for corners, curves and contours Indoor application (up to 60 days)  $\rightarrow$  Leaves no residue Low tack water based acrylic glue  $\rightarrow$  Can be reused



PART #	SIZE	QTY	PRICE PER ROLL
610688	148mm x 30m	32	8.85
610701	222mm x 30m	25	12.65
610725	500mm x 15m	20	15.20

# **RHYNO MASKING FOAM**

Foam tape for masking apertures Eliminates paint build up & hard edge Low tack adhesion for easy application Box dispenser for dust free storage



PART #	SIZE	BOX QTY	PRICE PER BOX
320587	13mm x 5m x 10	1	23.77
322789	19mm x 5m x 7	1	23.77





# **DOUBLE SIDED BADGE TAPE**

High strength adhesive → Good holding power Medium density foam → Absorbs vibration Ideal for mounting badges & trim



PART #	SIZE	QTY	PRICE PER ROLL
MBT-6	6mm x 10m	1	2.51
MBT-9	9mm x 10m	1	3.14
MBT-12	12mm x 10m	1	3.95
MBT-19	19mm x 10m	1	5.67
MBT-25	25mm x 10m	1	7.23
MBT-50	50mm x 5m	1	6.95



# **FINE LINE TAPE (BLUE)**

Increased flexibility → Easy to shape on contours

Extremely flat PVC backing → Leaves a clean sharp edge

Easy and clean removal → Leaves no residue

Temperature resistant → Low bake refinishing





PART #	SIZE	QTY	PRICE PER ROLL
570968	3mm x 55m	1	5.96
570975	6mm x 55m	1	9.73
570982	9mm x 55m	1	14.88
570999	12mm x 55m	1	15.84
571002	19mm x 55m	1	23.29

# **FINE LINE TAPE (GREEN)**

Extremely flat PVC backing → Leaves a clean sharp edge Easy and clean removal → Leaves no residue
Temperature resistant → Low bake refinishing





PART #	SIZE	QTY	PRICE PER ROLL
566237	3mm x 55m	1	3.77
566244	6mm x 55m	1	5.75
566251	9mm x 55m	1	7.45
566268	12mm x 55m	1	10.01
	566237 566244 566251	566237         3mm x 55m           566244         6mm x 55m           566251         9mm x 55m	566237         3mm x 55m         1           566244         6mm x 55m         1           566251         9mm x 55m         1

# **ACRYLIC FIXING TAPE**

**High density acrylic foam tape**  $\rightarrow$  Produces a flush fixing **Superior strength adhesive bond UV & moisture resistant** 



ı	PART #	SIZE	QTY	PRICE PER ROLL
	566275	6mm x 10m	1	8.92
	566282	9mm x 10m	1	11.57
	566299	12mm x 10m	1	15.04
	566305	19mm x 10m	1	19.54
	566312	25mm x 10m	1	25.40



# TRIM MASKING TAPE

Masks & protects windscreen rubber & trim Perforated for easy tear & application Eliminates the risk of paint overspray & hard edge

PART #	SIZE	QTY	PRICE PER ROLL
566329	45mm x 10m	1	21.34





# **FAST FIX TAPE**

Excellent adhesion  $\rightarrow$  Long lasting bonding Produces a flush adhesive fix on rubber/plastic trim Extremely versatile and easy to apply  $\rightarrow$  Transparent tape for multiple applications Multifunctional double sided tape  $\rightarrow$  Versatility in use



7.18

9.36



# **BADGE AND EMBLEM ADHESIVE**

Adhesive transfer strip for vehicle badges High tack adhesive secures a permanent bond Replicates OEM finish







# **ANTI-SLIP TAPE**

Provides anti-slip tread on stairs & treads
Hard wearing mineral coating  $\rightarrow$  Excellent adhesion to most surfaces
Low profile  $\rightarrow$  Flush fitting
Suitable for indoor & outdoor application  $\rightarrow$  Available in yellow/black stripe

PART #	COLOUR	SIZE	QTY	PRICE PER ROLL
566381	Black & Yellow	50mm x 18.3m	1	28.85





# NOTES

# RESOURCE

INDASA understands that the customer has unique and diverse market needs. We work in conjunction with our business partners to deliver our know-how and market specific solutions that maximise customer value.

# COMMERCIAL SUPPORT

- Comprehensive product profile
- Business analysis and development
- Outstanding value and opportunity

# TECHNICAL SUPPORT

- INDASA Academy or on-site
- Development of workforce skills
- Best working practice bespoke process

# MARKETING SUPPORT

- Promotional merchandise
- Digital media platforms
- Global brand promotion

# TERMS & CONDITIONS

### 1. GENERAL

All Tenders for products, materials or equipment to be supplied by or through INDASA Abrasives (UK) Ltd (hereinafter referred to as "the Company") are offered subject to the following express terms and conditions, which shall be deemed to exclude all conditions, warranties and guarantees implied or provided by common law, statute, trade, custom or otherwise including the Conditions of Purchase (if any) notified to the Company by the Customer.

# 2. PRICES

- 2.01 Unless otherwise expressly agreed in writing by us all quotations, prices and conditions are subject to revision without notice. The Company reserves the right to increase prices at any time prior to acceptance of any order placed.
- 2.02 In the case of the products of the Company's manufacture, except where expressly stated otherwise, a shortage or surplus, charged pro rata, not exceeding 10 per cent will be considered due execution of any order.

### 3. DELIVERY

- 3.01 Where contracts provide for a single delivery goods shall be delivered and accepted as soon as ready.
- 3.02 Where contracts provide for deferred deliveries such deliveries shall be accepted as specifed in the contract (or as soon thereafter as ready) provided that all deliveries shall be accepted within six months from the date specified for the first delivery. In the event of failure to accept any delivery the balance remaining undelivered shall be invoiced (payment for such balance immediately thereupon becoming due) and storage costs charged to Customer's account, the goods being held at Customer's risk.
- 3.03 The times given for delivery are approximate and without guarantee, and the Company whilst using its best endeavours to comply with these times accept no liability to failure to deliver any goods on a stated date.
- **3.04** All goods are delivered in accordance with the rules determined by ICC Incoterms 2010 Delivered at Place (DAP) unless otherwise stated.

# 4. DEFECTS

The Company will at its option either repair free of charge or replace free of charge any product which is found to the satisfaction of the Company to be defective as a result of faulty design, manufacture or workmanship provided that:

- (a) The Products are returned properly packed carriage paid to the Company at the Customer's risk within a period of 1 month from the date of delivery; and
- (b) where the products are made to Customer's specification, defects are not a result of errors in such specification;
- (c) the Products have not been modified in any way by the Customer; and
- (d) the Products have not been used for any purpose other than that for which they were designed or otherwise mis-used.

Repaired or replaced goods will be returned free of charge to destinations on the mainland of the United Kingdom or delivered F.O.B. U.K. Port for other destinations.

# 5. PAYMENT

- 5.01 Payment shall be net cash not later than end of month following date of invoice.
- **5.02** The Company reserves the right to charge interest at the rate of 2% per annum above the base rate of National Westminster Bank Limited from time to time ruling on any sums from time to time payable to the Company in accordance with the provisions of 5.01.
- 5.03 In the event of a Customer failing to make payment against any invoice at the proper time the Company shall be entitled to delay, suspend or cancel any further deliveries to the Customer to retain any of that Customer's goods in its hands without prejudice to any other rights to which the Company may be entitled.

### 6. RETENTION OF TITLE

The risk in the goods shall pass from the seller to the buyer upon delivery of such goods to the buyer. However, notwithstanding delivery and the passing of risk in the goods, title and property in the goods, including full legal and beneficial ownership, shall not pass to the buyer until the seller has received in cash or cleared funds payment in full for all goods delivered to the buyer under this and all other contracts between the seller and the buyer for which payment of the full price of the goods thereunder has not been paid.

# 7. CLAIMS AND DISPUTES

- 7.01 Any Customer wishing to make a claim alleging shortage in weight or numbers in respect of products, materials or equipment supplied by the Company shall give notice in writing within three days of delivery of the goods stating fully the grounds of that claim.
- 7.02 Claims for non delivery shall be made in writing within one month of the invoice date. The Company will obtain and supply proof of delivery (P.O.D) on written request received within the period stipulated above.
- 7.03 The Contract or Sale between the Company and the Customer shall be adjudicated in the event of dispute in accordance with the Law of England.

# 8. FORCE MAJEURE

The performance of all contracts is subject to variation or cancellation by the Company owing to any Act of God, war, strikes, lock-outs, fire, flood, drought, tempest or any other cause beyond the control of the Company or owing to the inability by the Company to procure materials required in the manufacture of products to be supplied by the Company under the contract.

V.A.T. extra at current rate.



# **HEADQUARTER**

INDASA - Indústria de Abrasivos, S.A.

Apartado 3005 3801-101 Aveiro, Portugal Tel. +(351) 234 303 600 Fax +(351) 234 303 605

E-mail: indasa@indasa-abrasives.com

# FROM PORTUGAL TO THE 5 CONTINENTS

# **AFFILIATES**



INDASA-Ind. Abrasivos España, S.A.U

Ctra. Santiga, 100-108, naves 21 a 24
Pol. Ind. Els Pinetons
Apartado de Correos 104
08291 Ripollet, Barcelona
Tel: +(34) 935863330
Fax: +(34) 935863381
E-mail: indasa@indasa.es









# INDASA Schleifmittel GmbH



Monzastraße 4D 63225 Langen Tel: +(49) 6103 388 99 0 Fax: +(49) 6103 388 99 60 E-mail: info@indasa.de



# INDASA Brasil, Ltda.

Rua Sérgio Jungblut Dieterich, 930/940 Bairro São João Porto Alegre / RS CEP 91060-410 Tel: +(55) 51 3350 5090 Fax: +(55) 51 2131 0917 E-mail: vendasbr@indasabrasil.com.br



# INDASA Polska SP. zo.o.

UI. Astronomów 10 80-299 Gdansk Tel: +(48) 58 554 02 00 Fax: +(48) 58 522 94 61 E-mail: indasa@indasa.pl



# INDASA USA, INC.

23 Madison Road Fairfield - NJ 07004 Tel: +(1) 973 916 0090



# INDASA ITALIA S.r.I

Strada del Portone 127/B 10095 Grugliasco (TO) Tel: +39 011 4278321 info@indasaitalia.it www.indasaitalia.it



INDASA Corporate Video

