

# DECO COLOR<sup>®</sup>

copyright 2020 CHEMMOT | DECO COLOR - all rights reserved





## Trust our experience...

DECO COLOR® is the most recognized brand of lacquers and aerosol paints. Our offer contains professional products addressed to the decorative, automotive and industrial markets. Our mission is perfect quality in best price. Our cans have an unique design. All products are produced according to the newest technologies and conformable to the requirements of newest EU directives. Freon and lead free. Wide assortment of DECO COLOR® aerosol line is guaranteed trade success. Trust our experience...

We provide orders within 24h. We have our own warehouse - 1600m<sup>2</sup>.

**We supply to the biggest wholesale companies in Poland, and also to European markets: Belarus, Bulgaria, Estonia, Lithuania, Latvia, Moldavia, Norway, Russia, Ukraine, Romania, Slovakia, Hungary and Kazakhstan.**

We invite to cooperation.

DECO COLOR®

## ■ DECO AEROSOL LINE

<b>DECORATION 400ml</b> universal solvent-based spray paint	2
<b>ECO REVOLUTION 400ml</b> universal acrylic water-based spray paint	3
<b>DECORATION MATT 400ml</b> universal paint in satin-matt finish	4
<b>ANTICORROSIVE PRIMER 400ml</b> anticorrosive primers	5
<b>CHROME EFFECT 400ml</b> chrome effect paints	5
<b>CHROME EFFECT 150ml</b> chrome effect paints	5
<b>HIGH TEMPERATURE 400ml</b> heat resistant paints	5
<b>PLASTIC PRIMER 400ml</b> primer for plastic surfaces	6
<b>FLUORESCENT 400ml</b> fluorescent spray paints	6

## ■ MOTO AEROSOL LINE

<b>ACRYL METALLIC 400ml</b> acrylic metallic glitter paints	6
<b>ACRYL CAR LINE 500ml</b> acrylic paints for car amendments	7
<b>ACRYL CAR LINE 150ml</b> acrylic paints for car amendments	7
<b>ACRYL PRIMER 1K 500ml</b> paint for priming surfaces	7
<b>ACRYL PRIMER 150ml</b> paint for priming surfaces	7
<b>RUST BLOCKER 400ml</b> effective rust protection system 4in1	8
<b>PLASTI SKIN 400ml</b> removable rubber paint	9
<b>MILITARY PAINT 400ml</b> anti-reflective paint to military camouflage	10
<b>MEGAFELGA 500ml</b> professional acrylic paints for wheel rims	11
<b>MEGABAMP 500ml</b> professional acrylic paints for bumpers	11
<b>KONTROLLACK 500ml</b> control lacquer	11
<b>BRAKE CALIPER 400ml</b> brake caliper paints	12
<b>BRAKE CLEANER 600ml</b> active preparation for brakes cleaning	12
<b>CAN GAS 400ml</b> pre-fill can with proper solvent and female valve	12
<b>GRAVICAR HS 500ml</b> antigravel - car's body protection	13
<b>MASTICAR UBC 500ml</b> underbody protection on bitumen base	13
<b>MOVICAR ML 500ml</b> hollow spaces protection	13

## ■ TECHNO AEROSOL LINE

<b>ZINC METALLIC 400ml</b> zinc metallic	14
<b>ZINC METALLIC 600ml</b> zinc metallic	14
<b>ZINC PRIMER 400ml</b> zinc primer 97% pure zinc content	14
<b>PENETRATING OIL MoS2 400ml</b> rust remover with molybdenum disulfide MoS2	15
<b>SILICON SPRAY 400ml</b> hydrophobic lubricant	15
<b>CHAIN SPRAY 400ml</b> lubricant for chains and gears	15
<b>CONTACT SPRAY 400ml</b> moisture remover from electrical installations	16
<b>STOP MARTEN 400ml</b> composition of aromatic substances acting as deterrent on rodents	16
<b>FOAM CLEANER 400ml</b> universal foam cleaner	16
<b>DECO PLADUR 400ml</b> high quality ground-mixture for roofing sheets pladur type	17
<b>DECO DACH 400ml</b> acrylic ground-mixture for roofing sheets	17
<b>NEW BATH 500ml</b> two-component enamel for bathtubs renovation	18
<b>EPOXY KERAMIK 400ml</b> paint for bathtubs and other household appliances	18
<b>ECO KALORYFER 400ml</b> ecological water-based lacquer for radiators	18
<b>RENOVATOR RADIATOR 400ml</b> acrylic paint for radiators renovation	19
<b>RENOVATOR APPLIANCE 400ml</b> acrylic paint for household appliance renovation	19
<b>COCKPIT 600ml</b> high quality dashboard cleaners and plastic surfaces	20
<b>PISTOLSPRAY</b> aerosol applicator	20
<b>FLUOMARKER 500ml</b> professional marker for surveying, construction, and forestry	20
<b>PRESENTERS</b> modular presenters for aerosol exposure	21



# DECORATION

professional solvent-based, multi purpose spray paint  
in 36 RAL colours

Universal synthetic solvent-based paint for surfaces made of metal, wood, ceramics, glass, wicker, carton, fabrics, fresh and dry flowers, and some plastic materials. Wide range of application hobby and professional works: at home, garden, automotive and industry. Especially practical for works of art and decoration.

Note: For surfaces made of PUR, PS, PA, EPDM, ABS, GfK, Hart – PVC use previously Plastic Primer. New recipes accordable to requirements of Directive 42/2004/EU. Environmental friendly, Toluene free.

Very good covering of the painting surface ■ Super gloss ■ Short drying time: dust 10-15 min, touch dry: 30-40 min, hardened: 24 h ■ Efficiency: 1,5-2m<sup>2</sup> depending on colours and surface by one application ■ Good resistance to abrasion and weather conditions ■ Variety of colours - 36 most popular colours in RAL system ■ Contains CFC-free propellants ■ For indoor and outdoor use ■ Capacity: 400ml

Art. no	ml	EAN	Product name	Box	Colour pattern
10 000	400	5906739721214	Decoration Ral 1015 Ivory	12	
10 010	400	5906739721320	Decoration Ral 1018 Yellow zinc	12	
10 001	400	5906739720019	Decoration Ral 1023 Yellow	12	
10 011	400	5906739721221	Decoration Ral 1028 Yellow melon	12	
10 020	400	5906739720026	Decoration Ral 2004 Orange	12	
10 021	400	5906739721238	Decoration Ral 3000 Red fire	12	
10 030	400	5906739720033	Decoration Ral 3003 Red	12	
10 031	400	5906739721245	Decoration Ral 3004 Red purple	12	
10 032	400	5906739721337	Decoration Ral 3009 Red oxide	12	
10 040	400	5906739720040	Decoration Ral 3020 Red	12	
10 050	400	5906739720057	Decoration Ral 4003 Pink	12	
10 060	400	5906739720064	Decoration Ral 4005 Violet	12	
10 061	400	5906739721368	Decoration Ral 4006 Fuchsia	12	
10 070	400	5906739720071	Decoration Ral 5002 Blue navy	12	
10 071	400	5906739721252	Decoration Ral 5003 Blue sapphire	12	
10 072	400	5906739721269	Decoration Ral 5010 Blue dark	12	
10 080	400	5906739720088	Decoration Ral 5015 Blue	12	
10 090	400	5906739720095	Decoration Ral 5021 Turquoise	12	
10 100	400	5906739720101	Decoration Ral 6005 Green dark	12	
10 101	400	5906739721276	Decoration Ral 6018 Green light	12	
10 110	400	5906739720118	Decoration Ral 6029 Green	12	
10 120	400	5906739720125	Decoration Ral 7001 Grey	12	
10 125	400	5906739720903	Decoration Ral 7005 Grey mouse	12	
10 121	400	5906739721283	Decoration Ral 7016 Anthracite	12	
10 122	400	5906739721290	Decoration Ral 7035 Grey light	12	
10 124	400	5906739721351	Decoration Ral 8003 Brown clay	12	
10 123	400	5906739728206	Decoration Ral 8004 Brown copper	12	
10 130	400	5906739720132	Decoration Ral 8011 Brown nut	12	
10 131	400	5906739721313	Decoration Ral 8017 Brown chocolate	12	
10 140	400	5906739720149	Decoration Ral 9005 Black gloss	12	
10 150	400	5906739720156	Decoration Ral 9005 Black flat	12	
10 160	400	5906739720163	Decoration Ral 9006 Aluminium	12	
10 170	400	5906739720170	Decoration Ral 9010 White gloss	12	
10 180	400	5906739720187	Decoration Ral 9010 White flat	12	
10 190	400	5906739720194	Decoration Ral 0000 Clear	12	
10 200	400	5906739720200	Decoration Ral 0000 Gold	12	

\* we can produce any RAL colour - ask your supplier about details



# ECO REVOLUTION

ecological universal water-based spray paint  
directly to styrofoam

High quality acrylic water-based lacquer. Perfect fits for use directly to styrofoam and for painting surfaces made of metal, wood, ceramics, glass, wicker, cardboard, fabrics, fresh and artificial flowers, and some plastics. Lacquer without aggressive odour, environmentally and human friendly.

Product dedicated for artists and decorators. Wide range of application hobby and professional works: at home, garden, automotive and industry.

Notice: For surfaces made of PUR, PS, PA, EPDM, ABS, GfK, Hart – PCV use Plastic Primer DECO COLOR previously. Best result when applied at 15-25°C.

Special, high covering of painted surface ■ Intensity of colours ■ Short drying time: 20-30 min ■ Touch dry: 60 min; Hardened: after 24 h ■ All the adjusts can be done up to 20 min ■ Water and humidity resistance can be achieved after 5-6 days since applied ■ Efficiency 1,5-2 m<sup>2</sup> depending on colour and type of surface by one application ■ Hard acrylic coating resistant to abrasion and mechanical damages ■ Variety of colours: 28 most popular colours in RAL system ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
16 201	400	5906739723102	Eco Revolution Ral 1015 Ivory	12	
16 202	400	5906739721108	Eco Revolution Ral 1023 Yellow	12	
16 203	400	5906739721207	Eco Revolution Ral 1028 Yellow melon	12	
16 204	400	5906739721306	Eco Revolution Ral 2004 Orange	12	
16 205	400	5906739721405	Eco Revolution Ral 3000 Red fire	12	
16 206	400	5906739721504	Eco Revolution Ral 3003 Red	12	
16 207	400	5906739723201	Eco Revolution Ral 3004 Red purple	12	
16 208	400	5906739721603	Eco Revolution Ral 3020 Red	12	
16 209	400	5906739723300	Eco Revolution Ral 4003 Pink	12	
16 210	400	5906739723409	Eco Revolution Ral 4005 Violet	12	
16 211	400	5906739721702	Eco Revolution Ral 4006 Fuchsia	12	
16 212	400	5906739721801	Eco Revolution Ral 5002 Blue navy	12	
16 213	400	5906739723416	Eco Revolution Ral 5003 Blue sapphire	12	
16 214	400	5906739721900	Eco Revolution Ral 5010 Blue dark	12	
16 215	400	5906739722006	Eco Revolution Ral 5015 Blue	12	
16 216	400	5906739723607	Eco Revolution Ral 5021 Turquoise	12	
16 217	400	5906739722105	Eco Revolution Ral 6005 Green dark	12	
16 218	400	5906739722204	Eco Revolution Ral 6018 Green light	12	
16 219	400	5906739722303	Eco Revolution Ral 6029 Green	12	
16 220	400	5906739722402	Eco Revolution Ral 7001 Grey	12	
16 221	400	5906739723706	Eco Revolution Ral 7016 Anthracite	12	
16 222	400	5906739722501	Eco Revolution Ral 8011 Brown nut	12	
16 223	400	5906739723805	Eco Revolution Ral 8017 Brown chocolate	12	
16 224	400	5906739722600	Eco Revolution Ral 9005 Black gloss	12	
16 225	400	5906739722709	Eco Revolution Ral 9005 Black flat	12	
16 227	400	5906739722808	Eco Revolution Ral 9010 White gloss	12	
16 228	400	5906739722907	Eco Revolution Ral 9010 White flat	12	
16 229	400	5906739723003	Eco Revolution Ral 0000 Clear	12	

\* we can produce any RAL colour - ask your supplier about details

## DIRECTLY TO STYROFOAM





## DECORATION MATT

professional multi purpose, solvent-based paints in satin-matt finish of 20 RAL colours

New line of unique decorative paints with satin-matt finish. Universal synthetic solvent-based paint for surfaces made of metal, wood, ceramics, glass, wicker, cardboard, fabrics, fresh and artificial flowers, and some plastics. Wide range of application hobby and professional works: at home, garden, automotive and industry. Especially useful to arts and decorations.

Notice. For surfaces made of PUR, PS, PA, EPDM, ABS, GfK, Hart – PCV use ■ Plastic Primer DECO COLOR previously. Best result when applied at 15-25°C ■ Satin finish of painted surface ■ Very good covering ■ Short drying time: 10-15 min ■ Touch dry: 30-40 min; Hardened: 24 h ■ Efficiency 1,5-2 m<sup>2</sup> depending on colour and type of surface by one application ■ High resistance to abrasion and weather conditions ■ Variety of colours: 20 most popular colours in RAL system ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
190 001	400	5906739721627	Decoration Matt Ral 0000 Clear	12	
191 015	400	5906739721634	Decoration Matt Ral 1015 Ivory	12	
191 023	400	5906739721641	Decoration Matt Ral 1023 Yellow	12	
192 004	400	5906739721658	Decoration Matt Ral 2004 Orange	12	
193 000	400	5906739721665	Decoration Matt Ral 3000 Red fire	12	
193 005	400	5906739721672	Decoration Matt Ral 3005 Red wine	12	
194 000	400	5906739721689	Decoration Matt Parma Trendy Violet	12	
194 003	400	5906739721696	Decoration Matt Ral 4003 Pink	12	
194 005	400	5906739728411	Decoration Matt Ral 4005 Violet	12	
194 006	400	5906739721719	Decoration Matt Ral 4006 Fuchsia	12	
195 005	400	5906739721726	Decoration Matt Ral 5005 Blue	12	
195 015	400	5906739721733	Decoration Matt Ral 5015 Blue	12	
196 018	400	5906739721740	Decoration Matt Ral 6018 Green light	12	
196 029	400	5906739721757	Decoration Matt Ral 6029 Green	12	
197 001	400	5906739721764	Decoration Matt Ral 7001 Grey	12	
197 016	400	5906739721771	Decoration Matt Ral 7016 Anthracite	12	
197 035	400	5906739721788	Decoration Matt Ral 7035 Grey light	12	
198 019	400	5906739721795	Decoration Matt Ral 8019 Brown	12	
199 005	400	5906739728428	Decoration Matt Ral 9005 Black	12	
199 016	400	5906739721818	Decoration Matt Ral 9016 White	12	



NEW LINE DECORATION MATT  
FASHIONABLE MATT FINISH  
DIY DECORATION LINE

NEW  
FORMULA  
FOR BEST  
COVERAGE

copyright 2016 CHEMMOT | DECO COLOR - all rights reserved



## ANTICORROSIVE PRIMER

anti-corrosive primer paint for priming surfaces

Anticorrosive primer paint which improves adhesion. Compatible with all paint systems (alkyd, acrylic, nitro-combination) water and solvent based. Designed for priming surfaces made of metal, wood, aluminium, stone, concrete, plastic surfaces, except of some plastics and styrofoam. Wide range of application hobby and professional works: at home, garden, automotive and industry.

Notice. Best result when applied at 15-25°C ■ Protects against corrosion ■ Very good covering ■ Fills unevenness up effectively ■ Possibility of grinding when wet or dry ■ Petrol resistance ■ Short drying time: 5-8 min ■ Touch dry: 15-20 min; Hardened: 10-14 h ■ Efficiency 1,5-2 m<sup>2</sup> depending on colour and type of surface by one application ■ Matt finish of painted surface ■ 4 colours offer: gray, white, red oxide, black ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
11 210	400	5906739720217	Anticorrosive primer red	12	
11 220	400	5906739720224	Anticorrosive primer grey	12	
11 230	400	5906739720231	Anticorrosive primer white	12	
11 240	400	5906739720897	Anticorrosive primer black	12	



## CHROME EFFECT

chrome effect paints in three colours

High quality acrylic lacquer with shiny metal chrome effect, achieved because of metallic dust „leafing extra“. Recommended for smooth surfaces made of metal, wood, aluminium, glass, ceramics, stone, concrete and some plastics. Especially practical for works of art and decoration. At florists can be used for fresh and artificial flowers. Chrome effect line has one of the best reputations among competitive products on the market.

Notice. Do not use clearcoat on the top. Do not use primers previously ■ Best result when applied at 15-25°C ■ High gloss – mirror effect ■ Very good covering ■ Short drying time: 5-10 min ■ Touch dry: 20-30 min; Hardened: 18-24 h ■ Efficiency 1,5-2 m<sup>2</sup> depending on colour and type of surface by one application ■ Limited water resistance – technological reasons ■ 3 colours offer: gold, silver and cooper ■ For indoor and outdoor use ■ Capacity 150/400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
12 240	400	5906739720248	Chrome effect silver	12	
12 250	400	5906739720255	Chrome effect gold	12	
12 260	400	5906739720262	Chrome effect cooper	12	
12 270	150	5906739720279	Chrome effect silver	12	
12 280	150	5906739720286	Chrome effect gold	12	



## HIGH TEMPERATURE

heat resistant paints up to 650°C in six colours

Paint with exceptional resistance to high temperature, the colour is unchanged even in the temperature of 650°C. Produced on high quality silicone resin base. Lacquers are widely used in motorization for painting exhaust pipes, engines, in industry for painting ovens, chimneys, smoke-stacks, in household for painting fireplace grids, ovens, radiators, boilers.

Notice: Do not use primers previously. Do not cover any coating on the top ■ Exceptional resistance to high temperature ■ Very good coverage of the painted surface ■ Short drying time: dust dry: 20-30 min, touch dry: 1-2 h ■ To harden the paint completely after around 1 hour heat slowly the coating up to 160°C ■ Efficiency: 1,5-2 m<sup>2</sup> depending on surface by one application ■ Don't use any primers ■ Resistant to weather conditions ■ Variety of colours – offer in 6 most popular colours ■ Contains CFC-free propellants ■ For indoor and outdoor use ■ Capacity: 400ml

Art. no	ml	EAN	Product name	Box	Colour pattern
13 290	400	5906739720293	High temperature aluminium	12	
13 300	400	5906739720309	High temperature black	12	
13 310	400	5906739720316	High temperature white	12	
13 311	400	5906739725328	High temperature red	12	
13 312	400	5906739725335	High temperature anthracite	12	
13 313	400	5906739720910	High temperature transparent	12	





## PLASTIC PRIMER

primer paint for plastic surfaces

Coating adhesion increasing primer for such plastic surfaces as PUR, PS, PA, EPDM, ABS, GfK, Hart – PCV etc. Possibility of direct application under top layer (enamel/lacquer). Possibility of direct application under primed layer (primers). If you want to use primer previously, apply Plastic Primer first, use Anticorrosive Primer / Acryl Primer 1K as a second layer, then e.g. Decoration at the end, as final layer.

Notice. Best result when applied at 15-25°C ■ Short drying time: up to 5 min ■ Efficiency 6 m<sup>2</sup> by one application ■ Compatible with all paint systems (alkyd, acrylic, nitro-combination) water and solvent based ■ Colourless ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
11 150	400	5906739720880	Plastic Primer	12	



## FLUORESCENT

professional fluorescent spray paints in seven colours

Acrylic paint with large content of fluorescent pigments that give reflection effect. Purposed for painting all kinds of warning inscriptions and signs or marking dangerous spots to emphasize their visibility. Used with success in geodetic and forestry works. Indispensable in all kind of decorative works; in floristic works used for painting fresh and dry flowers.

Note: Fluorescent paints aren't phosphorescent paints (shining in darkness) ■ Clear top coat increase resistance to external factors and weather conditions ■ White primer used previously increases visibility ■ Fluorescent paints are not phosphorescent paints (shining in darkness) ■ Best results when applied at 15-25°C ■ Light reflecting properties ■ Limited resistance to UV and weather conditions ■ The intensity of colour depends on the use of white primer ■ Short drying time: dust dry: 10-15 min, touch dry: 20-30 min, hardened: 18-24 h ■ Efficiency: 1,5-2m<sup>2</sup> depending on colours and surface by one application ■ Offer in 7 most popular colours ■ Contains CFC-free propellants ■ For indoor and outdoor use ■ Capacity: 400ml

Art. no	ml	EAN	Product name	Box	Colour pattern
14 320	400	5906739720323	Fluorescent yellow	12	
14 330	400	5906739720330	Fluorescent orange	12	
14 331	400	5906739726387	Fluorescent red	12	
14 340	400	5906739720347	Fluorescent pink	12	
14 350	400	5906739720354	Fluorescent blue	12	
14 360	400	5906739720361	Fluorescent green	12	
14 366	400	5906739726370	Fluorescent white	12	



## ACRYL METALLIC

professional metallic glitter paints in seven colours

Acrylic metallic paints with glitter effect. Used for car and motorcycle tuning, for painting bicycles, motorbikes, car and plane models, metal stands, hub cups, tool cases. Suitable for painting surfaces of metal, stone, wood, glass and some plastic materials.

Note: For surfaces made of PUR, PS, PA, EPDM, ABS, GfK, Hart – PVC use previously Plastic Primer ■ Best result when applied at 15-25°C ■ For additional protection you should use ACRYL CAR LINE DECO COLOR ■ Apply to still wet surface (before painted surface become dry) ■ Short drying time: dust dry: 10-15 min, touch dry: 30-40 min, hardened: 25-30 h ■ Efficiency: 1,5-2 m<sup>2</sup> depending on surface by one application ■ Very good coverage of painting surface ■ Resistant to petrol ■ Resistant to abrasion and weather conditions ■ For indoor and outdoor use ■ Offer in 7 most popular colours ■ Capacity: 400ml

Art. no	ml	EAN	Product name	Box	Colour pattern
15 370	400	5906739720378	Metallic red	12	
15 380	400	5906739720385	Metallic violet	12	
15 390	400	5906739720392	Metallic blue	12	
15 400	400	5906739720408	Metallic green	12	
15 410	400	5906739720415	Metallic silver	12	
15 420	400	5906739720422	Metallic gold	12	
15 430	400	5906739720439	Metallic black	12	



## ACRYL CAR LINE

professional acrylic paints – short car's line in 5 universal colours 500ml / 150 ml

Fast drying acrylic lacquer (short car's line) used for small paint corrections and maintenance. Especially suitable for painting machines and their parts, equipment, aluminium constructions, tools, vehicles, steel furnitures etc. Also used for surfaces made of wood, ceramics, glass, wicker, cardboard and some plastics.

Notice. For surfaces made of PUR, PS, PA, EPDM, ABS, GfK, Hart – PCV use Plastic Primer DECO COLOR previously. Best result when applied at 15-25°C ■ Faster drying time up to 5 minutes! ■ Touch dry: 15-20 min; Hardened: 16-20 h ■ Efficiency 2-2,5 m<sup>2</sup> - 500ml; 0,8 m<sup>2</sup> - 150ml depending on colour and type of surface by one application ■ Very good covering ■ High gloss ■ Creates hard coating resistant to scratches and hits ■ Anticorrosive properties ■ Petrol resistance ■ 5 basic colours in RAL system ■ For indoor and outdoor use ■ Capacity 500/150 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
20 450	500	5906739720453	Acryl aluminium	12	
20 470	500	5906739720477	Acryl black flat	12	
20 490	500	5906739720491	Acryl black gloss	12	
20 500	500	5906739720507	Acryl white gloss	12	
20 510	500	5906739720514	Acryl clear	12	
21 590	150	5906739720590	Acryl aluminium	12	
21 600	150	5906739720606	Acryl black flat	12	
21 610	150	5906739720613	Acryl black gloss	12	
21 620	150	5906739720620	Acryl white gloss	12	
21 630	150	5906739720637	Acryl clear	12	



## ACRYL PRIMER 1K

professional anti-corrosive primer paint for priming surface

Fast drying 1K universal primer with good covering and filling properties. Protects against corrosion. Improves adhesion of topcoat. Compatible with all paint systems (alkyd, acrylic, nitro-combination) water and solvent based. Designed for priming surfaces made of metal, wood, aluminium, stone, concrete, plastic surfaces, except of some plastics and styrofoam. Wide range of application hobby and professional works: at home, garden, automotive and industry.

Notice. Best result when applied at 15-25°C ■ Protects against corrosion ■ Very good covering ■ Fills unevenness up effectively ■ Possibility of grinding when wet or dry ■ Petrol resistance ■ Short drying time: 5-8 min ■ Touch dry: 15-20 min; Hardened: 10-14 h ■ Efficiency 2-2,5 m<sup>2</sup> - 500ml; 0,8 m<sup>2</sup> - 150ml depending on colour and type of surface by one application ■ 4 colours offer: gray, white, red oxide and black ■ Matt finish of painted surface ■ For indoor and outdoor use ■ Capacity 150/500 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
20 520	500	5906739720521	Acryl primer red	12	
20 530	500	5906739720538	Acryl primer gray	12	
20 540	500	5906739720545	Acryl primer white	12	
20 545	500	5906739721610	Acryl primer black	12	
21 640	150	5906739720644	Acryl primer red	12	
21 650	150	5906739720651	Acryl primer gray	12	
21 660	150	5906739720668	Acryl primer white	12	





# RUST BLOCKER

metal protection paint 4in1

Professional protective coating for metals.

4in1 properties:

1. perfect adhesive primer
2. active corrosion protection technology LCI (blocks process of oxidation)
3. fast drying paint with exceptional covering power
4. effective protection against environmental influences

Notice. 360° FUN nozzle allows applying in different positions by wide and narrow stream

For use directly on rust or old paint coatings ■ Active rust protection system prevents corrosion process and it's further spread ■ Protects against environmental influences ■ Short drying time up to 8 minutes!  
 ■ Touch dry: 15-20 min; Hardened: 10-14 h ■ Efficiency 1,5-2 m<sup>2</sup> depending on colour and type of surface by one application ■ Heat resistance up to 100°C ■ 9 colours offer in RAL system ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
18 300	400	5906739721535	Rust Blocker 4in1 RAL 3000 red	12	
18 400	400	5906739721542	Rust Blocker 4in1 RAL 6005 green	12	
18 500	400	5906739721559	Rust Blocker 4in1 RAL 7011 grey	12	
18 550	400	5906739729234	Rust Blocker 4in1 RAL 7016 anthracite	12	
18 600	400	5906739721566	Rust Blocker 4in1 RAL 7035 grey light	12	
18 700	400	5906739721573	Rust Blocker 4in1 RAL 8017 brown	12	
18 800	400	5906739721580	Rust Blocker 4in1 RAL 9005 black	12	
18 900	400	5906739721597	Rust Blocker 4in1 RAL 9006 silver	12	
18 950	400	5906739728404	Rust Blocker 4in1 RAL 9010 white	12	



# PLASTI SKIN

removable matt film

Flexible, fast drying mat film for any type of surface. Wide application: industry, decoration, mototuning, home and garden. Protects against corrosion.

Effectively protects against moisture, acids, rust and corrosion. It has anti-slip properties, which ensures reliable and comfortable grip. Protects against electric shock. It remains flexible and stretchy at the same time does not crumble or crack under extreme conditions. It is perfect for protecting car's body against harmful chemical agents used during winter period.

The most important asset – easy to peel off. Paint. Don't you like it- peel it easily off!

Notice. Thickness and flexibility depends on number of layers you applied. One layer is 30-40 microns. Recommended is to apply 100-120 microns, what means 3 layers at least, at 10 minutes intervals between each. Best result when applied at 15-25°C.

Easy way to remove applied film, immediately after drying, as well ■ No need to use cleaners or solvents – just peel it off ■ Doesn't change the structure of painted surface ■ Anti-slip properties ■ Very good adhesion ■ 360° FUN nozzle allows applying in different positions by wide and narrow stream ■ Resistant to high and low temperatures from -35°C to +90°C ■ Water and weather resistant ■ Matt finish of painted surface ■ Short drying time: 5-8 min ■ Touch dry: 15-20 min; Hardened: 16-20 h ■ Efficiency 1,5-2 m<sup>2</sup> depending on colour and type of surface by one application ■ 10 most common colours in RAL system ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
17 000	400	5906739721436	Plasti Skin RAL 0000 transparent	12	
17 100	400	5906739721443	Plasti Skin RAL 1023 yellow	12	
17 200	400	5906739721450	Plasti Skin RAL 2004 orange	12	
17 300	400	5906739721467	Plasti Skin RAL 3000 red	12	
17 400	400	5906739721474	Plasti Skin RAL 5005 blue	12	
17 500	400	5906739721481	Plasti Skin RAL 6018 green	12	
17 600	400	5906739721498	Plasti Skin RAL 9005 black	12	
17 700	400	5906739721825	Plasti Skin RAL 9006 silver	12	
17 800	400	5906739721511	Plasti Skin RAL 9010 white	12	
17 900	400	5906739721528	Plasti Skin RAL 0000 gold	12	

**RUST BLOCKER METAL PROTECTION**  
 EFFECTIVE RUST PREVENTION SYSTEM  
**RUST PROTECTION PRIMER PAINT**

**NEW FORMULA FOR BEST COVERAGE**

copyright 2020 CHEMMOT | DECO COLOR- all rights reserved

**BESTSELLER PLASTI SKIN**  
 REMOVABLE PROTECTIVE SPRAY FILM  
**PAINT! DON'T YOU LIKE IT? PEEL IT OFF!**

**NEW FORMULA FOR BEST COVERAGE**

copyright 2020 CHEMMOT | DECO COLOR- all rights reserved





# MILITARY PAINT

anti-reflective paint to military camouflage

Anti-reflective paint used as well to military camouflage, as to renovate military equipment. Wide range of application in masking on hunting, but most of all to mask the equipment in very popular ASG games like MilSim. Military simulations also known informally as war games is a military action organized by civilians, as a form of outdoor recreation. The most popular forms of MilSim in Poland are extended variety of paintball games and airsoft. During such games replicas of weapons are used, the most common is Air Soft Gun or (less) paintball guns or Laser-Tag (especially in countries where the law forbids usage of airsoft replicas).

New line of Military Paint fulfill expectations of hobbyists. Due to specially selected colours of Military Paint you are able to make a professional camouflage of your military equipment, or make its renovation.

Camouflage system of MILITARY PAINT 3 in 1:

1. Anticorrosive protection of painted surface
2. Paints in 11 most common colours
3. External factors protection

Notice: Paint is compatible with all paint systems (alkyd, acryl, nitro-combination) water and solvent based.

High adhesive Short drying time up to 8 minutes! ■ Touch dry: 15-20 min; Hardened: 10-14 h ■ Efficiency 1,5-2 m<sup>2</sup> depending on colour and type of surface by one application ■ Matt finish of painted surface ■ Variety of 11 most common colours of military camouflage ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
281 001	400	5906739728480	Military Paint Ral 1001 sand khaki	12	
281 019	400	5906739728497	Military Paint Ral 1019 desert storm	12	
286 003	400	5906739728503	Military Paint Ral 6003 olive green	12	
286 014	400	5906739728510	Military Paint Ral 6014 olive drab	12	
286 031	400	5906739728695	Military Paint Ral 6031 forest green	12	
287 013	400	5906739728701	Military Paint Ral 7013 brown uniform	12	
287 016	400	5906739728534	Military Paint Ral 7016 anthracite	12	
287 038	400	5906739728718	Military Paint Ral 7038 grey	12	
288 027	400	5906739728558	Military Paint Ral 8027 mud brown	12	
289 010	400	5906739728565	Military Paint Ral 9010 flat white	12	
289 021	400	5906739728572	Military Paint Ral 9021 flat black	12	



# MEGAFELGA

professional acrylic paints for wheel rims  
in five colours

Professional acrylic lacquers for wheel rims of cars motorbikes made of plastic, aluminium and other metals. MEGAFELGA by DECOCOLOR has one of the best reputations among competitive products on the market.

Notice. Best result when applied at 15-25°C.

Faster drying time up to 5 minutes! ■ Touch dry: 15-20 min; Hardened: 10-16 h ■ Efficiency 2-2,5 m<sup>2</sup> depending on colour and type of surface by one application ■ Very good covering ■ Very good adhesion ■ Creates hard coating resistant to scratches and hits ■ Anticorrosive properties ■ Petrol resistance ■ Resistant to weather conditions ■ 5 basic colours in RAL system ■ For indoor and outdoor use ■ Capacity 500 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
22 541	500	5906739725410	Megafelga wheel rims aluminium	12	
22 542	500	5906739728831	Megafelga wheel rims gold	12	
22 543	500	5906739725434	Megafelga wheel rims black satin	12	
22 544	500	5906739725502	Megafelga wheel rims black gloss	12	
22 5441	500	5906739729227	Megafelga wheel rims anthracite	12	



# MEGABAMP

professional acrylic paints for bumpers

Professional acrylic lacquers for painting of plastic bumpers which does not change the primary structure of surface. Also used for painting of dashboards and spoilers made of PP and ABS. Product for renewing all plastic parts of the car.

Notice. Best result when applied at 15-25°C.

Faster drying time up to 5 minutes! ■ Touch dry: 15-20 min; Hardened: 10-16 h ■ Efficiency 2-2,5 m<sup>2</sup> depending on colour and type of surface by one application ■ Very good covering ■ Doesn't change the structure of painted surface ■ Creates hard coating resistant to scratches and hits ■ Anticorrosive properties ■ Petrol resistance ■ 3 basic colours in RAL system ■ For indoor and outdoor use ■ Capacity 500 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
23 545	500	5906739725458	Megabamp bumpers black	12	
23 546	500	5906739725496	Megabamp bumpers RAL 7034	12	
23 547	500	5906739725489	Megabamp bumpers RAL 7046	12	



# KONTROLLACK

control lacquer

Fast drying lacquer for quality control of paint and body works. It checks if whole surface was carefully polished. Reveals places which should be repolished. Easy application and big capacity makes the product appreciated by sprayers and fimsmiths.

Notice. Best result when applied at 15-25°C.

Faster drying time. After 3 minutes you can easily grind! ■ Efficiency 2-2,5 m<sup>2</sup> ■ Possibility of other coatings application when dry ■ Compatible with all paint systems (alkyd, acrylic, nitro-combination) water and solvent based ■ Very good adhesion (prepare the surface property) ■ Petrol resistance ■ Offer in basic black mat colour ■ For indoor and outdoor use ■ Capacity 500 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
24 547	500	5906739725472	Kontrollack flat black	12	

## NEW LINE MILITARY PAINT CAMOUFLAGE OF COMBAT VEHICLES IFV

NEW  
FORMULA  
FOR BEST  
COVERAGE

copyright 2020 | CHEMMOT | DECO COLOR - all rights reserved



## BRAKE CALIPER

professional spray paints for brake calipers  
in nine colours

High quality lacquer for brake calipers and drums, which gives them special sporty appearance. Very popular for optical tuning of cars and motorbikes. Brake caliper line has one of the best reputations among competitive products on the market.

Notice. Best result when applied at 15-25°C.

Filling properties ■ Petrol resistance ■ Resistant to abrasion and weather conditions ■ Heat resistance up to 120°C ■ Protects against corrosion ■ High gloss ■ Short drying time: 10-15 min ■ Touch dry: 30-40 min; Hardened: 24 h ■ Efficiency 1,5-2 m<sup>2</sup> depending on colour and type of surface by one application ■ 9 most common colours in RAL system ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
25 350	400	5906739723508	Brake caliper yellow	12	
25 351	400	5906739723515	Brake caliper red	12	
25 352	400	5906739723522	Brake caliper blue	12	
25 353	400	5906739723539	Brake caliper black	12	
25 354	400	5906739720927	Brake caliper white	12	
25 355	400	5906739728800	Brake caliper orange	12	
25 356	400	5906739728817	Brake caliper green	12	
25 357	400	5906739728824	Brake caliper gold	12	
25 358	400	5906739728848	Brake caliper silver	12	



## BRAKE CLEANER

agent for cleaning drum brakes  
with proper applicator

Active agent of high efficiency for cleaning disk and drum brakes, brake blocks, boards and claddings of clutches/couplings, as well as for other greased elements of machines and equipment, such as pumps, cylinders, carburetors, etc. The agent provides for the ideal cleaning effect in short time. Removes the clotted lubricants. It does not damage the rubber and plastic elements and does not cause any corrosion.

Capacity 600 ml – enough for 4 wheels ■ Perfect dissolving properties ■ Does not cause corrosion ■ Does not leave any impurities and residues ■ Can be used in various positions – nozzle 360° ■ Short evaporation time

Art. no	ml	EAN	Product name	Box
30 741	600	5906739727414	Brake cleaner	12



## CAN GAS

pre-fill can with proper solvent  
and female valve

Spray can, pre-filled with propellant and solvent designed for filling with the paints using professional filling machine. Compatible with all lacquering systems on organic solvent base (not water based one). Equipped with the newest spray nozzle, which enables to adjust the width and direction of jet. Can is pre-charged with ecological gas and after adding the proper paint is ready to use.

Compatible with all lacquer systems based on organic solvents. Perfectly dissolves lacquers on acrylic, alkyd and cellulose base.

High profitability ■ Equipped with nozzle enabling adjusting width and direction of spraying ■ Enable to fill the quantity equal with the package (not less) ■ Dimensions 65mm x 157 mm

Art. no	ml	EAN	Product name	Box
30 700	400	5906739720705	Can Gas – pre filled with female valve	12



## GRAVICAR HS

car's body protection

Product for protection of car's body parts, such as front and back belt, thresholds, spoilers, mudguards, doors. Used for spot repairs damaged coatings, after body repair works.

Notice. When dry, you can apply other coatings.

Very good adhesion to smooth surfaces, previously primed and painted ■ Compatible with all paint systems (alkyd, acrylic, nitro-combination) water and solvent based ■ Creates strong, flexible coating with fine-grained structure – does not drip ■ Protects against corrosion ■ Protects against mechanical factors ■ Protects against adverse factors (water, salt) ■ Faster drying time up to 10 minutes! ■ Touch dry: 15-25 min; Hardened: 6 h ■ Efficiency 3 m<sup>2</sup> depending on type of surface by one application ■ Anticorrosive and waterproof properties ■ Resistant to bad weather conditions ■ Capacity 500 ml aerosol

Art. no	ml	EAN	Product name	Box	Colour pattern
27 561	500	5906739725618	HS car's body protection black aerosol	12	



## MASTICAR UBC

underbody protection on bitumen base

Underbody car's protection on bitumen base. Suitable for wood, metal, concrete devices, as well as constructions on and under the ground.

Notice. It can be applied on raw surfaces and also when primed, and painted previously. Do not apply topcoat on preserved surface!!!

Stops corrosion process ■ Sound absorbing properties – protects against stone hits ■ Waterproof ■ Protects against adverse factors (water, salt) ■ Short drying time up to 10 minutes! ■ Touch dry: 25 min; Hardened: 6 h ■ Efficiency 3 m<sup>2</sup> depending on type of surface by one application ■ Heat resistance up to 80°C ■ Capacity 500 ml aerosol

Art. no	ml	EAN	Product name	Box
27 551	500	5906739725519	UBC Underbody protection aerosol	12



## MOVICAR ML

hollow spaces protection

Product for anticorrosive protection of all hollow spaces such as doors, thresholds, flaps racks, or engine lids. Used for water engines, motorboat parts, yachts, scooters, industrial machines, household appliances, to protect against corrosion of metals and steel during storage and transport. Improves standard maintenance. Good supplement for protection after car's body repair and painting.

Notice. Apply to difficult spots using soft applicator attached to the product. Suitable length (40cm) and special spray head, allows perfect application, and penetration in the slots of hollow spaces.

Wax based ■ Creates highly adhesive, waterproof and elastic film in yellow colour ■ Connects to rust, displaces it and stops corrosion from inside ■ Stops corrosion process ■ Excellent penetrating properties ■ Effectively displaces water and moisture ■ Short drying time up to 30 minutes ■ Efficiency 3 m<sup>2</sup> depending on type of surface by one application ■ Heat resistance up to 80°C ■ Capacity 500 ml aerosol

Art. no	ml	EAN	Product name	Box
27 581	500	5906739725816	ML Hollow space protection aerosol	12





## ZINC METALLIC

Zinc metallic heat resistant up to 500°C

Fast drying aluminium-zinc preparation for protection of damaged galvanized structures and their parts in welds or sheets cutting. Used for maintenance of aluminium profiles. Suitable for galvanized surfaces before and after matching.

Notice. Using primers is not recommended. Possibility of applying other coating. Compatible with all paint systems (alkyd, acrylic, nitro-combination) water and solvent based.

Perfect cathodic protection against corrosion (aluminium content) ■ Perfect adhesion to non-ferrous metals and iron ■ Resistance to high temperatures up to 500°C ■ Weather conditions resistance ■ Spot welding ability ■ Short drying time: 10-15 min ■ Touch dry: 30-40 min; Hardened: 24 h ■ Efficiency 1-1,5 m<sup>2</sup> depending on type of surface by one application ■ Basic colour: aluminium gloss ■ For indoor and outdoor use ■ Capacity 400/600 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
30 670	400	5906739720675	Zinc metallic aerosol	12	
30 671	600	5906739726714	Zinc metallic aerosol	12	

Offer to industry



## ZINC METALLIC

600 ml



## ZINC PRIMER

primer of 97% zinc content heat resistant up to 300°C

Preparation with high content of zinc (97%). Designed to protect the surface made of metal and steel. Perfect for small craft works such as welding. In industry: rust protection of all structures. Perfect primer for installations exposed to water and hard weather conditions.

Notice. Compatible with all paint systems (alkyd, acrylic, nitro-combination) water and solvent based.

Creates hard coating which contains 97% of pure zinc ■ Anticorrosive properties ■ Weather condition and UV resistance ■ Resistant to high temperatures up to 300°C ■ Very good filling properties ■ Spot welding ability ■ Short drying time: 10-15 min ■ Touch dry: 30-40 min; Hardened: 24 h ■ Efficiency 1-1,5 m<sup>2</sup> depending on type of surface by one application ■ Basic colour: aluminium mat ■ For indoor and outdoor use ■ Capacity 400 ml ■

Art. no	ml	EAN	Product name	Box	Colour pattern
30 690	400	5906739720699	Zinc primer 97% aerosol	12	



## PENETRATING OIL

rust remover with molybdenum disulfide MoS<sub>2</sub>

Perfect rust remover and effective grease.

Contains molybdenum disulfide (MoS<sub>2</sub>) molecules which reduce a friction.

Makes to surface more resistant and strong. Due to its special properties used unscrewing even the most rusted screws for unscrewing even the most rusted screws, hinges and bolts. Used also as lubricant for sliding surfaces, maintenance of brake systems and all kinds of chains.

This product is applicable for quick repairs during production.

Molybdenum disulfide molecules (MoS<sub>2</sub>) ■ Dissolves rust and slacks all rusted parts ■ Anticorrosive properties ■ Penetrating properties ■ Reaches even the smallest capillary hollow of the surface ■ Allows for spot application ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box
30 680	400	5906739720682	Rust remover with MoS <sub>2</sub>	12



## SILICON SPRAY

Hydrophobic lubricant from - 50°C up to 200°C

Hydrophobic lubricant for preservation of rubber and plastic parts of the car, home and industry. Protects against water and oxidation. Protects rubber parts against drying and freezing. Preserves plastic and makes it more glossy. Refreshes mat paint coatings. Helps in mounting windows. Good grease for locks, hinges and chains. Helps to remove elements from their forms. Gives electrical insulation due to its antistatic properties.

Odourless, non-toxic, colourless ■ Reduces friction, eliminates creaks and squeaks ■ Resistant to temperatures from - 50°C to + 200°C ■ Petrol resistance ■ Weather condition resistance ■ Good insulator ■ Anti static; does not attract dirt and dust ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box
30 710	400	5906739720712	Silicone spray	12



## CHAIN SPRAY

lubricant for chains and gears from - 40°C up to 150°C

Product for all kinds of: chains, gears, bearings, and other elements exposed to friction. Protects and oils all types of bearings, chains and clutches. Protects all types connectors, couplings, wire ropes in vehicles, motor-bikes, bicycles and forklifts.

Notice. Professional lubricant for bicycle chains, resistant from - 40°C to +150°C.

Reduces adhesion of dust and sand to the surface ■ Reduces friction and noise ■ Provides smooth and soft work ■ Extends lifespan ■ Perfectly protects against corrosion ■ Displaces moisture effectively ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box
30 730	400	5906739720736	Chain spray	12



## CONTACT SPRAY

moisture remover

Moisture remover from electrical installations. Helps in ignition process. Eliminates oxidized places on contacts, causing uninterrupted electricity stream. Preserves electrical systems in vehicles. Prevents oxidation and sulfidation in pipes, electrical contacts, sockets, connectors, fuses and spark plugs.

Provides uninterrupted electricity stream in sockets ■ Protects against water, salt, and weak acids ■ Anticorrosive properties ■ Penetrating properties ■ Removes oxidized places ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box
30 720	400	5906739720729	Contact spray	12



## STOP MARTEN

anti-marten spray

Special composition of aromatic substances acting as deterrent on rodents, especially martens, which cause damages, snack all kind of cables on, and other parts of vehicles made of plastic and rubber. Martens attracted by warmth of engines sneak under the hood of the car and bite through mineral wool, engine shield. Possibility of application to mineral wool used to roof insulation.

Notice. Products should be regularly applied to the wires and other soft plastic parts of vehicles and machines. Use every week during peak periods of rodents (autumn, winter).

Product has no any bad influence on the health and life of animals ■ It acts as deterrent to rodents ■ Products is safe for human, and environmental friendly ■ Neutral odour ■ Clear film ■ Long term effect ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box
30 760	400	5906739728473	Anti-marten spray	12



## FOAM CLEANER

active cleaning foam

Universal foam cleaner of dirt. Application in automotive and household works. Removes dirt come from e.g. grease, oil, tar, and also insects from the glass, chrome and plastic parts. Cleans stain from carpets, upholstery, sport equipment etc. and do not destroy them. Perfect for cleaning of windows. Gives a new, fresh look to plastic materials.

Effective products based on modern formula ■ Universal application ■ Permanent fragrance ■ Shiny surface without streaks and stains ■ Indoor and outdoor use ■ Good dissolvent properties ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box
30 750	400	5906739720750	Foam cleaner	12



## DECO PLADUR

structural ground-mixture for roofing sheets

Professional ground mixture for structural roofing sheets PLADUR® type. Based on recipes adapter for altitude works of structural metal sheets.

Fine-grained structure ■ Mat finish of painted surface ■ Short drying time: 10-15 min ■ Touch dry: 30-40 min; Hardened: 24 h ■ Efficiency 1,5-2 m² depending on colour and type of surface by one application ■ Weather condition resistance ■ Anticorrosive properties ■ Waterproof ■ 14 most common colours ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
363 000	400	5906739729180	Deco Pladur RAL 3000 red matt	12	
363 005	400	5906739728589	Deco Pladur RAL 3005 red matt	12	
363 009	400	5906739728596	Deco Pladur RAL 3009 red matt	12	
363 011	400	5906739728602	Deco Pladur RAL 3011 red matt	12	
365 008	400	5906739729197	Deco Pladur RAL 5008 blue matt	12	
365 010	400	5906739729203	Deco Pladur RAL 5010 blue matt	12	
366 005	400	5906739729210	Deco Pladur RAL 6005 green matt	12	
366 020	400	5906739728619	Deco Pladur RAL 6020 green matt	12	
367 016	400	5906739728626	Deco Pladur RAL 7016 anthracite matt	12	
367 024	400	5906739728633	Deco Pladur RAL 7024 grey matt	12	
368 004	400	5906739728640	Deco Pladur RAL 8004 brown matt	12	
368 017	400	5906739728657	Deco Pladur RAL 8017 brown matt	12	
368 019	400	5906739728664	Deco Pladur RAL 8019 brown matt	12	
369 005	400	5906739728671	Deco Pladur RAL 9005 black matt	12	



## DECO DACH

acrylic ground-mixture for roofing sheets

Professional ground mixture for refurbishment of roofing sheets of polyester, polyurethane, and coated with plastisol, PCV, PVF2, as well as colicoated. Used to repair roof sheet damage caused during installation.

Easy application – important for altitude works ■ Blocks the rust ■ Anticorrosive properties ■ Waterproof ■ Very good covering ■ Satin finish of painted surface ■ Short drying time: 10-15 min ■ Touch dry: 30-40 min; Hardened: 24 h ■ Efficiency 1,5-2 m² depending on colour and type of surface by one application ■ Weather condition and abrasion resistance ■ 13 most common colours in RAL system ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
50 200	400	5906739728121	Deco Dach RAL 3005 red	12	
50 250	400	5906739728138	Deco Dach RAL 3009 red	12	
50 300	400	5906739728145	Deco Dach RAL 3011 red	12	
50 400	400	5906739728169	Deco Dach RAL 6005 green	12	
50 450	400	5906739728176	Deco Dach RAL 6020 green	12	
50 501	400	5906739728688	Deco Dach RAL 7016 anthracite	12	
50 550	400	5906739728190	Deco Dach RAL 7024 grey	12	
50 600	400	5906739728206	Deco Dach RAL 8004 brown	12	
50 650	400	5906739728213	Deco Dach RAL 8017 brown	12	
50 700	400	5906739728220	Deco Dach RAL 8019 brown	12	
50 720	400	5906739728237	Deco Dach RAL 9005 black	12	
50 750	400	5906739728244	Deco Dach RAL 9006 aluminium	12	
50 800	400	5906739728251	Deco Dach RAL 9010 white	12	





## NEWBATH

### professional 2K enamel for cast iron, steel and acrylic bathtubs renovation

Two-component enamel for cast iron, enamel and acrylic bathtubs renovation. Suitable for painting toilets, sinks, showers etc. Suitable also for other surfaces such as ceramics, wood, laminate surfaces (boats, yachts, airplanes), steel and aluminium as well as for plastic elements. Designed to coat surfaces above and below the waterline.

Notice. Professional two-component product recommended by companies which are specialized in baths renovations.

Short drying time: 16 h – hardened ■ Next layer application: minimum 24 h (in over 90% cases it is enough to apply only 1 layer) ■ Super gloss and long-lasting colour, does not become yellow, high resistance to UV ■ Perfectly covers and fills, creating diamond coating ■ Efficiency: 7 m<sup>2</sup>, enough for bath and washbasin ■ Good filling properties ■ Weather conditions and salt water resistance ■ High temperatures resistance up to 80°C ■ For indoor and outdoor use ■ Standard colour RAL 9016 ■ Capacity 500 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
30 442	500	5906739724420	2K enamel for bathtubs renovation RAL 9016 white gloss	6	



## EPOXY KERAMIK

### touch up to small baths scratches and other sanitary equipment

Fast drying epoxy paint for small corrections, scratches and defects of bathtubs, sinks, washing machines and other household appliances. Suitable for enamel surfaces, ceramics, glass, wood and plastic. It can be used for furniture, tools or even boats.

Very good covering ■ High gloss ■ Short drying time: 8-10 min ■ Touch dry: 20-25 min; Hardened: 18-24 h ■ Efficiency 1,5-2 m<sup>2</sup> depending on type of surface by one application ■ High resistance to abrasion and water influence ■ The most popular colour RAL 9016 ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
30 440	400	5906739720446	Epoxy Keramik RAL 9016 white gloss	12	



## ECO KALORYFER

### ecological water-based paints for radiators

Water enamel for painting and renovation of steel and cast iron radiators. Suitable for painting of heating pipes, boilers etc. Does not become yellow, no irritating odour typical for solvent based products.

Notice. 360° FUN nozzle allows applying in different positions by wide and narrow stream.

Heat resistance up to 100°C ■ Creates smooth coat with glossy finish ■ The most popular colour RAL 9016 ■ Short drying time: 20-30 min ■ Touch dry: 60 min; Hardened: 24 h ■ Small corrections can be adjusted up to 20 minutes after application ■ Water and humidity resistance can be achieved after 5-6 days since applied ■ Efficiency 1,5-2 m<sup>2</sup> depending on type of surface by one application ■ Creates hard acrylic coating resistant to abrasion and mechanical damages ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
30 450	400	5906739724437	Radiators enamel RAL 9016 white gloss	12	



## RENOVATOR RADIATOR

### acrylic paint for radiator renovation

Fast drying acrylic lacquer for painting and renovation of radiators made of steel and cast iron, central heating systems, pipes, boilers etc. Resistant to moisture. Doesn't become yellow, good thermal conductivity, fast drying. Provides smooth, durable surface, you can easily clean.

Heat resistance up to 100°C ■ Resistant to moisture and rust ■ Creates smooth, glossy surface ■ The most popular colour RAL 9016 ■ Fast drying time: 5 minutes! ■ Touch dry: 15-20 min ■ Hardened: 16-20 h ■ Efficiency 1,5-2 m<sup>2</sup> depending on type of surface by one application ■ Hard acrylic film resistant to water and abrasion ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
30 470	400	5906739728442	Renovator Radiator RAL 9016 white gloss	12	



## RENOVATOR APPLIANCE

### acrylic paint for household appliance renovation

Fast drying acrylic lacquer for painting and renovation of: fridges, washing machines and other household appliances. Doesn't become yellow, has good thermal conductivity. Perfect for renovation of outside metal layers of household appliances. Provides smooth, durable surface, you can easily clean.

Heat resistance up to 100°C ■ Directly to household appliances ■ Resistant to moisture and rust ■ Creates smooth, glossy surface ■ Most popular colour: RAL 9016 ■ Fast drying time: 5 minutes! ■ Touch dry: 15-20 min ■ Hardened: 16-20 h ■ Efficiency 1,5-2m<sup>2</sup> depending on type of surface by one application ■ Hard acrylic film resistant to water and abrasion ■ For indoor and outdoor use ■ Capacity 400 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
30 460	400	5906739728459	Renovator Household Appliance RAL 9016 white gloss	12	

**NEW BATH SWISS FORMULA**  
**2K FOR BATH RENOVATION**  
**CAST IRON ACRYLIC ENAMELLED**

**NEW FORMULA FOR BEST COVERAGE**

copyright 2020 CHEMMOT | DECO COLOR - all rights reserved





## NEW COCKPIT SPRAY

professional dashboard cleaners

Dashboard cleaner. New improved formula. Perfectly cleans and preserves all plastic, vinyl, rubber and wood parts, inside and outside the car. Prevents dust, prolongs durability of plastics, protects against dirt and moisture. Offer in four fragrances: lemon, pine, cherry and cedar. New silicone free formula.

Notice. Product can be successfully used for homework especially for furnitures

Durable fragrance – effect up to 7 days ■ Makes the surface gloss ■ Creates anti-static silicone coating ■ Protects against UVA and UVB ■ Preservative properties ■ Best quality and beautiful scents according to Italian recipes ■ For indoor and outdoor use ■ Capacity 600 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
26 770	600	5906739720774	Cockpit cherry	12	
26 780	600	5906739720781	Cockpit cedar	12	
26 790	600	5906739720798	Cockpit lemon	12	
26 800	600	5906739720804	Cockpit pine	12	



## PISTOLSPRAY

convenient aerosol applicator

Gun form applicator, which helps you to apply all aerosols in simple and easy way. Allows you evenly application. Remove the cover from the spray can, put the gun on the collar head, and start an application by pressing the trigger. Easy and pleasant application.

Art. no	EAN	Product name	Box
30 870	5906739720873	Aerosol applicator	24



## FLUOMARKER

professional marker for surveying, construction and forestry

Professional marker for surveying, construction, and forestry. Perfect for works on surfaces like: asphalt, wood, metal, concrete, glass, stone. Perfect for works directly on the ground even in difficult weather conditions. Application: land and water constructions, building of roads and highways, power lines, pipe lines, water supply systems, archeology, warehouse works, marking dangerous places of architecture, forestry and cutting down the trees.

Notice. For painting larger surfaces (not only for marking) white primer should be used. For achieving more intense colour and additional protection you should use Decoration clear / Acryl car line clear. Best result when applied at 15-25°C.

360° nozzle and special valve allows applying in every position (even upside down) ■ Ergonomic head ■ Very good covering ■ Short drying time: 10-15 min ■ Touch dry: 20-30 min; Hardened: 18-24 h ■ Efficiency 2.2-2.5 m² depending on colour and type of surface by one application ■ Weather condition resistance ■ Offer in 8 most common colours ■ For indoor and outdoor use ■ Capacity 500 ml

Art. no	ml	EAN	Product name	Box	Colour pattern
14 510	500	5906739726011	Fluomarker yellow	12	
14 520	500	5906739726028	Fluomarker orange	12	
14 530	500	5906739726035	Fluomarker red	12	
14 540	500	5906739726042	Fluomarker pink	12	
14 550	500	5906739726059	Fluomarker blue	12	
14 560	500	5906739726066	Fluomarker green	12	
14 570	500	5906739726073	Fluomarker white	12	
14 580	500	5906739726080	Fluomarker black	12	

## SPRAY PAINT APPLICATION GUIDE

It is best to paint at 20°C.  
This is the optimal temperature for the best painting results.  
Please note that the drying time also depends on the humidity and the density of the product itself.  
Painting should be done in well ventilated rooms.




Surfacepreparation is a very important step affecting the quality and durability of varnish coating.  
The general rule is: sand, dry and degrease.  
After drying the primed surface, it should be gently sanded with fine-grained sandpaper.



Shake the can vigorously for about 3 minutes, which will thoroughly mix the substance through the metal ball from inside the can.  
The pigment settles at the bottom of the container, so it is necessary to obtain the correct coverage of the painted surface.  
Make an application test previously !!



Apply paint as several thin layers, not one thick layer.  
Paint in a cross motion, first vertically and then horizontally of thin layers.  
Wait a few minutes between applying next coats  
If there are drips, it means that the paint is sprayed too close and for too long in one place.



It is necessary to apply the paint at a distance of 25-30 cm from the painted surface.  
The spray should be carried out parallel to the painted surface.  
If we apply too closely, paint would drip.



To avoid clogging the nozzle after painting, turn the container upside down and press the nozzle for about 3 seconds.  
To achieve better result we recommend using our PISTOLSPRAY applicator.



## MODULAR DECO COLOR PRESENTERS



Height ► 150 cm  
Width ► 50 cm  
Depth ► 30 cm



Height ► 40 cm  
Width ► 50 cm  
Depth ► 30 cm

To display a wider offer add more modules.



Universal exhibitor for best possible DECO COLOR® aerosol line products presentation. It consists of five shelves. You can arrange 24 pieces on 1 shelf: 6 rows of 4 pieces each.  
There are 5 shelves with 24 sprays on each, 120 pieces in total.  
For example, on one shelf you can perfectly place the entire offer from the basic DECO COLOR® DECORATION line, all 30 basic RAL colors, 4 pieces of each color.



**DECO COLOR<sup>®</sup>**

copyright 2020 CHEMMOT | DECO COLOR - all rights reserved

**CHEMMOT COMPANY  
PL-32-050 SKAWINA / k. KRAKOWA  
PIŁSUDSKIEGO 59  
TELEFON +48 12 276 75 45  
FAX+48 12 276 78 20**