

20  
24

**AUTOMOTIVE**  
CATALOGUE

EN

**FINIXA**<sup>®</sup>  
paint processing products

# PRODUCT CATALOGUE

## NEW PRODUCTS

We are very proud to present to you the Finixa catalogue, further diversifying our high-quality product range for the professional car body shop. Finixa as your one-stop-shop for collision repair solutions.

## USER FRIENDLY

Our products are divided into 12 chapters. Each chapter starts with a technical page on which you can find product comparisons and application examples (grey pages). An alphabetical article listing is included in the last section of the catalogue. This ABC-listing will help you locate articles within the catalogue.



## APPLICATION OVERVIEWS

At the start of each chapter technical overviews are given on a grey page (technical features, product applications, etc.). Look for this icon throughout the catalogue!

**NEW**

## NEW PRODUCTS

Each new product can be easily recognized throughout the catalogue.



## VIDEO LINKS

Buttons link to an application video on FinixaTV.



## ALPHABETICAL LISTING OF ARTICLE NUMBERS

To help you locate articles within the catalogue. Contains the quantity per sales unit, per box and per pallet. New products are also indicated in the list.



## USE OF ICONS

We use icons to help us classify products; for example to indicate water-based or UV-products.

This catalog provides an overview of products in the state of publication date. Due to our continuous product improvement, products and/or packaging may change without notice. The pages of this catalog may contain technical errors, outdated information or typographical errors.

# FINIXA, MADE BY CHEMICAR

---

*Chemicar Europe NV designs and develops high-quality, non-paint products (consumables and equipment) for the professional body shop, under the quality brand Finixa.*



## HIGH QUALITY

Our products are tested extensively before they are brought onto the market.

---



## INNOVATION

Our research and development department focuses on product innovation and improvement in order to not only meet the demands of the market, but to simplify the car repair process.

---



## SUSTAINABILITY


We work on finding solutions to replace traditional solvent-based products by high-performing water-based alternatives.

---

# DISTRIBUTION

---

Chemcar operates via a network of dealers all over the world. Body shops buy their Finixa products via one of our dealers. We have distributors on an exclusive and non-exclusive base in almost 100 countries.



Distribution in more than  
**100 COUNTRIES**

---

Expand brand reach by means of  
**LOYAL PARTNERSHIPS**

 Finixa network of dealers



# TRAINING CENTRE

*The brand new Finixa training centre is fully equipped with the latest technology for the automotive aftermarket, including a spray booth. As part of our support plan, we offer technical training, to be organised at our head quarters in Belgium. Here, our dealers, co-workers and interested body shops worldwide are trained in and informed about our technology in our 450 m<sup>2</sup> training centre.*



We organise courses and workshops as a forum to share know how and experience. Customers from all over the world visit our training centre to get demonstrations on how to use Finixa products. Of course, we also offer online demonstrations or

product training. This gives our dealers and body shops the means to ensure that they work with our products in a safe manner while guaranteeing that they end up with a perfect result.

# OUR AIM

---



## **TO MAKE REPAIRS MORE DURABLE**

By working on high-quality, high-performing products

---



## **TO SIMPLIFY THE CAR REPAIR PROCESS**

By updating working techniques, improving existing products and developing new products

---



## **TO SHARE KNOWLEDGE**

By organizing courses and interactive workshops to increase efficiency levels in the body shop

---



## **TO WORK ON A CLEANER ENVIRONMENT**

By replacing traditional, solvent-based products by high-performing, water-based alternatives

---

## RESEARCH & DEVELOPMENT

---

*As part of our growth plan, we work on new product development and product improvements. All products are tested extensively before they are brought onto the market.*



***We work on finding solutions to replace traditional solvent-based products by high-performing water-based alternatives.***

# 01

---

## PAINT PREPARATION & APPLICATION

- 12 General information
- 13 Mixing cups
- 14 Green Paint System
- 16 Spray guns
- 21 Spray gun accessories
- 24 Paint strainers
- 25 Mixing paddles
- 26 Spray samples
- 27 Accessories

# 02

---

## PRE-PAINT CLEANING AND DEGREASING

- 32 General information
- 33 Cleaning and degreasing cloths
- 36 Tack rags
- 38 Water-based degreaser
- 39 Foam it!
- 40 Dispensers for rolls
- 41 Handy accessories

# 03

---

## DETAILING AND PAINT CORRECTION

- 44 General information
- 46 Cleaning
- 53 Polishing
- 59 Paint correction

# 04

---

## POLYESTER PUTTIES

- 63 General information
- 64 Polyester putties
- 70 Hardeners
- 71 Accessories

# 05

---

## BONDING, SEALING AND PLASTIC REPAIR

- 74 General information
- 75 Bonding
- 77 Plastic repair
- 79 Sealing
- 81 Metal bonding
- 82 Accessories

# 06

---

## SANDING

- 85 General information
- 87 Abrasives by machine
- 95 Sanding machines
- 97 Accessories
- 99 Abrasives by hand
- 103 Sanding blocks
- 105 Specials



# 07

---

## MASKING

- 108 General information
- 110 Masking film
- 114 Masking paper
- 115 Masking dispenser
- 116 Masking film cutter
- 117 Masking tape
- 119 Lifting tape
- 120 Joint stopper
- 121 Spon tape
- 123 Covers
- 126 Specials

# 10

---

## PERSONAL PROTECTION

- 154 General information
- 157 Dust & spray masks
- 159 Dust & spray masks accessories
- 160 Gloves
- 163 Cleaning and degreasing cloths
- 164 Personal hygiene
- 165 Spray overalls

# 08

---

## TECHNICAL SPRAYS

- 129 General information
- 130 Primer/filler
- 131 Corrosion protection
- 133 Paints & lacquers
- 134 Specials
- 140 2K spray cans

# 11

---

## EQUIPMENT

- 173 General information
- 174 Gun cleaning
- 178 Lamps
- 180 Isolation pads
- 181 Panel stands & trestles
- 183 Accessories

# 09

---

## SPRAY BOOTH MAINTENANCE AND PROTECTION

- 143 General information
- 144 Dust control
- 145 Cleaning
- 146 Protection

# 12

---

## PROMOTIONAL ITEMS

- 188 Promotional items

# 13

---

## ALPHABETICAL INDEX



**01**

**PAINT PREPARATION &  
APPLICATION**

# 01

---

# PAINT PREPARATION & APPLICATION

*The topcoat remains the most visible step in the entire collision repair process. Colour matching, gloss level and surface structure determine to a large extent whether or not a repair has been carried out professionally. That is precisely why the way in which the paint products are prepared and applied is of great importance for achieving a high-quality end result. Finixa offers a complete range of products for both paint preparation and application. Transform your painting process with our Green Paint System. Achieve professional results in record time with our sustainable, patented product, designed to reduce waste and increase efficiency.*

---

<b>12</b>	General information
<b>13</b>	Mixing cups
<b>14</b>	Green Paint System
<b>16</b>	Spray guns
<b>20</b>	Spray gun accessories
<b>23</b>	Paint strainers
<b>24</b>	Mixing paddles
<b>25</b>	Spray samples
<b>26</b>	Accessories



		PRIMER/FILLER		BASE COAT / SOLID COLOURS			CLEAR COATS		
		CONVENTIONAL	UV	WATER-BASED	SOLVENT-BASED	SOLID COLOURS		UV	PAGE
	GPS 650125			●					14
	GPS 650190	●			●	●	●		14
	NVZ 0125			●					24
	NVZ 0190	●	●		●	●	●	●	24
			BLACK CUPS				BLACK CUPS		

			CUPS		
			BLACK	UNPRINTED	PRINTED
	MCP 400	400cc	●	●	●
	MCP 650	650cc	●	●	●
	MCP 900	900cc		●	●
	MCP 1300	1300cc		●	●
	MCP 2240	2240cc		●	●
	MCP 5000	5000cc			●

		LIDS	
		BLACK	UNPRINTED
	MCL 400	●	●
	MCL 650	●	●
	MCL 1300		●
	MCL 2240		●
	MCL 5000		●





**PRINTED MIXING CUPS**

**MCP**

- Optimized height-width dimensions for more accurate mixing
- Clearly printed and readable from the inside mixing ratios
- 10 different mixing ratios
- Available in 6 volumes: 400cc, 650cc, 900cc 1300cc, 2240cc and 5000cc
- Bottom feet protecting against cold transfer during mixing
- Stacking supports for easy separation
- Winter proof plastic
- Lids available separately
- Also available in an untransparent black version, ideal to store UV sensitive paints like water based base coats or UV primers
- (only available 400 & 650 ml)
- Dispenser in stainless steel available separately

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
--------	--------	--------	---------	---------	---------

**UNPRINTED MIXING CUPS**

**MCU**

- Especially developed for mixing with mixing ruler or scale
- Has the same properties as the printed mixing cups MCP
- Available in 5 volumes: 400cc, 650cc, 900cc, 1300cc and 2240cc

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
--------	--------	--------	---------	---------	---------

**LIDS FOR MIXING CUPS**

**MCL**

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
--------	--------	--------	---------	---------	---------

**MCLS**

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
--------	--------	--------	---------	---------	---------

**BLACK CUPS**

**MCB**

- Same properties as the unprinted mixing cups MCU
- Black version, not transparent
- Ideal to store UV sensitive paints such as water-based base coats or UV primers
- Available in 2 volumes: 400cc & 650cc

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
--------	--------	--------	---------	---------	---------

**LIDS FOR MIXING CUPS**

**MCBL**

400 ml	650 ml	900 ml	1300 ml	2240 ml	5000 ml
--------	--------	--------	---------	---------	---------



### Reduce, reuse, recycle

*The renewed painting system uses an ultra-thin PET liner. Using recycled Polyethylene terephthalate (PET) puts us a green step ahead as a company. Even more so because we use an incredible 40-50% less plastic to produce our flexible inner cups compared to the average liner by our competitors on the market. Looking at a European market of a tremendous 150 million produced systems, this is a significant amount of saved plastic.*

**NEW**

## GREEN PAINT SYSTEM

GPS 650125 - 650190

- In house development : Belgian patented product
- Sustainable production : our goal is to reduce waste
- Ultra thin PET-liner : up to 50% thinner compared to traditional systems
- Highly transparent PET-liner for accurate mixing
- Easier and faster collapsing PET-liner than LDPE and therefore faster paint release out of the PET-liner
- Less friction resulting in a better paint flow
- Reusable outer cup with 10 different mixing ratios, optimized height-width dimensions for more accurate measuring
- Lightweight lid with integrated strainer
- Store leftover paint easily with the closing cap
- Packed in a handy dispenser box : use together with our wall mount (WMG 00) to conveniently attach the box to the wall in just a few seconds

650  
ml

 WATCH VIDEO



Did you know that PET ensures minimal friction with the paint, more chemical resistant than LDPE and collapses a lot faster than LDPE? In this way, the unique PET liner does not only leave less paint residue in the liner and reduces the weight of plastic waste but on top of that ensures you at all times in a perfect color match.

Want to know more about our recycling process?

[TAKE A LOOK AT OUR WEBSITE](#)

CAN BE USED WITH:



**WALL MOUNT FOR  
DISPENSER BOX**

**WMG 00**

[See overview](#)



#### Closing cap

- Store leftover paint easily

**GPS 00**



#### Lid

- Lightweight lid with integrated strainer



#### PET-liner

- Ultra thin PET-liner
- Up to 50% thinner compared to traditional systems
- Highly transparent for accurate mixing
- Less friction resulting in better paint flow
- Easier and faster collapsing than LDPE and therefore faster paint release out of the liner



#### Reusable outer cup

- 10 different mixing ratios
- Optimized height-width dimensions for more accurate measuring

**GPS 650C**





SPG 100

## MINI SPRAY GUN

### SPG 100

- Ergonomic grip
- Minimal overspray, maximum transfer efficiency
- LVLV technology: over 74% effective transfer efficiency
- Lightweight anodized aluminium body
- Can be used for water-based and solvent-based paints
- Required air feed pressure: 1.5 bar
- Standard with a 0.8mm nozzle. Nozzles 0.8mm, 1.0mm, 1.1mm, 1.2mm also available separately
- Incl. cup 100 ml (also available as spare part SPG 100C)

CAN BE USED WITH:



### GRAVITY CUP 100ML

#### SPG 100C



SPG 500

## SPRAY GUN

### SPG 500

- Ergonomic grip.
- Minimal overspray, maximum transfer efficiency.
- LVLV technology: over 74% effective transfer efficiency.
- Lightweight anodized aluminium body, available separately: stainless steel needle set.
- Can be used for water-based and solvent-based paints.
- Required airfeed pressure: between 1.8 and 2.2 bar.
- Incl. cup 500 ml (also available as spare part SPG 500C).
- Nozzle set to be purchased seperately (not included).

CAN BE USED WITH:



### GRAVITY CUP 500ML

#### SPG 500C



**10 L PRESSURE TANK****SPG 80**

1	Pressure tank	SPG 80	10L
2	Spray gun for SPG 80	SPG 81	nozzle 1.8mm
3	Set hoses for SPG 80	SPG 82	10m

**1 — 10 L PRESSURE TANK****SPG 80**

- The combination of the 10L tank and 10m air/paint tubes makes the SPG 80 the ultimate tool to protect your spray booth by applying spray booth protect.
- Includes a set of hoses (black and transparent) and a spray gun with a 1.8mm nozzle set.
- Place SPG 80 in the centre of the spray booth, no need to move as the 10m hose will allow you to go around the complete spray booth without having to move the tank.
- Combination of an aluminium spray gun and a galvanized powder coated tank allows you to apply in a very comfortable way any primer, basecoat or topcoat, water or solvent based coatings.
- Available as spare parts: SPG 83 transparent hose, SPG 82 set of hoses, SPG 81 spray gun for pressure tank

**2 — SPRAY GUN FOR SPG 80 WITH 1.8MM NOZZLE****SPG 81**

- Spray gun for SPG 80
- Nozzle of 1.8mm

**3 — SET HOSES FOR SPG 80****SPG 82**

- Set of hoses for SPG 80
- 10mm inner diameter for more product flow
- 10M length

**4 steps to operate the pressure tank**

*(some pressure loss can occur when using a 10m hose):*

1. Pour the product to be sprayed in the tank and set up for use.
2. Close the air inlet regulator on the spray gun completely.
3. Open the trigger of the spray gun and adjust the tank pressure till a smooth +/-15cm radius product flow is produced.
4. Adjust the air inlet regulator of the spray gun till the desired spray pattern is obtained.



SPG 800



SPG 900

[WATCH VIDEO](#)

## HIGH TRANSFER SPRAY GUN - BASE/CLEAR

### SPG 800-900

- Premium spray gun, developed in-house, complies with all VOC regulations
- The gun is available in 2 versions, a matt version (SPG 800 for basecoats) and a glossy version (SPG 900 for clearcoats)
- Standard the gun is equipped with a 1.3 nozzle kit, optionally available 1.2, 1.4, 1.5 and 1.8mm nozzle sets (SPG 900K)
- These spray guns with LVLV technology produce the finest atomisation at 1.1-1.4 bar output spray pressure and give high paint transfer with very little overspray
- These spray guns not only perform exceptionally but are also built to last
- Lightweight aluminium housing
- 100% steel liquid passages (stainless)
- No rubber parts
- Ergonomic grip
- Easy to adjust
- Fast and smooth application
- Supplied in a hard case, including paint cup (600ml) and maintenance tool
- Handy pressure regulator (SPG 920) and maintenance kit (SPG 910) available separately
- Inlet pressure between 1.8 and 2.2 bar, outlet pressure between 1.1 and 1.4 bar
- Can be combined with Green Paint System (GPS) and adapter (GPS 01)

CAN BE USED WITH:

### GRAVITY CUP 600ML FOR SPG 800-900

#### SPG 800C









SPG 700

## MINI SPRAY GUN PRO

### SPG 700

- LVLP technology: over 74% effective transfer efficiency
- Specifically developed for spot repair
- Lightweight anodized aluminum body, ergonomic grip
- 100% stainless steel fluid passages, no rubber parts in the design
- Fine atomization, adjustable spray pattern
- Required air feed pressure: 1.5 bar.
- Standard with a 0.8mm needle.
- Needles 0.8mm, 1.0mm, 1.2mm also available separately.  
Incl.cup 100 ml


 WATCH VIDEO

CAN BE USED WITH:




### 100 ML CUP FOR SPG 700

#### SPG 700C







NOZZLE SET FOR		AIRCAP INCLUDED	NEEDLE INCLUDED	NOZZLE INCLUDED	AVAILABLE SIZES:									
					0,8 mm	1,0 mm	1,2 mm	1,3 mm	1,4 mm	1,5 mm	1,8 mm	2,0 mm	2,5 mm	3,0 mm
<b>SPG 80K</b>	<b>NOZZLE SET FOR SPG 81</b>	●	●	●			●			●	●	●	●	●
<b>SPG 100K</b>	<b>NOZZLE SET FOR SPG 100</b>	●	●	●	●	●	●							
<b>SPG 500K</b>	<b>NOZZLE SET FOR SPG 500</b>	●	●	●				●		●	●	●	●	
<b>SPG 700K</b>	<b>NOZZLE SET FOR SPG 700</b>	●	●	●	●	●	●							
<b>SPG 900K</b>	<b>NOZZLE SET FOR SPG 800 &amp; SPG 900</b>	●	●	●			●	●	●	●	●			



SPG 710 - 910



SPG 80K - 900K

## MAINTENANCE SET FOR SPG 700

**SPG 710**

## MAINTENANCE KIT FOR SPRAY GUN SPG 800 AND 900

**SPG 910**

## NOZZLE SET FOR SPG 81 (SPRAY GUN FOR PRESSURE TANK)

**SPG 80K**

## NOZZLE SET FOR SPRAY GUN SPG 100

**SPG 100K**

## NOZZLE SET FOR SPRAY GUN SPG 700

**SPG 700K**

## NOZZLE SET FOR SPRAY GUN SPG 500

**SPG 500K**

## NOZZLE SET FOR SPRAY GUN SPG 900

**SPG 900K**



SPG 920



BBF 10

## PRESSURE REGULATOR FOR SPRAY GUN SPG 800 AND 900

**SPG 920**

## STRAINERS FOR GRAVITY FED SPRAY GUNS

**BBF 10**

- Plastic paint strainer designed for placement inside the suction channel of the gravity cup of a spraygun.
- 275µm - 10p

## CLEANING KIT FOR SPRAYGUNS

**MAK 00**

- Complete set of tools for cleaning and maintaining spray guns.
- The set consists out of 8 brushes for cleaning the interior, 3 small brushes with holder and one large brush for the exterior, 6 needles with holder for cleaning the nozzle and a bottle of lubricant to maintain the moving parts.



MAK 00



GPS 01



GPS 02



GPS 03



GPS 04



GPS 05



GPS 06



GPS 07



GPS 08

**GPS ADAPTOR M16 X 1,5 INTERNAL THREAD**

GPS 01

**GPS ADAPTOR M16 X 1,5 EXTERNAL THREAD**

GPS 02

**GPS ADAPTOR 3/8 INTERNAL THREAD**

GPS 03

**GPS ADAPTOR 3/8 EXTERNAL THREAD**

GPS 04

**GPS QUICK ADAPTOR 1/4**

GPS 05

**GPS ADAPTOR 1/4 EXTERNAL THREAD**

GPS 06

**GPS ADAPTOR M14X1 INTERNAL THREAD**

GPS 07

**GPS ADAPTOR QCC FOR SATA MINI-JET**

GPS 08

[LIST OF SUITABLE SPRAY GUNS](#)




NVZ 0190



NVZ 0125

## PAINT STRAINER

### NVZ 0125-0190

The new versions of our paint strainers have a better adhesion, so that the resistance to solvent-based paints is higher, as well as certain industrial paints.

190µm RED - NVZ 0190

125µm BLUE - NVZ 0125

New bonding excellent resistance to solvent-based paints

Packaging: 4x 250 pieces (in handy dispenser boxes!)

Perfect nylon filter mesh

Precise filtering





20cm

## MIXING PADDLES PLASTIC

### MPP 0250-02501

- The S-shape of the MPP has the advantage that it mixes paint faster and preciser than conventional methods
- 20cm S-shape paddle
- Black colour will allow to do a pre-colour check while mixing

#### SALES UNITS:

- MPP 0250: Dispenser box containing 250 mixing paddles
- MPP 02501: 8 refill bags containing 250 mixing paddles each - for dispenser bucket



30cm

## MIXING PADDLES PLASTIC

### MPP 0200

- The S-shape of the MPP has the advantage that it mixes paint faster and preciser than conventional methods
- 30cm S-shape paddle with a solid hand grip
- Black colour will allow to do a pre-colour check while mixing

#### SALES UNIT:

- MPP 0200: Dispenser box containing 200 mixing paddles



23cm

## MIXING PADDLES

### GAC 0250-1000

- The straight shape of the mixing paddle makes it easy to scrape it off at the edge of a mixing cup.
- Length: 23 cm.

#### SALES UNITS:

- GAC 0250: Box containing 250 mixing paddles
- GAC 1000: Box containing 1000 mixing paddles





DDD 00

### 3D SPRAY SAMPLE

**DDD 00**

- For test spraying 'special effects' colours
- The complex shape of the spray sample allows the operator to check paints in all angles
- Dimensions: L230mm x W130mm x H45mm



100p.



SSP 00



SSP 01



SSP 02

### SPRAY SAMPLE PLATES

**SSP 00-01-02**

- Metal plates for colour sampling
- Colours: pre-treated with white, light or dark grey primer
- Black line over the complete length to check colour covering after spraying
- Dimensions: 105mm x 150mm



SSP 40



SSP 42



SSP 50



ILO 20

## FILING SYSTEM FOR SAMPLE PLATES

### SSP 40

- Filing system for 250 SSP sample plates with or without envelope.
- System carries one plastic filing box with 6 adjustable dividers, 88 blank labels and a marker to make notes on the back of the plates.

## ENVELOPES FOR SPRAY SAMPLE PLATES

### SSP 42

## MAGNET HOLDER AND STAND FOR SAMPLE PLATES

### SSP 50

- Magnet holder (fork) and magnet stand for hands-free handling of the SSP spray samples.

## DRYING OVEN FOR SPRAY SAMPLE PLATES

### ILO 20

- Drying oven for spray samples
- Easy to use
- Can be used with water and solvent-based paints
- Just connect to the power supply

 WATCH VIDEO



EQU 85



PIP 03

SIP 1000

## SPRAY GUN SUPPORT WITH MAGNET BACKING

### EQU 85

- Very strong magnet; holds 2 filled spray guns
- Can easily be replaced
- Keeps your airlines clean and off the floor

## SIPHON

### SIP 1000

- 1L bottle with siphon to accurately add liquid to a mixture like distilled water into water-based base coats.

## PIPETTE

### PIP 03

- Precisely remove any excessive pigment from a mixture.
- Can also be used to precisely add liquid to mixture.

## DISPENSER FOR MIXING CUPS & LIDS

### MCD 70

#### CUP DISPENSER

- Holds 6 mixing cups: 2x 400ml, 2x 650ml, 1x 900ml and 1x 1300ml
- Stainless steel
- Easy to attach to wall (2 screws)

#### LID DISPENSER

- Holds the lids for the corresponding cups
- Stainless steel
- Easy to attach to wall (2 screws)



MCD 70

[See overview](#)



GAD

## BLACK PLASTIC (PE) STORAGE CUPS

### GAD 00500-10000

- Black cups are not transparent and ideal to store and transport “UV sensitive” coatings like UV primer/fillers or water-based basecoats.
- Each cup is supplied with an airtight sealing lid and suitable for transportation of ready mixed colours.
- Suitable and tested for road transport of water-based paints.
- Fit to store water-based paints for months.

500  
ml1000  
ml3000  
ml5000  
ml10000  
ml

TUB 60

50ml

## TOUCH-UP BOTTLES 50ML

### TUB 60

- Plastic bottles with a lid with integrated brush, to touch up car paint.
- Supplied with a rust-free chromated mixing bullet which makes this bottle suitable for water- and solvent-based paints.
- Semi-transparent.



TUB 61

20ml

## TOUCH-UP BOTTLES 20ML

### TUB 61

- Plastic bottles with lid and integrated brush for quick light duty touch ups.
- The bottle contains a glass mixing ball making it perfectly usable for both water-based and solvent-based paints.
- Completely transparent.





**FINIXA**  
paint processing products

**FINIXA**  
Degreasing cloths  
42cm x 33 cm - 200pcs  
Ontvettingsdoeken  
Schijf en glasreiniging  
Ervolgrijker  
Finix Jank, Geelgroen

# 02

**PRE-PAINT CLEANING  
AND DEGREASING**



# 02

---

# PRE-PAINT CLEANING AND DEGREASING

*Non-greasy, dust-free surfaces are an absolute must to obtain professional paint results. The perfect surface preparation can only be achieved by using the right combination of cleaners, towels and tools. Based on work floor experience and valuable feedback from our customers, we constantly fine tune our product range in accord with the latest paint technology.*

---

- 31** General information
- 32** Cleaning and degreasing cloths
- 35** Tack rags
- 37** Water-based degreaser
- 38** Foam it!
- 39** Dispensers for rolls
- 40** Handy accessories



	APPLICATION													
	COLOUR	SIZE mm	ABSORPTI- ON	# CLOTHS	ROLL	BOX OR BUCKET	MATERIAL	WEIGHT g/m <sup>2</sup>	DEGRE- ASING	CLEANING	POLISHING	WATER- BASED	SOLVENT- BASED	PAGE
SOF 25		450 x 300	575%	70		●	Cellulose polyester	55	●	●		●		33
SOF 20		300 x 420	600%	200		●	Cellulose polyester	78	●	●		●	●	33
SOF 21		380 x 300	600%	500	●		Cellulose polyester	78	●	●		●	●	33
SOF 19		300 x 420	600%	260		●	Cellulose polyester	78	●	●		●	●	33
SOF 50		380 x 400	659%	225		●	Polypropylene	70	●	●			●	34
SOF 52		380 x 320	659%	500	●		Polypropylene	70	●	●			●	34
SOF 60		380 x 370	-	1000	●		Paper - 3 layers	60		●			●	34
SOF 62		240 x 365	-	950	●		Paper - 2 layers	40		●			●	34
SOF 11		380 x 400	530%	400		●	Viscose polyester	40		●	●			34



SOF 25  
450 x 300 mm



SOF 251  
450 x 300 mm



SOF 20  
300 x 420 mm



SOF 21  
300 x 380 mm



SOF 19  
300 x 420 mm

## DEGREASING CLOTHS IN DISPENSER BUCKET

### SOF 25

- In need of more control while degreasing, pressure sprayers often create overspray on already paper masked surfaces or non-treated tapes. SOF 25 is a ready-to-use degreaser. Just add 750ml of water-based degreaser to the bucket and it is ready to use. Every cloth removed from the bucket will be pre-treated with degreaser for extra control.
- Available in dispenser bucket (70 cloths)
- Size cloth: 450mm x 300mm



## REFILL PACK FOR SOF 25

### SOF 251

- Set of 6 rolls degreasing cloths for the SOF 25 degreasing system
- 70 cloths per roll, 45cm x 30cm

## DEGREASING CLOTHS - TURQOISE

### SOF 20 - 21

- Degreasing cloths with excellent absorption capacities
- Suited for water-based and solvent-based degreasers
- Lint- and silicone-free
- Available in dispenserbox per 200 pieces (SOF 20)
- Available perforated on a roll per 500 pieces (SOF 21)



## DEGREASING CLOTHS - WHITE

### SOF 19

- Degreasing cloths with excellent absorption capacities.
- Suited for water-based and solvent-based degreasers.
- Lint- and silicone-free.
- Available in dispenser box per 260 pieces
- 330mm x 420mm





SOF 50  
380 x 400 mm



SOF 52  
380 x 320 mm



SOF 60  
380 x 370 mm



SOF 62  
240 x 365 mm



SOF 11  
380 x 400 mm

## CLEANING/DEGREASING CLOTHS

### SOF 50-52

- Universal degreasing cloth with a large absorption capacity.
- Voluminous and soft; comfortable handling
- Suited for all kinds of applications such as degreasing and cleaning with solvent-based products or oil.
- Available in dispenser box per 225 pieces (SOF 50)
  - 380mm x 400mm
- Available perforated on a roll per 500 pieces (SOF 52)
  - 380mm x 320mm



## CLEANING PAPER - 3 LAYERS

### SOF 60

- Cleaning paper with 3 layers for all kinds of maintenance.



## CLEANING PAPER - 2 LAYERS

### SOF 62

- Cleaning paper white - 2 layers - for all kinds of maintenance.



## POLISHING CLOTHS

### SOF 11

- Single-use cloths
- Multifunctional use
- Very soft & substantial, so no risk of scratches
- Excellent absorption of polishing compound
- 100% Silicone-free: Can also be used in the preparation area
- Can also be used for interior cleaning







**FINIXA**  
Eco-friendly products

**Degreasing cloths**

42cm x 30 cm - 200pcs

Ontvettingsdoeken  
Chiffons de dégraissage  
Entfettungstücher  
Paños para desengrasar

**FINIXA**  
**FOAM-IT!**

**FINIXA**  
Waterbased degreaser



TAK 00-01  
800 x 450 mm



TAK 10-11  
80 x 90 mm



**TACK RAGS STANDARD / TACK RAGS STANDARD WATER-BASED**

**TAK 00-01**

- Unique impregnation: never dries out - silicone-free.
- Before use unfold completely and then make a ball; use this ball to rub the surface gently, by doing so the rag will wipe away all dust.
- Attention: do not put pressure on the rag during use, as you might only move the dust instead of wiping it away.

**EXTRA ADVANTAGE TAK 01:**

- Impregnated with a water-based product: works anti-static, unlike other tack rags.
- Never leaves traces of glue that could possibly cause a reaction with any paint.

CAN BE USED WITH:		
	SOLVENT BASED	WATER BASED
<b>TAK 00</b>	●	
<b>TAK 01</b>	●	●



**TACK RAGS CTI / TACK RAGS CTI WATER-BASED**

**TAK 10-11**

- Tack rag with a wavy surface structure: once removed from the packaging, instantly ready for use.
- Ideal for large surfaces.
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away.

**EXTRA ADVANTAGE TAK 11:**

- Impregnated with a water-based product: works anti-static, unlike other tack rags.
- Never leaves traces of glue that could possibly cause a reaction with any paint.

CAN BE USED WITH:		
	SOLVENT BASED	WATER BASED
<b>TAK 10</b>	●	
<b>TAK 11</b>	●	●



TAK 20  
170 x 450 mm



TAK 30  
380 x 450 mm

**TACK RAGS SOFT**

**TAK 20**



- Made of non-woven material, no cotton.
- Before use unfold completely and then make a ball; use this ball to rub the surface gently, by doing so the rag will wipe away all dust.
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away.



**TACK RAGS SMOOTH**

**TAK 30**

- Impregnated with a water-based product: works anti-static, unlike other tack rags
- Never leaves traces of glue that could possibly cause a reaction with any paint
- Also ideal to quickly remove dust from furniture or other smooth objects on wood, metal or plastic
- Ideal for large surfaces
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away
- 30x 6pcs in plastic foil



CAN BE USED WITH:	 SOLVENT BASED	 WATER BASED
<b>TAK 20</b>	●	●

CAN BE USED WITH:	 SOLVENT BASED	 WATER BASED
<b>TAK 30</b>	●	●







**IMPROVED**



DGR 05-25

5L

DGR 05

25L

DGR 25



LSP 20

## SILICONE REMOVER

DGR 05-25



- The versatility of our water-based degreaser is remarkable as it effectively eliminates dirt, dust, swarf, and grease from various surfaces including old paint layers, primers, metal (steel, aluminium and galvanized pieces) and plastic.
- It serves as an excellent substitute not just for other water-based degreasers, but also for solvent-based silicone removers. Moreover, our product offers exceptional performance, serving not only as the ultimate step in degreasing for water-based lacquers.
- To remove residues of tar or glue we recommend to use our cleaner with scuff rolls (SBR 10-20-30).



[WATCH VIDEO](#)

Why you should use a water-based degreaser instead of a solvent-based degreaser:

**\*Eliminates salt and soap rests.**

*By using 2 cloths, the water-based degreaser removes all dirt from the surface without leaving any traces.*

**\*Can be used without mask or gloves.**

*Next to being nature friendly, the water-based degreaser can be used without any protective gear.*

**\*Antistatic action on the surface**

*Compared to solvent-based degreasers, the water-based degreaser completely nullifies any static action on the surface.*

**\*Does not affect rubber or plastic**

*The water-based degreaser does not affect rubber or plastic, while solvent-based degreasers almost always cause damage to the surface.*





0,5L  
TSP 600

## FOAM IT!

TSP 600



Foam it! is an ammonia-free universal water-based cleaner and degreaser in an aerosol. In contradiction to what is on the market already, Foam it! is not only ammonia-free but leaves, once sprayed, a thin foam layer on the surface. This foam releases all kinds of dirt and grease almost instantly from any surface and wipes off very easily, without leaving any traces. Can be used as a general purpose automotive or domestic cleaner, but is also useful to prepare a surface before painting or plastic repair considering its unique degreasing formula.  
Application: spray Foam it! and wipe off with a soft microfiber or non-woven cloth.



[WATCH VIDEO](#)

### THE APPLICATIONS ARE ENDLESS:

- Car exteriors  
(dry cleaning of painted parts, carwash without water)
- Car interiors  
(plastic, leather, wood, metal, glass, dashboards, door panels, LCD screens)
- Kitchen and bathroom cleaner  
(anti-bacterial quality)
- Window cleaner, mirror cleaner, TV cleaner
- Rim cleaner



SOF 91

### WALL MOUNT ROLL DISPENSER

#### SOF 91

- Dispenser powder coated in blue.
- To be mounted to a wall
- Tearing element helps to block the roll in the right position and tear off one or more cloths.
- For rolls with core of min. Ø5cm to max. Ø7cm and length min. 30cm to max. 37cm.



SOF 90



SOF 92

### FLOOR STAND ROLL DISPENSER

#### SOF 90-92

- Dispenser powder-coated in blue.
- Tearing element helps to block the roll in the right position and tear off one or more cloths.
- For rolls with core of min. Ø5cm to max. Ø7cm and length min. 30cm to max. 37cm.
- Available with bin bag fastner (SOF 92)



LSP 50

## CODING CAPS

### LSP 50

- Tired of searching for the correct and/or misplaced pressure sprayer? Use the set of 5 coloured magnetic holders and coding caps to organise your workshop! The caps are placed over the sprayers' nozzle so there is never a risk of contamination while refilling. The holders can be fixed to metal using the strong magnet or fixed to any surface using 2 screws.



LSP 20

LSP 202

## PRESSURE SPRAYER 1L RESISTANCE LIST

### LSP 20 LSP 202

- Pressure sprayer for spraying water- and solvent-based degreasers.
- Resistant to solvents due to viton parts, always consult resistance list before use.

## RUBBER JET

### RJE 20-21

- The rubber tip makes it easy to blow out dirt and dust from cracks and joints without the risk of damaging paintwork.
- The airflow can be regulated by loosening or tightening the screw on the RJE.
- 2 versions available: RJE 20 to be used with a customer provided airline coupling or RJE 21 which has a CJEN coupling pre-installed.

## WINDJET

### WJE 05

- Windjet air nozzles deliver a high performance flat jet of compressed air.
- The nozzle (made of ABS plastic) is designed for cooling, drying and cleaning by hand or in a fixed setup.
- Ideal for drying water-based paint jobs on spot repairs.



WJE 05

RJE 21

RJE 20

EQU 024

## LITTLE TAP FOR WJE 05

### EQU 024

- Little tap for WJE 05





**FINIXA**<sup>®</sup>  
paint processing products

**03**

**DETAILING AND PAINT  
CORRECTION**



# 03

---

# DETAILING AND PAINT CORRECTION

*Whether it concerns the correction of small imperfections in freshly sprayed paint, the repair of stone chip damage or the professional cleaning of both the inside and outside of a vehicle, Finixa offers a complete range of products for car detailing and valeting. From cleaning and protecting to high-gloss polishing; we offer professional and time saving systems and tools to make your life easier and your costumers happy.*

---



<b>43</b>	General information
<b>45</b>	Cleaning
<b>53</b>	Polishing
<b>59</b>	Paint correction



 **PAINTWORK**



<b>EXTERIOR</b>	Degreasing (before repair)	<b>DGR 05-25</b>	<i>p. 38+47</i>
	Washing/cleaning complete car	<b>CSH 05</b>	<i>p. 47</i>
	Drying	<b>WWB / TWL</b>	<i>p. 50</i>
	Instant shine & protection	<b>SPW 05</b>	<i>p.47</i>
	Removing flash rust & paint contamination	<b>CCB 00 + CCL 10</b>	<i>p. 49</i>
	Removing paint spray mist, resin, insect remains, old wax, ...	<b>CLP 15</b>	<i>p. 49</i>
	Removing micro scratches & swirlmarks	<b>MHW 05</b>	<i>p. 48</i>
	Touching up paints	<b>PMP 20-21-22</b>	<i>p.59</i>
	Repairing stone chips	<b>SCU 20</b>	<i>p. 60</i>
	Dry washing	<b>DRW 05</b>	<i>p. 46</i>
	Polishing in 1 step	<b>POL 05-10</b>	<i>p. 54</i>
	Polishing in 2 steps	<b>POL 15-16</b>	<i>p. 53</i>
	Removing overspray	<b>CCB 00 + CCL 10</b>	<i>p. 49</i>

 **PLASTIC & RUBBER**

<b>EXTERIOR</b>	Shining & protecting	<b>PRG 05</b>	<i>p. 48</i>
	Shining & protecting	<b>BTG 05</b>	<i>p. 48</i>
	 <b>GLASS/WINDOWS</b>		
	Washing / cleaning	<b>TSP 600</b>	<i>p. 39+49</i>
	 <b>HEADLIGHTS</b>		
	Renewal of headlights	<b>HRS 00</b>	<i>p. 51</i>



**PLEXI, PLASTIC, DASHBOARD, DOOR PANELS**

<b>INTERIOR</b>	Old, scratched paints	<b>TSP 600</b>	<i>p. 39+49</i>
	Protecting	<b>PRG 05</b>	<i>p. 48</i>
	 <b>DOOR RUBBERS</b>		
	Protecting & anti-freeze	<b>PRG 05</b>	<i>p. 48</i>
	 <b>POLYCARBONATE (DASHBOARD, SCREENS, ...)</b>		
	Cleaning dashboards & screens	<b>TSP 600</b>	<i>p. 39+49</i>



FINIXA PREMIUM POLISHING PADS				
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>
LAMBSWOOL PAD	RED FOAM PAD	WHITE FOAM PAD	ORANGE FOAM PAD	BLACK FOAM PAD
POP 108-114 - 117	POP 308 - 314 - 318	POP 508 - 514 - 518	POP 708 - 714 - 718	POP 908 - 914 - 918



[See overview](#)

FRESH PAINTS				
Paint corrections, orange peel, dust nibs, paint runners	<b>1</b> <b>2</b> <b>3</b> <b>4</b>		<b>POL 05-10</b> <b>POL 15</b>	<i>p. 53+54</i>
Removing holograms	<b>4</b> <b>5</b>		<b>POL 05-10</b> <b>POL 16</b> <b>MHW 05</b>	<i>p. 53</i>
Shining, waxing, protecting	<b>5</b>		<b>MHW 05</b>	<i>p. 48</i>

USED PAINTS				
Restoring dull paint	<b>3</b> <b>4</b>		<b>POL 05-10</b> <b>POL 15</b>	<i>p. 53+54</i>
Removing micro scratches	<b>4</b> <b>5</b>		<b>POL 16</b> <b>MHW 05</b>	<i>p. 53</i>
Shining, waxing, protecting	<b>5</b>		<b>MHW 05</b>	<i>p. 48</i>

OLD, SCRATCHED PAINTS				
Removing deep scratches	<b>1</b> <b>2</b>		<b>POL 05-10</b> <b>POL 15</b>	<i>p. 53+54</i>
Restoring faded paint	<b>3</b> <b>4</b>		<b>POL 05-10</b> <b>POL 15</b>	<i>p. 53+54</i>
Finishing / Dark colours	<b>4</b> <b>5</b>		<b>POL 16</b> <b>MHW 05</b>	<i>p. 53</i>
Waxing & protecting	<b>5</b>		<b>MHW 05</b>	<i>p. 48</i>

**IMPROVED**



5L

DRW 05



LSP 30



MFS 40

400 x 400 mm



1L

LSP 30

**03**

**DRY WASH 5L**



**WATCH VIDEO**

**DRW 05**

- Waterless cleaning and protecting in one go
- Lifts and encapsulates dirt particles; no scratching, not even on dirty surfaces
- Twice as fast as normal washing; no water needed, no rinsing, no chammying
- Fast and easy to apply; spray, spread out and buff
- Streakless, water-repellent finish with a deep gloss
- Silicone free; wax protection included
- Works best when using 2 microfibre cloths (MFS 40)
- 1 litre will clean approximately 6-8 cars
- Water-based product

**MICROFIBER CLOTH - GREY**

**MFS 40**

- Extra soft; less risk of making scratches
- Perfect in combination with Finixa Dry wash
- Perfect for polishing of dark surfaces
- 40 x 40 cm
- 2 different colour stitches
- 4 cloths in a pack; 2 red, 2 green

**MANUAL SPRAYER**

**LSP 30**

- Extra fine atomisation
- Larger spray surface
- Economical
- Perfect for Dry wash (DRW 05)
- 1 litre reservoir



Remove dirt



Remove residue & create gloss



**RENEWED FORMULA**

In order to promote a sustainable environment and prevent deforestation, we chose to use beeswax instead of carnauba wax, benefiting both the planet and the bees.

[Click here for more info](#)

Wide range spraying



**IMPROVED**

5L

DGR 05

25L

DGR 25



LSP 20

**SILICONE REMOVER****DGR 05-25**

- The versatility of our water-based degreaser is remarkable as it effectively eliminates dirt, dust, swarf, and grease from various surfaces including old paint layers, primers, metal (steel, aluminium and galvanized pieces) and plastic.
- It serves as an excellent substitute not just for other water-based degreasers, but also for solvent-based silicone removers. Moreover, our product offers exceptional performance, serving not only as the ultimate step in degreasing for water-based lacquers.
- To remove residues of tar or glue we recommend to use our cleaner with scuff rolls (SBR 10-20-30).

[See overview](#)[WATCH VIDEO](#)**IMPROVED**

5L

CSH 05

25L

CSH 25

**ALL IN ONE CAR SHAMPOO****CSH 05 - 25**

- Excellent cleaning power
- Top wax protection included
- Almost completely self drying
- Ensures gloss back easily
- Biodegradable
- Can be used by hand or high pressure cleaner
- Inhouse development and production.
- 300 ml of car shampoo to 10 L of water
- Water-based product

[WATCH VIDEO](#)**IMPROVED**

5L

SPW 05



LSP 20

**SPRAY WAX****SPW 05**

- Unique formula, never leaves traces, not even on windows.
- Can be used directly on the panel (dry) to add gloss and protection.
- Also to be used on a wet washed car, to improve drying in combination with microfiber towels.
- Without any silicone content, to be safely used in the body shop.
- Helps remove holograms after polishing.
- Inhouse development and production.
- Water-based product

[WATCH VIDEO](#)**RENEWED FORMULA**

In order to promote a sustainable environment and prevent deforestation, we chose to use beeswax instead of carnauba wax, benefiting both the planet and the bees.

[Click here for more info](#)



0,5L  
BTG 05



0,5L  
PRG 05



POL 33



BTS 12



0,5L  
MHW 05

## BLACK TYRE GEL



BTG 05

- Black tyre gel makes tyres deep black and leaves them shining for a very long time. Also suitable to refurbish non-painted plastic parts. Water-based and silicone free.
- Can be applied with the black tyre gel applicator sponge (BTS 12).

WATCH VIDEO

## PLASTIC RENEWAL GEL



PRG 05

- Plastic renewal gel nourishes plastic, leather interiors
- Re-intensifying the colour leaving natural gloss.
- Easy application with hand foam pad POL 33
- Water-based and silicone-free.

## BLACK FOAM PAD 'SOFT'

POL 33

- Soft open foampad with handgrip
- For manual polishing or applying plastic renewal gel

## BLACK TYRE GEL APPLICATOR SPONGES

BTS 12

- Applicator sponge to apply black tyre gel or plastic renewal gel
- Saves time and product
- Crescent shaped for fast and clean application on tyres
- Soft foam also suitable for interior applications
- Good grip through hard foam handle
- 1 sales unit contains 12pcs

## MACHINE AND HAND WAX



MHW 05

- Protect your paint or polished work for a long time; use the Finixa hand and machine wax by hand or machine.
- High-grade natural and synthetic wax components.
- Deep gloss result
- Durable paint protection
- Grapefruit smell.
- By hand: rub in with POL 33, wait a few minutes and polish the excessive dry product away with a clean microfiber
- By machine: apply at medium speed, use a soft pad and apply the product onto the panel. Wipe away with a microfiber cloth.
- Water-based product



CLP 15

CLP 16

## CLAY PAD WITH VELCRO 15 CM

### CLP 15

- For fast and effortless removal of overspray, resin, insect remains, old wax, etc.
- 15 cm diameter
- Makes claying fast and easy
- Use in combination with Cleaning clay lubricant (CCL 10)
- For use on orbital sanding machines at moderate speed
- Optional velcro adapter (CLP 16) for hand use

## VELCRO HAND PAD 15CM

### CLP 16

- Adapter for manual use of clay pad CLP 15

**NEW**

CCB 00  
200g.

## CLEANING CLAY BAR

### CCB 00

- Quickly and easily removes bonded surface contaminants like overspray, bug debris, road tar, rail dust and fresh water spots
- Restores a smooth, glossy finish
- Prepares the paint for polishing or waxing
- Non-abrasive and safe on clear-coat and single-stage paints, glass, metal and plastic
- For optimal results use with clean clay lubricant (CCL 10)

## CLEANING CLAY LUBRICANT

### CCL 10

Specially designed to provide the vehicle with a lubricant during the claying process. This will allow you to remove adhered contaminants from the surface very easily and efficiently. With the help of this lubricant, the chance of scratches is significantly reduced and the surface feels smooth. After claying, the surface is ready to be polished or waxed.

 **WATCH VIDEO**

CCL 10  
1LPOL 40  
400 x 400 mm

## FOAM IT!



### TSP 600

Foam it! is an ammonia-free universal water-based cleaner and degreaser in an aerosol. In contradiction to what is on the market already, Foam it! is not only ammonia-free but leaves, once sprayed, a thin foam layer on the surface. This foam releases all kinds of dirt and grease almost instantly from any surface and wipes off very easily, without leaving any traces. Can be used as a general purpose automotive or domestic cleaner, but is also useful to prepare a surface before painting or plastic repair considering its unique degreasing formula.

[See overview](#)

## MICROFIBER CLOTH

### POL 40

- The super soft green microfiber cloths, packed per 5 pieces, ideal to remove polish rests and to create a gloss on the surface.


0,5L  
TSP 600



TWL 00  
600 x 900 mm



SPM 00



SPJ 00



BUC 12



BUI 12



WWB 00

## LARGE MICROFIBER CLOTH

### TWL 00

- TWL 00 is a large double-sided long-haired microfiber cloth with which it is possible to dry a complete car in one go, without wringing out the cloth. Microfiber is a high-quality textile composed of polyester and polyamide.
- Microfiber cloths can be used both dry and wet. In a dry state they attract dust and dirt as a powerful magnet.
- When wet, they can absorb more than 7 times their weight. Dimensions 60cm x 90cm. Packed individually.

## SPONGES

### SPM-SPJ 00

- Jumbo sponge to clean car, motorcycles, vans, ...
- Highly water-absorbent
- Microfiber skin will remove aggressive dirt, like insect marks on headlights and bumpers, faster without leaving scratches.

## BUCKET WITH SPOUT - 12L

### BUC 12

- 12 Litre bucket with pour spout, available with optional 'anti-dirt' screen keeping larger dirt at the bottom and avoiding the transfer of these sharp components to your vehicles surface.

## ANTI-DIRT GRID FOR BUC 12

### BUI 12

## WATER BLADE

### WWB 00

- Soft silicone blade for removing water fast and easy after washing down a vehicle without harming the lacquer.
- Works very fast.
- Makes no scratches.
- Flexible silicone blade moulds to the shape of any surface.
- Virtually eliminates messy towels and chamois.
- Reduces streaking by 80%.
- Suitable for all surfaces.
- Width: 33cm.





## HEADLIGHT RENEWAL SET

HRS 00

- Brings headlights back to their original state in just a few easy steps!
- Avoid costly replacements
- Removes UV radiation, stone chips and yellowing
- Increases light output and car value
- Easy and cost effective: simply sand, degrease and spray

### EASY ALL-IN-ONE SET INCLUDING:

- Waterproof abrasive SPLA 0800 and 1000
- Ammonia-free water-based cleaner and degreaser TSP 600
- FOAM-IT: aerosol 500 ml
- 2K clear coat with perfect adhesion on polycarbonate, scratch free, petrol and UV-resistant, fast drying: TSP 710 aerosol 250 ml
- 1 microfiber cloth

WATCH VIDEO

### 1 — 2K CLEAR COAT

TSP 710

[See overview](#)

### 2 — MICROFIBER CLOTH

POL 40

[See overview](#)

### 3 — SANDING SHEET 230MM X 280MM - WATERPROOF

SPLA 0800 & 1000

[See overview](#)

### 4 — FOAM IT!

TSP 600

[See overview](#)





**2-STEP POLISH PASTE - STEP 1**



**POL 15**

- Polish with high cutting power, to be used before step 2
- Water-based
- Safe to use on fresh paint
- No need for masks or gloves
- Easy to clean up, even on black parts
- Budget friendly



P2000



High



750-2000



Low

CAN BE USED WITH THE FOLLOWING PADS:



POP 1XX



POP 3XX



POP 5XX



POP 7XX

[See overview](#)

**2-STEP POLISH PASTE - STEP 2**



**POL 16**

- Finishing polish, to be used after step 1
- Perfect to remove holograms and micro-scratches
- Water-based
- Safe to use on fresh paint
- No need for masks or gloves
- Easy to clean up, even on black parts
- Budget friendly



Low



750-2000



High

CAN BE USED WITH THE FOLLOWING PADS:



POP 5XX



POP 7XX



POP 9XX

[See overview](#)



## 1-STEP POLISH PASTE



### POL 05-10

- Based on nanotechnology, this paste can polish not only very fast from coarse to very fine, but it also brings back a gloss degree of 95%. An additional advantage is that this paste stays "wet" for a long time and it minimizes the risk of dry powder residue. This polish paste can be used on old paints and fresh paints, also on all 2K products and the newest generation of ceramic paints.
- Can be used for different applications: removing dust, polishing spray zones, polishing contamination after sanding, bringing back gloss on old, mat paints, refurbishing headlights.

#### ADVANTAGES:

- 1 product from start to finish
- Water-based
- For used on fresh and weathered paints
- Up to 50% time saving
- No need for masks or gloves Easy clean-up, even on black plastic parts
- Very high cutting power
- Low dust formation
- Outstanding gloss



0.5kg

POL 05

1kg

POL 10

[WATCH VIDEO](#)


P2000



High



750-2000



High

CAN BE USED WITH THE FOLLOWING PADS:



POP 1XX



POP 3XX



POP 5XX



POP 7XX



POP 9XX






**LAMBSWOOL PAD**

**POP 108-114-117**


- High cutting power
- Removing of P2000 scratches



**RED FOAM PAD**

**POP 308-314-318**


- High cutting power
- Removing of P2000 scratches



**WHITE FOAM PAD**

**POP 508-514-518**


- Closed-cell foam pad
- Same application as orange foam pad, does not absorb product
- Ideal for small applications
- Removes more material faster



**ORANGE FOAM PAD**

**POP 708-714-718**

- Open-cell foam pad
- Absorbs product allowing large surfaces to be polished.
- Universal semi-rigid pad for most applications
- Ideal for large applications



**BLACK FOAM PAD**

**POP 908-914-918**

- Soft foam pad
- Ideal for removing micro swirls
- Can be used eccentric to remove holograms




**DISCOVER OUR POLISHING GUIDE**





POL 50



## PNEUMATIC POLISHER

### POL 50

- The lightweight pneumatic polisher has a special speed control function, allowing the user to regulate the speed of the polisher and therefore also suited in combination with the POL 10 leading to maximum performance from low to medium speed polishing.
- Adjustable from 1200 up to 2400 RPM
- Weight: 0,7kg
- Work pressure: 6.2 Bar (90psi)
- Backing pad not included



POL 80



## ELECTRIC POLISHER HEAVY-DUTY

### POL 80

- 1500W
- 2:1 transmission: high torque at low RPM
- Adjustable from 700 up to 2500 RPM
- Cooling-ventilation system
- Weight: 3,7kg
- Easy and comfortable handling
- 5m cable
- Including a backing pad, side handle and carbon brushes



POL 55



## ELECTRIC POLISHER

### POL 55

- 1050W
- 2:1 transmission - high torque at low RPM
- Improved cooling-ventilation system
- Adjustable from 700 up to 2500 RPM
- Very lightweight (2,6 kg): easy and comfortable handling
- 5m cable
- Including backing pad, side handle and spare carbon brushes



POL 56 (M14)  
Ø 120 mm



POL 50  
POL 55  
POL 80



POL 57 (5/8)  
Ø 120 mm



POL 58 (M14)  
Ø 75mm



POL 50  
POL 55  
POL 80



POL 81 (M14)  
Ø 180 mm



POL 80

### BACKING PLATE - 120MM

#### POL 56 / POL 57

- Universal, fits on almost all electric polishing machines. This polishing pad is unique because of its flexibility: when polishing flat, you use the entire surface of the polishing pad just like other polishing pads (diameter 145mm). But with this pad you can also easily polish over edges and even polish at an angle which makes it possible to put locally and temporarily more pressure on the surface while the polishing pad itself stays flat.
- Can be used with the following pads: POP 114-314-514-714-914

### BACKING PLATE FOR POL 50-55-80 - 80MM

#### POL 58

- Universal backing pad; fits almost all electric polishing machines (POL 50, 55 & 80)
- diameter 75mm - M14
- Medium flexibility
- Ideal for spot repair
- For use with 80 mm polishing pads POP 108-308-508-708-908

### BACKING PLATE FOR POL 80 - 180MM

#### POL 81

- Interface pad for POL 80 - 180mm - M14
- Included when polisher is purchased.
- Can be used with the following pads : POP 117-318-518-718-918

## ELECTRIC POLISHING KIT

## POL 60-62

	POL 60	POL 62
1 — Red foam pad	2x	2x
1 — Orange foam pad	2x	2x
1 — White foam pad	2x	2x
1 — Black foam pad	2x	2x
2 — Microfiber cloth	5x	5x
3 — Electric polisher	1x	1x
4 — 1-step polish paste	2x	1x
5 — Machine and hand wax		1x



## 1 — FOAM PADS

POP 314-514-714-914

[See overview](#)

## 2 — MICROFIBER CLOTH

POL 40

[See overview](#)

## 3 — ELECTRIC POLISHER

POL 55

[See overview](#)4 — 1-STEP POLISH PASTE 

POL 10

[See overview](#)5 — MACHINE AND HAND WAX 

MHW 05

[See overview](#)





### DUST REMOVAL FILE

#### DRF 05-10

- A dust file made of very hard metal for removal of dust and dirt from dried paint.
- Simply lay the file flat down on the surface and gently cut the contamination out of the paint with a minimum of damage.



### DUST REMOVAL FILE APPLICATOR

#### DRF 50

- Applicator to be used in combination with DRF10.
- The magnet inside the applicator makes sure the file stays fixed during application.
- The applicator can also be used in combination with the SPDM sanding flowers. Stick the SPDM to the flat side of the applicator and you are ready to go.



### TOUCH-UP TIPS

#### PMP 20-21-22

- 100 touch-up tips packed in a convenient and dust-free dispenser.
- Ideal for touching up small paint damage and stone chips.
- The plastic shaft with plush-free tip is disposable, convenient and cheaper than a classic brush. Always a clean tip at hand!
- Can also be used as a pencil. By changing the pressure, you receive a bigger or smaller print. Ideal for making small lines.
- Thickness of the applicator = 3,28mm

#### AVAILABLE IN 3 THICKNESSES:

blue (regular) PMP 20 = 2,0mm  
 yellow (fine) PMP 21 = 1,5mm  
 white (very fine) PMP 22 = 1,0mm



### CLEANING NEEDLE SET

#### CNS 00

- A set contains one penholder with 10 replacement needles, individually packed in a blister.
- The needles have microscopic small hooks which make it possible to remove dust and dirt from wet paint.
- Made out of aluminum.

### REPLACEMENT NEEDLES IN A BLISTER 10P

#### CNS 01



SCU 20

### STONE CHIP REPAIR UV



#### SCU 20

- Fast UV curing clear coat for stone chip and scratch repair
- Fast, simple and cost effective repair of stone chips and scratches
- 1-component, fast curing
- No shrinkage after curing
- High level of finish
- Same strength, durability and chemical resistance as a 2K clear coat
- Can be sanded and polished after 45 seconds
- Curing with stone chip curing lamp SCL 00

#### THE PERFECT STONE CHIP REPAIR IN 10 EASY STEPS :

1. Clean/degrease the surface with TSP 600 Foam-it!
2. Sand around the stone chip with SPDM P1500-2000
3. Clean with TSP 600 Foam-it!
4. Apply the base coat
5. Dry the base coat
6. Apply stone chip repair UV with PMP touch-up tips
7. Dry for 45 seconds at 20mm. distance with stone chip curing lamp
8. Remove excess clear coat with DRF 10 dust removal file
9. Sand with SPDR P1500-2000
10. Polish with Finixa polishing system



SCL 00

### STONE CHIP CURING LAMP



#### SCL 00

- Universal, handheld LED lamp for UV drying
- 3.7 V. lithium, rechargeable battery
- Recommended distance to surface: 10 – 30 mm.
- High power – 5 W.
- Can also be used as a detection and inspection lamp

 WATCH VIDEO



**04**

**POLYESTER PUTTIES**

# 04

---

# POLYESTER PUTTIES

*For over 20 years now, Chemicar has been producing polyester putties. The first one being the black universal putty often copied, but never matched. By continuously developing new types of putties and by improving existing formulas we have become one of the leading putty manufacturers. Finixa putties are mainly used for car repair and are very much appreciated in body shops all over the world. Given the influence of the ever increasing labour costs on the total repair price, all our putties meet a high quality standard.*

---

- 63** General information
- 64** Polyester putties
- 70** Hardeners
- 71** Accessories





	COLOUR	APPLICATION									APPEARANCE		MIXING		DRYING			PAGE
		STEEL	E-COATING	GALVANIZED	ALUMINIUM	ALUMINIUM RIMS	FIBERGLASS	HARD PLASTIC	SOFT PLASTIC	SPECIFIC WEIGHT kg/l	PACKAGING kg/liter	MIXING RATIO % by weight	POTLIFE at 20°C.	SANDING TIME at 20°C.	SANDING TIME IR 60°C.	TEMP. RESISTANCE °C		
<b>GAP 00</b>	<b>GAPOL</b>	●●	●●	●●	●●	●●	●●	●●	●●	1,83	2kg/1,09l	2%	4-5'	<25'	10'	80 °C	<b>64</b>	
<b>GAP 10</b>	<b>MULTI</b>	●●		●	●		●●		1,81	2kg/1,10l	2%	4-5'	<20'	5'	80 °C	<b>64</b>		
<b>GAP 20</b>	<b>FINE</b>	●●					●		1,68	2kg/1,19l	2%	4-5'	<15'	10'	80 °C	<b>64</b>		
<b>GAP 25</b>	<b>SELF-LEVELLING</b>	●●					●		1,16	1kg/0,85l	2%	3'	15-20'	5-10'	80 °C	<b>65</b>		
<b>GAP 30</b>	<b>LIGHT</b>	●●		●	●		●●		1,36	1,5kg/1,09l	2%	4-5'	<15-20'	5-10'	80 °C	<b>66</b>		
<b>GAP 31</b>	<b>ULTRA LIGHT</b>	●●	●	●	●		●●		1	1kg/1l	1-3%	3-5'	<30'	4'-5'	80 °C	<b>66</b>		
<b>GAP 33</b>	<b>EXTRA LIGHT</b>	●●	●	●	●		●●		1	3kg/3l	1-3%	3-5'	<30'	4'-5'	80 °C	<b>66</b>		
<b>GAP 40</b>	<b>FIBER</b>	●			●		●●		1,61	1,8kg/1,11l	2%	4-5'	<20'	10'	80 °C	<b>67</b>		
<b>GAP 50</b>	<b>ALU</b>	●●		●●	●●	●●	●		1,53	2kg/1,30l	2%	4-6'	<20'	10'	80 °C	<b>67</b>		
<b>GAP 70</b>	<b>PLASTFILL</b>						●	●●	1,3	1kg/0,75l	1-3%	3-5'	<30'	4'-5'	80 °C	<b>68</b>		
<b>GAP 90</b>	<b>LIGHT AND EASY</b>	●●		●●			●	TSP 030	1,24	1,9kg/1,5l	2%	3-4'	15-20'	5-10'	80 °C	<b>69</b>		
<b>GAP 93</b>	<b>LIGHT AND EASY</b>	●●		●●			●	TSP 030	1,24	3,9kg/3l	2%	3-4'	15-20'	5-10'	80 °C	<b>69</b>		
<b>DEB 12</b>	<b>PB - SN</b>	●●		●●	●●	●●		TSP 030	1,3	1L/1,3kg	1-3%	3-4'	<30'	-	180° C MAX 15'!	<b>67</b>		

### Hardener

**GAP 52** for all GAP putties

**DEB 51** for DEB 12

### Storage

Shelf life putty: 18 months  
Shelf life BPO hardener: 12 months

●● Very suitable  
● Suitable



Dry



Frost free



Not in direct sunlight



Closed tin



Black

2kg  
+ hardener



Light grey

2kg  
+ hardener



white

2kg  
+ hardener

## BLACK POLYESTER PUTTY GAPOL

### GAP 00

- Black universal polyester putty
- Similar to "MULTI" putty but black colour
- Universal adhesion on old painted surfaces, steel, light metals, galvanized steel, aluminium, wood and MDF
- Perfect to finish plastic repairs
- Visual aid during application (black shining filler); makes it easy to see all irregularities & imperfections
- Built-in sanding guide: during sanding the putty fades from black to dark grey
- The spots that are too low (not sanded) clearly remain black
- Once degreased, the filler regains its deep black colour; inspecting for possible irregularities is easy now.
- Built-in coating guide: whether one finishes with beige or grey filler, once the black colour is covered, one can also be sure of the necessary thickness of the filler coating.
- Built-in sanding through guide: if afterwards one would sand through the putty accidentally, the black base will occur as a sanding-through guide.

## POLYESTER PUTTY MULTI

### GAP 10

- Universal 2K polyester putty
- Maximum stability on vertical surfaces
- High filling power
- Fine grain composition
- No cracking on the edges by fine sanding
- Can be finished afterwards with FINE putty or directly with primer or filler.
- Less suited for light metals and galvanized bases.

## POLYESTER PUTTY FINE

### GAP 20

- Fine finishing putty. To be used after "MULTI" putty to remove small irregularities.
- To be applied in thin and very thin coats
- Bright white pigmentation
- High filling power
- A real 'finishing' putty
- Easy to apply and sand
- High elasticity
- To fill pin holes, small irregularities, small paint damages or scratches
- No sinking of the top coat


 WATCH VIDEO

**NEW**

Light green

**1kg**  
+ hardener**SELF-LEVELLING PUTTY****GAP 25**

- Ultra smooth finishing putty
- Pinhole free self levelling ability
- To finish off any other polyester for final scratch removal or pinholes
- Easy to sand
- Alternative for GAP 20

 **WATCH VIDEO**



Light green

**1,5kg**  
+ hardener

### POLYESTER PUTTY LIGHT

#### GAP 30

- Universal light putty
- Extreme adhesion on metal surfaces
- High stability in the tin
- With glass balls as filling material
- Low shrinkage ratio
- Vibration-resistant and more flexible on thin metal
- Same applications as "MULTI" putty, but results in the same fine finish as "FINE" putty
- Easy sanding
- Extreme adhesion to a variety of substrates such as steel, E-coat, galvanized steel, glass fibre reinforced plastics (GFK) and wood
- Short drying time
- Specific weight 1.38 kg/L



Azure blue

**1kg**  
+ hardener

### POLYESTER PUTTY ULTRA LIGHT - AZURE

#### GAP 31

- Universal, ultralight polyester putty
- Good adhesion to a variety of substrates such as steel, E-coat, galvanized steel, glass fiber, reinforced plastics (GFK) and wood
- Extra creamy for easy mixing & application
- Ultralight for easier and faster sanding & finer finishing
- Azure colour for easy coverage
- No pinholes
- Specific weight 1Kg/L

 **WATCH VIDEO**



Light green

**3kg**  
+ hardener

### POLYESTER PUTTY EXTRA LIGHT

#### GAP 33

- Universal extra light finishing putty
- Good adhesion on metal surfaces
- Low shrinkage ratio
- With pvc microbeads as filling material
- Same applications as "MULTI" putty but results in the same fine finish as "FINE" putty
- Combines excellent sanding properties, with an absolutely compact surface
- Easy sanding
- Good adhesion to a variety of substrates such as steel, E-coat, galvanized steel, glass fibre reinforced plastics (GFK) and wood
- Short drying time
- Specific weight 1 kg/L





Light grey

**1,8kg**  
+ hardener

Aluminium  
grey

**2kg**  
+ hardener



Steel grey

**1L**  
+ hardener

## POLYESTER PUTTY FIBER

### GAP 40

- Universal polyester putty with glass fibres to fill up larger surfaces and bigger irregularities
- Impregnated fibres for easy and equal spreading and finishing
- Perfect for polyester applications and repairs
- For bridging of cracks, small holes and rusted-through areas
- Waterproof; ideal for boat & marine repairs
- Good adhesion on glass fibre reinforced materials
- High stability

 WATCH VIDEO

## POLYESTER PUTTY ALU

### GAP 50

- Polyester putty refined with aluminum particles
- Perfect for use on body parts subject to mechanical stress
- Used to fill coarse irregularities, pores and holes
- Good adhesion on iron, steel, aluminum, galvanized substrates and glass fiber reinforced materials
- Good stability on vertical surfaces
- Can withstand temperatures of more than 90°C
- High elasticity
- Good sandability

## LEAD & TIN REPLACER

### DEB 12

- DEB 12 is a cold metal that can be used as an alternative to fluid tin
- Replaces Pb – Sn
- Exceptional hardness
- Flaky composition lends the product a very high degree of flexibility
- Once fully cured, it resists hydrocarbons (gasoline, diesel fuel) and some acids (battery acid)
- Reshaping of rough edges, wheel casings, doors and roof
- Perfect for repairing light alloy wheels
- The ultimate product for classic car restoration
- Heat resistant up to 180°C



## PLASTFILL - POLYESTER PUTTY FOR PLASTIC

### GAP 70

- Light putty specially designed for plastic surfaces
- Very high flexibility
- Smooth finishing
- Fast & easy sanding
- Can also be used on fiberglass
- Built-in sanding guide: during sanding the putty fades from dark grey to light grey
- Specific weight : 1,3Kg/L

[WATCH VIDEO](#)



**1kg**  
+ hardener



Black

**NEW**

GAP 90  
1.9kg  
+ hardener



GAP 93  
3.8kg  
+ hardener



Beige

## POLYESTER PUTTY – LIGHT AND EASY TO SAND

### GAP 90 - 93

- Easy to sand light polyester putty
- Very smooth finish
- Pinhole free due to self levelling ability
- Ideal for spot and smart repair
- No finishing putty needed afterwards
- Universal adhesion
- Much lower viscosity compared to GAP 30



WATCH VIDEO







white

DEB 51  
30 g

## HARDENER WHITE

### DEB 51

- White hardener for DEB 12
- Use 2 – 3%
- Always use GAP 60 during mixing to avoid air infiltration.



Blue

GAP 52  
50 g

## HARDENER BLUE

### GAP 52

- Blue hardener
- Use 2 – 3%
- Longer open time as regular red hardener
- Same sanding time as regular red hardener





116mm x 78mm

## PLASTIC SPREADERS

### PPM 25

- Plastic disposable spreaders
- Dimensions: 116mm x 78mm
- 25 pcs.



50mm, 80mm, 100mm, 120mm

## METAL SPREADERS

### PPM 20

- Flexible metal spreaders
- One set is made up of 4 different widths: 50mm, 80mm, 100mm and 120mm



100mm x 70mm

## RUBBER SPREADERS

### PPM 40

- Flexible rubber spreaders with soft finish
- The unique shape allows the spreader to be used to reshape more complex contours
- 20 pcs.



245mm x 295mm

## MIXING BOARD

### GAP 60

- Multi-layered mixing palette board (100 sheets) for better mixed putty. It is better to use this board instead of mixing the putty with its hardener on the palettes themselves to prevent pin holes during application. Made of non-absorbing treated paper to avoid resin and hardener to be soaked up by the paper. Reduces cleaning: after use, simply tear off the used sheet and throw it away.





**05**

**BONDING, SEALING  
AND PLASTIC REPAIR**

# 05

---

## BONDING, SEALING AND PLASTIC REPAIR

*Increasingly more, traditional joining processes in the automotive industry are replaced by bonding technologies. The arrival of new synthetic materials and lighter metal alloys require new and adapted repair procedures. Finixa offers a wide range of adhesives and sealants especially developed for the professional body shop; versatility, problem-solving, time saving, ease of use and environmental friendliness are the parameters in the development of our products. Also take a look at our plastic repair technology. The ultra-fast and cost-effective curing times combined with an ease of use and extreme adhesion make this the absolute first choice of every professional.*

---

<b>74</b>	General information
<b>75</b>	Bonding
<b>76</b>	Plastic repair
<b>78</b>	Sealing
<b>80</b>	Metal bonding
<b>81</b>	Accessories



	ARTICLE CODE		SURFACE MATERIAL	APPLICATION	PAGE
BONDING	IAG 20		Metal, plastic, wood, rubber, leather, ...	Small repairs without gaps & bonding of fixings, clips, upholstery	75
	TSP 1100		Leather, skai, cardboard, plastic film, foam, ...	For larger surfaces and light material (upholstery, insulation, door film, ...)	75
	DZB 04-25 MSA 100		Plastic & rubber (to paint)	To bond spoilers, side mouldings, emblems, ...	76
	MSA 100		Metal to metal, metal to polyester, metal to plastic	Universal bonding of larger surfaces, such as panels	75
	PLI 50		Steel, aluminium, galvanized steel, sheet moulded compounds, fiberglass reinforced plastic, plastic, paint, polyester	Metal bonding such as panels, aluminium fenders, ...	81
	FOL 62		Metal & plastic (to paint)	Re-fix logos or emblems onto a panel	82
	PLI 01 - 02 - 03		Most plastics, metals	Small bonding jobs with gaps, fixings, clips, upholstery	77
SEALING	ESS 06-08-10 SSS 100-200-300-400		Metal, primer, paint	Seams on doors, bonnets, trunks, ...	79
	SSS 100-200-300-400		Metal	Weld seams on chassis, inside fender, MacPherson suspension, doors, hood, trunk, ..	79
PLASTIC REPAIR	PLI 01		Plastic, sheet moulded compounds, fiberglass reinforced plastic	Small plastic repairs such as little cracks, headlight brackets, ...	77
	PLI 02		Plastic, sheet moulded compounds, fiberglass reinforced plastic	Medium plastic repairs	77
	PLI 03		Plastic, sheet moulded compounds, fiberglass reinforced plastic	Large plastic repairs	77





TSP 1100  
400 ml

## CONTACT GLUE

### TSP 1100

Extremely versatile, fast-drying spray adhesive that bonds to a wide range of materials

- Professional, industrial strength
- High initial strength
- High strength, fast, contact type adhesive
- Bonds laminate, wood, metal, plastic and more



MSA 100  
290 ml

## MS FAST ADHESIVE

### MSA 100

MSA 100 is a construction and assembly adhesive with a very high initial tack for the professional market, based on hybrid technology that forms a durable elastic rubber after curing. Can be applied on the bare plate without risk of corrosion. Shrink and air-bubble free. Absorbs sound and mechanical vibrations. Can be oversprayed with all common 1K or 2K paint systems on the market. Does not contain any isocyanates, phthalates, solvents or silicones.

- Durable, permanent elastic
- Universal bonding and sealing
- Adheres perfectly without primer on most even damp surfaces
- Free of isocyanates, solvents and silicones
- No shrinkage and bubble free
- Good UV resistance
- Neutral curing, almost odorless
- Non corrosive to metals
- High mechanical resistance strength
- Absorbs acoustical and mechanical vibrations
- Paintable with most common 1 and 2k paints




IAG 20  
20g

## INSTANT ADHESIVE GEL

### IAG 20

Instant adhesive gel provides a rapid bonding of a wide range of materials (metals and plastics and others). Can also be used to bond porous materials such as wood, paper, leather and fabric.

- Can be used on all surfaces
- Medium viscosity
- 1k-product
- Cures at normal room temperature
- Designed for OEM assembly



DZB 04-25

## DOUBLE SIDED TAPE RED

### DZB 04-25

- Acrylic adhesive base tape for attaching protective side moldings on vehicles.
- Strong initial contact; offers superior adhesion at any given temperature.
- In order to get a 100% adhesion, make sure the surface is properly degreased before application.
- The advantage of this unique acrylic tape is that the initial strength after 2 minutes is 80% of the total, whereas traditional double sided foam tape requires 12 to 24 hours to reach the same strength.

### AVAILABLE SIZES:

- 4mm, 6mm, 9mm, 12mm, 15mm, 19mm, 25mm

TAP 52  
18p.TAP 50  
18p.

## DUCT TAPE

### TAP 50-52

- Strong but tearable cloth based tape, ideal as a problem solver and very suitable for protecting the bodywork against sanding through paint on an adjacent area.
- Does not leave glue behind after removal.
- Can be handy for towing and transporting a damaged vehicle.
- Available in silver or black.
- High quality.

### AVAILABLE SIZES:

- 5cm x 50m (TAP 50)
- 5cm x 50m (TAP 52)



**CAUTION:**  
MANDATORY TRAINING IS REQUIRED!

[Click here for more info](#)



05



50ml

PLI 01



50ml

PLI 02



50ml

PLI 03

**7 — PLASTIC REPAIR SET 'FAST'**

**PLI 01**

- Bonding & repairing fixings and brackets

**25"** Open time

**25"** Work time

**5'** Can be sanded after

**3'** Clamp time

[WATCH VIDEO](#)

**8 — PLASTIC REPAIR SET 'MEDIUM'**

**PLI 02**

- Repairing tears & cracks

**1,5'** Open time

**1,5'** Work time

**10'** Can be sanded after

**5'** Clamp time

**9 — PLASTIC REPAIR SET 'SLOW'**

**PLI 03**

- Repairing tears & cracks

**3,5'** Open time

**5'** Work time

**30'** Can be sanded after

**10'** Clamp time


## PLASTIC REPAIR SET

## PLI 00

Complete set in handy case for plastic repair

1	Applicator gun for plastic repair	PLI 10	1x
2	Contour canvas for plastic repair	PLI 16	12cm x 3,6m
3	Reinforcement canvas	PLI 15	12cm x 3,6m
4	Mixer tips for plastic repair	PLI 05	10x
5	Adhesion promotor	TSP 030	1x 400ml
6	Foam it!	TSP 600	1x 500ml
7	Plastic repair set 'fast' *	PLI 01	2x 50ml
8	Plastic repair set 'medium' *	PLI 02	2x 50ml
9	Plastic repair set 'slow' *	PLI 03	2x 50ml

\* PLI 01-02-03 contain diisocyanates and require a mandatory training before use



WATCH VIDEO

## 1 — APPLICATOR GUN FOR PLASTIC REPAIR

## PLI 10

- Manual bi-mixer for side by side 50 ml 1/1 cartridges

## 2 — CONTOUR CANVAS FOR PLASTIC REPAIR

## PLI 16

- Plastic contour release film
- Prevents air entrapment in the adhesive
- To force the bead of adhesive into the groove
- To shape the adhesive closely to the original contour before hardening

## 3 — REINFORCEMENT CANVAS FOR PLASTIC REPAIR

## PLI 15

- Combination of fiberglass reinforcing tape and release film
- Designed to provide additional strength to the repair

## 4 — MIXER TIPS FOR PLASTIC REPAIR 50ML 10P.

## PLI 05

- Disposable static mix nozzels for Finixa plastic repair. 10 pieces.

## 5 — ADHESION PROMOTOR

## TSP 030

[See overview](#)

## 6 — FOAM IT!


## TSP 600

[See overview](#)





ESS 06-10



ESS 20



290ml

ESS 06  
6mm x 9mESS 08  
8mm x 9mESS 10  
10mm x 9m

## SEAM SEALER ON A ROLL

### ESS 06-08-10

- OEM profile
- For plugging seams on doors, bonnets and boot lids
- Can be applied quickly and easily
- Heat resistant and can be overpainted immediately
- ESS 06: for Japanese, Korean and French cars
- ESS 08: most of the German cars (Mercedes, Volkswagen, Audi)
- ESS 10: BMW, vans and large SUVs

## ROLLER FOR EASY SEAM SEALER

### ESS 20

- Hand roller for applying seam sealer ESS
- Provides constant and even pressure
- Ensures better adhesion

## SPRAYABLE SEAM SEALER

### SSS 100-200-300-400

- MS Polymer
- Firm-setting sealer for interior and exterior auto body seams and joints.
- Replaces and repairs factory sealing jobs in trunk, floor and drip rail areas.
- No primer needed, good adhesion, lasting flexibility.
- Can be used as a sprayable sealant
- Has sound deadening properties
- Standard 290ml cartridge, fits in all standard caulking guns.
- Available in white, grey, black and beige colour.
- Paintable after 30 minutes with any water-based or solvent-based primer, basecoat or topcoat.

 WATCH VIDEO


[See overview](#)

## PNEUMATIC COMBI SEALANT GUN

### CSG 00

Professional pneumatic application gun for one-component adhesives and sealants

- Processes both plastic and aluminium tubes (290 & 310 ml)
- For use with regular sealants & adhesives (MSA 100) and sprayable seam sealants (SSS 100-400)
- Reproduces the OEM structure of the seam
- Super easy maintenance: no plugging and blocking of the spray opening, no disassembly, no hassle to remove cured product
- Sprays both coarse and fine structure by using a different outer nozzle
- Separate air regulation for product quantity and spray pattern
- Easy to adjust to any desired structure

[WATCH VIDEO](#)



PLI 50  
220 ml



PLI 55  
10 p.



PLI 60

## METAL BONDING

### PLI 50

- Epoxy based glue developed to bond panels of equal or different materials together. Offers an alternative to welding.
- The solution to bond panels of different composition to one another.
- Applications: replacement of a roof panel or aluminium fender, aluminium door panel on a steel door frame.
- Can be used as an alternative for welding panels.
- Integrated glass beads for correct layer thickness.

## MIXER TIPS FOR METAL BONDING

### PLI 55

- Disposable static mix nozzels for Finixa metal bonding. 10 pieces.
- Length: 162mm
- Material: Polypropylene
- Rotations: 24

## APPLICATOR GUN FOR METAL BONDING

### PLI 60

- Manual bi-mixer for 220ml 2/1 cartridges

 WATCH VIDEO



Safety  
Regular  
Production  
Surveillance



www.tuv.com  
ID 0000073640



FOL 62  
50mm x 300mm  
10p.



SSS 030  
30mm



SSS 000  
10 p.



SSS 005  
100 p.



CSG 01  
5 p.



CSG 02  
5 p.



CSG 03  
5 p.

## LOGO TAPE

### FOL 62

- Adhesive transfer with dimensions 50mm x 300mm for re-fixing logos / emblems on to the panel.
- Clean surface and logo with degreaser, remove cover strip, press the logo down on the adhesive transfer for several seconds and remove adhesive transfer.
- The logo now has enough adhesive in all the right places to be attached permanently to the body work.

## FINIXA BRUSH

### SSS 030

- Semi-rigid nylon brush to apply and structure seam sealers
- Helps copying the original factory finish
- Solvent-resistant

## SPRAY TIP - STANDARD NOZZLE FOR SSS

### SSS 000

- Replacement nozzle for SSS and MSA cartridges
- Standard sealant nozzle

## SPRAY TIP - FLANGED NOZZLE FOR SSS

### SSS 005

- Creates perfect straight beads up to 13mm wide.
- Cut flange to obtain the precise distance from edge of panel.

## INNER NOZZLE FOR SPRAY SEALANT APPLICATIONS

### CSG 01

## BLACK OUTER NOZZLE FOR FINE STRUCTURE

### CSG 03

## BLACK OUTER NOZZLE FOR COARSE STRUCTURE

### CSG 02





# 06

---

## SANDING

*Based on our experience in the professional body shop and in cooperation with several paint manufacturers, we have developed a complete program of abrasives adapted to the latest technology in car refinishing. With the introduction of environmentally friendly paints, high-solid products, UV-primers, clear coats, waterbased paints, anti-scratch coatings, self-repairing clear coats, anti-chip clear coats, etc. into the automotive refinish, the requirements that present day abrasives have to meet, have evolved substantially. With Finixa abrasives, you do not only get a complete program of different shapes to be used by hand or with a sander, but you get a cost effective product that is fast, sharp and long-lasting in any modern application.*

---

<b>84</b>	General information
<b>86</b>	Abrasives by machine
<b>94</b>	Sanding machines
<b>95</b>	Sanding machines & accessories
<b>97</b>	Abrasives by hand
<b>101</b>	Sanding blocks
<b>102</b>	Sanding block accessories
<b>103</b>	Specials



[See overview](#)



	ARTICLE CODE	SHAPE	SIZE mm	PERFORATION N° holes	GRIT TYPE	AVAILABLE GRITS	APPLICATION dry or wet	USE IN COMBINATION WITH	PAGE
FILM DISC	SFDC SharpWhite		150	75	ceramic alu oxide	P80 - P800			87
	SFDD SharpWhite		75	29	ceramic alu oxide	P80 - P800			88
PAPER DISC	SPDA		150	15	blue fired alu oxide	P40 - P1200			89
	SPDD		125	8	blue fired alu oxide	P80 - P800			91
	SPDS		150	0	blue fired alu oxide	P40 - P1200			91
	SPDE		203	8	blue fired alu oxide	P40 - P400			91
FINISH FILM DISC	SFDE		150	15	alu oxide	P800 - P2500			94
	SFDF		75	0	alu oxide	P800 - P2500			93
FINISH FOAM DISC	SPDQ		150	0	silicon carbide	P1000 - P3000			92
	SPDR		75	0	silicon carbide	P1000 - P3000			92
FIBER DISC	QCD		50	0	ceramic alu oxide	P36 - P80			92
	QCD		75	0	ceramic alu oxide	P50 - P80			92

**06**



	ARTICLE CODE	SHAPE	SIZE mm	PERFORATION N° holes	GRIT TYPE	AVAILABLE GRITS	APPLICATION dry or wet	USE IN COMBINATION WITH	PAGE
<b>PAPER</b>	<b>SPSA</b>		70 x 127	8	blue fired alu oxide	P60 - P400		 SAB 30	<b>102</b>
	<b>SPSB</b>		70 x 198	8	blue fired alu oxide	P60 - P400		 SAB 31 SAB 35	<b>102</b>
	<b>SPSC</b>		70 x 420	14	blue fired alu oxide	P60 - P400		 SAB 32	<b>102</b>
	<b>SPSD</b>		115 x 230	10	blue fired alu oxide	P60 - P400		 SAB 33	<b>102</b>
	<b>SPLA</b>		230 x 280	0	alu oxide	P80 - P320			<b>101</b>
	<b>SPLA</b>		230 x 280	0	alu oxide	P400 - P800			<b>101</b>
	<b>SPLA</b>		230 x 280	0	silicon carbide	P1000 - P2500			<b>101</b>
<b>FOAM</b>	<b>SFP</b>		120 x 98 x 13	0	ceramic alu oxide	<ul style="list-style-type: none"> <li>• 80</li> <li>• 120</li> <li>• 220</li> <li>• 320</li> </ul> <ul style="list-style-type: none"> <li>• 500</li> <li>• 800</li> <li>• 1000</li> </ul>			<b>99</b>
	<b>FFP</b>		115 x 115	0	alu oxide	<ul style="list-style-type: none"> <li>• Primer prep</li> <li>• Base coat prep</li> <li>• Clear coat prep</li> <li>• Fade out prep</li> </ul>			<b>100</b>
	<b>SPFA</b>		114 x 125	0	alu oxide	P80 - P1000			<b>101</b>
<b>SPECIALS</b>	<b>SBR</b>		100	0	alu oxide silicon carbide	<ul style="list-style-type: none"> <li>• Extra fine</li> <li>• Ultra fine</li> <li>• Micro fine</li> </ul>			<b>105</b>
	<b>SPDM</b>		ø 35	0	alu oxide	P1500 - 2000 2500 - 3000		 DRF 50	<b>105</b>





Learn more  
about  
SharpWhite!

[Check out our blog](#)

06

## **SHARP WHITE**

### **SHARPWHITE SANDING FILM DISC - Ø 150MM - MULTIHOLE**

**SFDC 0080-0800**

- High initial cutting power
- Longer disc life
- Excellent dust extraction
- Quick and easy disc change
- Adapted to the latest paint systems
- Ultra-flat film backing
- Developed for 5mm "Dual action" sanders

#### **AVAILABLE GRITS**

P80, P120, P150, P180, P220, P240, P320, P400, P500, P600, P800

**FILM DISC**

**WATCH VIDEO**



Ø 150 mm  
multihole



**SharpWhite** is made of a new type of ceramic aluminium oxide with a high initial cutting power for efficient sanding. Because of its high cutting speed, this premium abrasive saves significantly on labour! The white, anti-clogging coating makes sure the abrasive is durable and the multi-hole feature guarantees a dust free environment.

**SharpWhite** sands up to 20% faster than the average sanding disc. Using SharpWhite significantly reduces labour costs and allows technicians to do more repairs. More repairs lead to more revenue and a greater use of invested equipment and spray booth, allowing a faster return on investment.

- **Longer disc life;** white, anti-clogging coating that helps keep the disc from loading up during sanding
- **Excellent dust extraction** due to the multi-hole pattern
- **Adapted to the latest paint systems;** works perfectly on air-drying primers, scratch-resistant clearcoats and UV cured paints
- **Ultra flat film backing;** results in a consistent scratch pattern



Ø 75 mm  
multihole

#### AVAILABLE GRITS

P80, P120, P150, P180, P220, P240, P320, P400, P500, P600, P800

 **WATCH VIDEO**

## **SHARP WHITE**


ø 75mm

### **SHARPWHITE SANDING DISC Ø75MM - MULTIHOLE**

**SFDD 0080-0800**

- Fast, accurate, dust-free sanding
- Developed for spot and smart repair
- Perfect for sanding hard to reach areas
- A must-have for bumper and wheel repair
- Quick & easy disc change
- For 75mm dual action sanders
- Longer disc life; white, anti-clogging coating that helps keep the disc from loading up during sanding
- Excellent dust extraction ; 29 holes
- Adapted to the latest paint systems; works perfectly on air-drying primers, scratch-resistant clearcoats and UV cured paints
- Ultra flat film backing results in a consistent scratch pattern

**FILM DISC**



Ø 150 mm  
15 holes

### SANDING DISC Ø 150MM - 15 HOLES

**SPDA 0040-1200**

- Paper carrier disc
- Self-sharpening grits, blue fired treated aluminium oxide
- Faster sanding due to self-sharpening technology
- Longer lifespan due to self-sharpening technology
- Stearate coated, to prevent clogging
- Can be used on polyester putties, high solid primers, clear coats, as well as old & and new paints

#### AVAILABLE GRITS

P40, P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P360, P400, P500, P600, P800, P1000, P1200

**PAPER DISC**





Based on our experience in the professional body shop and in cooperation with several paint manufacturers, we developed a complete program of abrasives adapted to the latest technology in car refinishing.


With the introduction of environmentally friendly paints, high-solid products, UV primers and clear coats, water based paints, anti-scratch coatings, self-repairing clear coats, anti-chip clear coats, ... into the automotive refinish, 21st century abrasives requirements have evolved substantially. Therefore, with abrasives, one does not only get a complete program in different shapes to be used by hand or with a sander, but a cost effective product that is fast, sharp and long-lasting on any modern application.

The technology is the result of years of trial and error combined with the feedback of paint manufacturers. Where in the past an abrasive was a question of getting a grid glued to a paper laminated with Velcro, today's abrasives are:

- Double glued layer of the grit avoiding detachment of the grit.
- Blue fired aluminium oxide grit partly enriched with diamond based powder, increasing the durability.
- Uniformed orientation of the grit on the backing, ensuring the sharpest point of the grit is making contact with the surface increasing the sharpness and speed during sanding.
- Stearate coating avoids clogging of dust particles into the abrasive making the paper long lasting.

**LEARN MORE ABOUT  
PANEL REPAIR**





Ø 125 mm  
8 holes


**SANDING DISC**

**SPDD 0080-0800**

AVAILABLE GRITS

P80, P120, P180, P220, P240, P320,  
P400, P500, P600, P800

**PAPER DISC**



Ø 150 mm  
without holes


**SANDING DISC**

**SPDS 0040-1200**

AVAILABLE GRITS

P40, P60, P80, P100, P120, P150,  
P180, P220, P240, P280, P320, P360,  
P400, P500, P600, P800, P1000,  
P1200

**PAPER DISC**



Ø 203 mm  
8 holes

**SANDING DISC**

**SPDE 0040-0400**

AVAILABLE GRITS

P40, P80, P120, P150, P240, P320, P400

**PAPER DISC**



Ø 75 mm  
without holes

### ULTIMATE FOAM DISCS VELCRO Ø 75MM

**SPDR 1000-3000**


- Mattens the surface: less risk of going through the painted surface
- Respects the shape and structure of the clear coat
- Best results when used wet with degreaser (DGR)
- Final step in sanding and matting
- Prepares the surface for blending out colour or fading out clear coat
- Prepares the surface for polishing

**WATCH VIDEO**

#### AVAILABLE GRITS

P1000, P2000, P3000

**FOAM BACKING**



Ø 150 mm  
without holes

### ULTIMATE FOAM DISCS VELCRO Ø 150MM

**SPDQ 1000-3000**

- Mattens the surface: less risk of going through the painted surface
- Respects the shape and structure of the clear coat
- Best results when used wet with degreaser (DGR)
- Final step in sanding and matting
- Prepares the surface for blending out colour or fading out clear coat
- Prepares the surface for polishing

#### AVAILABLE GRITS

P1000, P2000, P3000

**FOAM BACKING**

**NEW**



Ø 50 mm  
without holes

Ø 75 mm  
without holes

### QUICK CHANGE SANDING DISC

**QCD 5036-5080**

**QCD 7550-7580**

- R-type disc - twist on/off fastening system.
- Fast grinding, paint removing.
- Ideal for use in a confined space

#### AVAILABLE GRITS

Ø50MM P36, P50, P80

Ø75MM P50, P80

**CLOTH BACKING**



Ø 75 mm  
without holes

## FINISHING FILM DISCS Ø75MM - WITHOUT HOLES

SFDF 0800-2500

- Premium film abrasive disc for matting and paint correction
- Aluminium oxide grain, Polyester film backing
- Very fine scratch pattern for fast and easy polishing
- Ultra-flat and smooth film backing
- Specially developed stearate layer for less clogging and longer lifespan
- Intended for dry sanding only

 WATCH VIDEO

AVAILABLE GRITS

P800, P1000, P1500, P2000, P2500

**FINISH FILM DISC**







Ø 150 mm  
15 holes

### FINISHING FILM DISCS Ø150MM - 15 HOLES

**SFDE 0800-2500**


- Premium film abrasive for matting and paint correction
- Aluminium oxide grain, Polyester film backing
- Very fine scratch pattern for fast and easy polishing
- Ultra-flat and smooth film backing
- Specially developed stearate layer for less clogging and longer lifespan
- Intended for dry sanding only
- For best results use on a 3 mm deviation DA sander with a 5mm interface pad (SAM 37)

 **WATCH VIDEO**

AVAILABLE GRITS

P800, P1000, P1500, P2000, P2500

**FINISH FILM DISC**







**SAM 50**  
Ø 150mm  
2.5 deviation

**SAM 51**  
Ø 150mm  
5.0 deviation

## PREMIUM PNEUMATIC SANDING MACHINE

### SAM 50-51

- Premium ergonomic eccentric sanding machine
- Very low noise level
- Perfectly balanced centre of gravity
- Vibration-free
- Delivered with sanding pad: diameter 150mm, bottom velcro, 15 holes
- Available with 2,5mm deviation, for finishing work, P400 to P3000
- Available with 5,0mm deviation, for preparation work, P40 to P360
- Built-in speed control, can be adjusted continuously between 0 - 20 000 rpm
- Very light: 790g including sanding pad
- Built-in option to work with or without dust extraction

- 
- Vibrations: 2,48 m/s<sup>2</sup>
  - Noise: 78 dBA
  - Weight: 0,79 kg
  - Motor power: 0,28 HP
  - Free speed: 12.000 RPM
  - Air consumption: 481 L/min
  - Pressure: min. 5 Bar - max 6,2 Bar



**SAM 00**  
Ø 150mm  
2.5 deviation

**SAM 01**  
Ø 150mm  
5.0 deviation

## STANDARD PNEUMATIC SANDING MACHINE

### SAM 00-01

- Standard ergonomic eccentric sanding machine
- Low noise level
- Perfectly balanced centre of gravity
- Low vibration
- Delivered with sanding pad: diameter 150mm, bottom velcro, 15 holes
- SAM 00: available with 2,5mm deviation, for finishing work, P400 to P3000
- SAM 01: available with 5,0mm deviation, for preparation work, P40 to P360
- Built-in speed control, can be adjusted continuously between 0 - 20 000 rpm
- Extremely light: 660g including sanding pad
- Built-in option to work with or without dust extraction

- 
- Vibrations: 2.5 m/s<sup>2</sup>
  - Noise: 85 dBA
  - Weight: 0.68 kg
  - Motor power: 0.25 HP
  - Free speed: 12000 RPM
  - Air consumption: 470 L/min
  - Pressure: 6.2 Bar



SAM 41  
Ø 75mm

### PREMIUM MINI SANDER WITH CENTRAL VACUUM

#### SAM 41

- 75mm/3 inch - 2.5mm orbital, pneumatic palm sander with central vacuum
- Premium ergonomic eccentric sanding machine
- Perfectly balanced centre of gravity
- Low vibration
- Delivered with sanding pad: diameter 75 mm, medium density, bottom velcro, 3 holes
- Built-in speed control, can be adjusted continuously between 0 - 20 000 RPM
- Very light: 570g including sanding pad
- Built-in option to work with or without dust extraction

- Vibrations: 2m/s<sup>2</sup>
- Noise: 80 dBA
- Weight: 0,57 kg
- Motor power: 0,28 HP
- Free speed: 12.000 RPM
- Air consumption: 481 L/min
- Pressure: 6.2 Bar

 WATCH VIDEO



SAM 02  
Ø 75mm

### PALM SANDER

#### SAM 02

- 75mm/3 inch - 2.5mm orbital palm sander
- Ergonomic grip provides greater operator, comfort and control
- Built-in regulator for accurate speed control
- Muffling system to reduce sound level

- Pad Size: 3" (76mm)
- Spindle Thread: 5/16"-24
- Orbit: 2.5mm
- Free Speed: 13,000 rpm
- Motor Power: 0.25 HP
- Weight: 1.25lbs (0.56kgs)
- Length: 4-3/4" (120mm)
- Sound dBA: 83
- Vibration level: 2.5 m/s<sup>2</sup>
- Average Air Consumption: 4 cfm/113,2 L/min





**SAM 125S**  
**Ø 125mm**  
 8 holes



**SAM 125M**  
**Ø 125mm**  
 8 holes



**SAM 15S**  
**Ø 150mm**  
 15 holes



**SAM 15M**  
**Ø 150mm**  
 15 holes



**SAM 75S**  
**Ø 150mm**  
 75 holes



**SAM 75M**  
**Ø 150mm**  
 75 holes



**SAM 36M**  
**Ø 150mm - 10mm**  
 15 holes



**SAM 37M**  
**Ø 150mm - 5mm**  
 15 holes

## SANDING PAD UNIVERSAL VELCRO

### SAM 125S-125M

- Sanding pad 8 holes, Ø 125mm.
- Supplied with the necessary spacers and different bolts.
- Fits on all types of sanding machines except brand specific quick change coupling.
- S for soft: generally used on sanding machines with 2,5mm deviation and grit P400 or finer.
- M for medium: generally used on sanding machines with 5mm deviation and grit P400 or coarser.

## SANDING PAD UNIVERSAL VELCRO

### SAM 15S-15M

- Sanding pad 15 holes, Ø 150mm.
- Supplied with the necessary spacers and different bolts.
- Fits on all sanding machines with the exception of machines with brand specific 'quick change' coupling.
- S for soft, generally used on sanding machines with 2,5mm deviation and grit P400 or finer.
- M for medium, generally used on sanding machines with 5mm deviation and grit P400 or coarser.

## SANDING PAD Ø 150MM SHARPWHITE


### SAM 75S-75M

- Sanding pad 75 holes, Ø 150mm.
- Used with SharpWhite sanding discs SFDC Ø 150mm (identical hole pattern)
- S for soft, generally used on sanding machines with 2,5mm deviation and grit P400 or finer.
- M for medium, generally used on sanding machines with 5mm deviation and grit P400 or coarser.


## SOFT INTERFACE PAD

### SAM 36M-37M

- Flexible sanding pad adaptor that changes the existing medium or solid pad on the sanding machine into a soft pad. This way it is possible to combine with finer sanding paper; P600 and finer.
- option 5mm or 10mm
- 15 holes
- 3pcs



SAM 38M  
Ø 75mm - 5mm  
without holes



SAM 39M  
Ø 75mm - 10mm  
without holes



SAM 021  
Ø 75 mm



SAM 411  
Ø 75 mm



QCS 00



SAB 50  
690mm x 580mm

## SOFT INTERFACE PAD - NO HOLES

### SAM 38M-39M

- Can be used with our finishing film discs SFDF Ø75mm
- Perfect for dry sanding
- option 5mm or 10mm
- 3pcs

## SANDING PAD VELCRO

### SAM 021

- Velcro backing pad Ø 75 mm. - M8 screw thread - no holes – medium density

## SANDING PAD FOR SAM 41

### SAM 411

- Velcro backing pad Ø 75 mm. - ¼ x 20 screw thread - 3 holes – medium density

## QUICK CHANGE SPINDLE FOR 50MM DISCS (TYPE R)

### QCS 00

- Quick change spindle with 6mm. Shaft
- For 50 mm. discs
- TYPE "R"

## VELCRO BOARD FOR SANDING GEAR

### SAB 50

- The organizer for your sanding gear.
- Can easily contain most of your used sanding blocks and 2 eccentric sanders.
- The organization can be personalized, therefore the photograph is showing only one possibility.



**NEW**

120mm x 98mm x 13mm  
24p.

## SHARP FOAM PAD

SFP 0080 - 1000

Finixa Sharp Foam Pads are produced in an environmentally friendly production line, using only solvent-free adhesives! We believe that it is in everyone's interest to continue developing ecological production methods.

We took our responsibility years ago by avoiding solvent-based adhesives as much as possible. Several sanding pads on the market today are still coated with a solvent-based adhesive. Not only are these of lower quality, but they also contribute enormously to air pollution and greenhouse gas emissions.

In addition, the solvent-free adhesive of Finixa Sharp Foam Pads is not only flexible, but more importantly, also much more elastic than solvent-containing adhesives. This is a great advantage for the life span, as the Finixa Sharp Foam Pads are less likely to tear. The solvent-free adhesive is also heat-resistant. No performance reduction only because of the sanding friction.

The Finixa Sharp Foam Pads are also coated with an extra ceramic-coated aluminum oxide grit, which makes them stronger and more durable. An additional advantage is that the ceramic coating also counteracts clogging, which also leads to a more uniform sanding result. The choice for the more expensive red ceramic AO grit makes the product unique and, in combination with the print on the side, clearly recognizable.


- 2-sided abrasive
- Super soft backing foam allowing the product to adapt perfectly to all profiled work pieces
- Extra flexible but resistant
- Pressure distributing foam reduces sanding through and guarantees an even and uniform sanding pattern
- Less clogging for longer use
- Dry or wet application
- Ceramic coated aluminium oxide
- 7 grits: 80, 120, 220, 320, 500, 800, 1000
- Pad size: 120 x 98 x 13 mm
- Packed per 24 pcs

### AVAILABLE GRITS

P80, P120, P220, P320, P500, P800, P1000

**FOAM PADS**

**WATCH VIDEO**



115mm x 115mm  
50p.



FFP 0320  
Primer prep



FFP 0500  
Base coat prep



FFP 0800  
Clear coat prep



FFP 1500  
Fade out prep

## FLAT FOAM PADS 115MM X 115MM

### FFP 0320-1500

- Holds liquid, so easy to dose
- Easy access to difficult areas with maximum comfort
- No risk of sanding through or leaving behind marks
- Perfect for blending; eliminates the need for unnecessary polishing

[WATCH VIDEO](#)

[FOAM PADS](#)





230mm x 280mm

230mm x 280mm  
Waterproof114mm x 25m  
softback

## SANDING SHEET

### SPLA 0080-0320

- Self sharpening Blue Fired aluminium oxide grit for more durability of the abrasive.
- The abrasive grit is bonded so that the sharpest side of the grain is always in contact with the surface, increasing sharpness and speed during sanding.
- The red stearate coating reduces clogging of the sanding sheets, making it last longer.

### AVAILABLE GRITS

P80, P120, P150, P180,  
P220, P240, P320

### PAPER BACKING

## SANDING SHEET - WATERPROOF

### SPLA 0400-2500

- Specially developed for wet use.
- Silicon carbide grit with fast initial cutting power.
- Leaves a consistent, fine sanding pattern that is easy to polish afterwards.

### AVAILABLE GRITS

P400, P500, P600, P800, P1000, P1200,  
P1500, P2000, P2500

### PAPER BACKING

## FOAM BACKING ABRASIVE ON A ROLL

### SPFA 0080-1000

- Sanding paper on roll with foam backing.
- Packed in a handy dispenser box; provides protection from dust and other pollution.
- The sanding paper is perforated; each single sheet (114mm x 125mm) can easily be torn off.
- At the back the paper has a comfortable foam; even pressure during manual sanding.
- Easily adjusts to round, concave or convex shapes.
- Prevents sanding at the edges.
- The foam backing can be used to easily free the sanded surface from sanding dust.

### AVAILABLE GRITS

P80, P150, P180, P240, P320, P400,  
P500, P600, P800, P1000

### FOAM BACKING



SAB 30

70mm x 127mm

8 holes

**SANDING STRIP**

**SPSA 0060-0400**

AVAILABLE GRITS

P60, P80, P100, P120, P150, P180, P240, P320, P400

**PAPER BACKING**



SAB 31



SAB 35

70mm x 198mm

8 holes

**SANDING STRIP**

**SPSB 0060-04000**

AVAILABLE GRITS

P60, P80, P100, P120, P150, P180, P240, P320, P400

**PAPER BACKING**



SAB 32

70mm x 420mm

14 holes

**SANDING STRIP**

**SPSC 0060-0400**

AVAILABLE GRITS

P60, P80, P100, P120, P150, P180, P240, P320, P400

**PAPER BACKING**



SAB 33

115mm x 230mm

10 holes

**SANDING STRIP**

**SPSD 0060-0400**

AVAILABLE GRITS

P60, P80, P100, P120, P150, P180, P240, P320, P400

**PAPER BACKING**







SAB 07  
150mm x 70mm

### SANDING BLOCK FLAT HAND GRIP + 3 DIFFERENT SHAPES

#### SAB 07

- Set of sanding blocks with 3 different shapes
- Use your sanding disks on your universal sanding blocks
- Ergonomic grip
- 3 different shapes to sand flat, concave and convex surfaces
- No more waste of half used sanding discs
- To use with Ø 15 cm red SPDA or white SFDC



SAB 35  
70mm x 198mm

### SANDING BLOCK WITH EXTRACTION + 4 DIFFERENT SHAPES

#### SAB 35

- Ergonomic grip
- 4 extensions, 8 holes
- Balanced weight distribution for an equal pressure
- Equipped with a connection for dust extraction
- Equipped with a rounded angle to easily remove the used sanding paper





SAB 30  
70x127mm



SAB 32  
70x400mm



SAB 31  
70x198mm



SAB 33  
115x230mm



SAB 01  
Ø150mm

### SANDING BLOCK WITH EXTRACTION

#### SAB 30-33

- Ergonomic grip.
- Balanced weight distribution for an equal pressure.
- Equipped with a connection for dust extraction.
- Equipped with a rounded angle to easily remove the used sanding paper.

### SANDING BLOCK FOR Ø150MM

#### SAB 01

- Sanding block
- Ergonomic grip
- For sanding discs Ø150mm





100mm x 10m

**SCUFF ROLLS****SBR 10-20-30**

- Non-woven nylon abrasive tissue with impregnated sanding grain, to quickly and comfortably depolish surfaces that need to be sprayed.
- SBR 10: very fine - red - P360
- SBR 20: ultra fine - grey - P1500
- SBR 30: micro fine - gold - P2000

**POLYAMIDE FIBERS**

1 kg

**MATTING COMPOUND****POL 70**

- Matting compound is a composition of liquid chemicals and abrasives intended for surface preparation prior to the blending and painting of new panels. It is suited for any type of paint including waterborne. To be used in combination with non-woven cloth, for instance the SOF 20 or SBR 20.
- For all types of paints
- Gives a matt surface
- Easy to apply
- Easy to remove without traces
- Can be used dry or combined with degreaser DGR
- Water-based product

Ø 35 mm  
without holes**SANDING DISC****SPDM 1500-3000**

## AVAILABLE GRITS

P1500, P2000, P2500, P3000

**FILM DISC**



**FINIXA**  
paint processing products

**FINIXA**

Paintable side - Spritzbare kant  
Côté à peindre - Spritzbare Seite

**FINIXA**  
paint processing products

Masking film

**FINIXA**

**FINIXA**

**FINIXA**  
Spon tape

**FINIXA**

Lifting tape

**07**

**MASKING**



# 07


---







## MASKING

*Automotive masking tape, paper and film are the key products for masking cars and other vehicles with professional results. A good masking job will result in a superior, clean finish once the painting process is complete. Masking requires time and attention to detail. Finixa offers a wide range of professional masking products that will save you a lot of time and guarantee a top finish. Before you start masking, make sure the car is free of dust and degreased for maximum adhesion and a good end result.*

---

<b>106</b>	General information
<b>108</b>	Masking film
<b>112</b>	Masking paper
<b>113</b>	Masking dispenser
<b>114</b>	Masking film cutter
<b>115</b>	Masking tape
<b>117</b>	Lifting tape
<b>118</b>	Joint stopper
<b>119</b>	Spon tape
<b>121</b>	Covers
<b>124</b>	Specials



		DESCRIPTION	 SIZES m x m	 THICKNESS µm	 CORONA TREATED	 MOISTURE ABSORBENT	 STATICALLY CHARGED	 PAGE
MASKING FILM	<b>MSF 03820</b>	Premium masking film – green	3,8 x 200	8			●	113
	<b>MSF 14015</b>	Premium masking film - paint adhesive	4 x 150	8	●		●	112
	<b>MSF 14020</b>	Premium masking film - paint adhesive	4 x 200	8	●		●	112
	<b>MSF 14030</b>	Premium masking film - paint adhesive	4 x 300	8	●		●	112
	<b>MSF 14820</b>	Premium masking film - paint adhesive	4,8 x 200	9	●		●	112
	<b>MSF 15012</b>	Premium masking film - paint adhesive	5 x 120	9	●		●	112
	<b>MSF 16010</b>	Premium masking film - paint adhesive	6 x 100	9	●		●	112
	<b>MSF 24015</b>	Premium+ masking film - paint adhesive	4 x 150	11	●		●	111
	<b>MSF 34015</b>	Premium+ masking film - paint adhesive & moisture absorbant	4 x 150	15	●	●	●	110
	<b>MSF 35012</b>	Premium+ masking film - paint adhesive & moisture absorbant	5 x 120	15	●	●	●	110
	<b>MSF 36010</b>	Premium+ masking film - paint adhesive & moisture absorbant	6 x 100	15	●	●	●	110
	<b>DAE 035</b>	Pre-taped masking film	0,35 x 25	8	●		●	113
	<b>DAE 060</b>	Pre-taped masking film	0,60 x 25	8	●		●	113
	<b>DAE 100</b>	Pre-taped masking film	1 x 25	8	●		●	113
	<b>DAE 120</b>	Pre-taped masking film	1,2 x 25	8	●		●	113
	<b>DAE 180</b>	Pre-taped masking film	1,8 x 25	8	●		●	113
<b>DAE 260</b>	Pre-taped masking film	2,6 x 25	8	●		●	113	
MASKING PAPER	<b>MAP B020</b>	Masking paper 40 g/m2	0,2 x 450					114
	<b>MAP B030</b>	Masking paper 40 g/m2	0,3 x 450					114
	<b>MAP B037</b>	Masking paper 40 g/m2	0,37 x 450					114
	<b>MAP B040</b>	Masking paper 40 g/m2	0,4 x 450					114
	<b>MAP B060</b>	Masking paper 40 g/m2	0,6 x 450					114
	<b>MAP B090</b>	Masking paper 40 g/m2	0,9 x 450					114
	<b>MAP B120</b>	Masking paper 40 g/m2	1,2 x 450					114
	<b>MAP B150</b>	Masking paper 40 g/m2	1,5 x 450					114



															APPLICATION	
		WIDTH mm	LENGTH m	COLOUR	TEMP. RESISTANCE 10 min.	TEMP. RESISTANCE 30 min.	TEMP. RESISTANCE 60 min.	WATER-BASED PAINT	SOLVENT- BASED PAINT	BACKING PAPER SW g/m <sup>2</sup>	THICKNESS mm	TENSILE STRENGTH N/25mm	ELONGATION %	PEEL ADHESION N/25mm		PAGE
MASKING	MST 9	19 25 30 38 50	50		100 °C.	80°C.	60°C.			58	0.125	85	7.5	4.3	General applica- tions	117
	MST 4	19 25 30 38 50	50		110°C.	100°C.	80°C.			62	0.132	105	10	4.6	Curves	117
	MST 7	19 25 30 38 50	50		120°C.	90°C.	80°C.			63	0.130	90	8	4.8	Water-based	118
	MST 8	19 25 38 50	50		130°C.	100°C.	100°C.			35	0.08	82.5	4	4.8	Straight lines & on rubber	118
FINE LINE	FOL 303M - 325M	3 6 9 12 15 19 25	33		140°C	140°C	140°C			33.6	0.163	215	600	4	Extreme curves & striping	119






**NEW**



### PREMIUM+ MASKING FILM - PAINT ADHESIVE & MOISTURE ABSORBANT

**MSF 34015 - 35012 - 36010**

- The lilac transparent masking film is not only a good static masking film that holds paint on the exterior of the film, it also has a special layer on the inside of the film that absorbs humidity from the car. This avoids white spots after spraying.
- Excellent paint adhesion on the exterior side (logo side).
- Easily cut.
- Statically loaded: can be applied by 1 person.

	AVAILABLE SIZES:			
<b>MSF 34015</b>	4 x 150	●		
<b>MSF 35012</b>	5 x 120	●	●	
<b>MSF 36010</b>	6 x 100	●	●	●




**NEW**


## PREMIUM+ MASKING FILM - PAINT ADHESIVE

### MSF 24015

- HDPE white transparent film printed to indicate the paint absorbent side.
- The film is slightly transparent to facilitate cutting away the surface to be painted.
- Sufficiently static to protect the vehicle from overspray
- Folded in such a way that the film can be unrolled, unfolded and cut by only one person.
- Film has corona treatment for optimum paint adhesion.

#### AVAILABLE SIZES:

- MSF 24015 : 4 x 150m

#### SUITED FOR






**NEW**

## PREMIUM MASKING FILM - PAINT ADHESIVE

**MSF 14015 - 14020 - 14030 - 14820 - 15012 - 16010**

- Traitement corona pour une adhérence optimale de la peinture.
- Statically charged and folded for application by one person
- Semi-transparent for easy cutout
- Comes in an easy to use dispenser box for dust protection
- Can also be mounted on the Finixa EQU 70 masking film dispenser

	AVAILABLE SIZES:			
<b>MSF 14015</b>	4 x 150	●		
<b>MSF 14020</b>	4 x 200	●		
<b>MSF 14030</b>	4 x 300	●		
<b>MSF 14820</b>	4,8 x 200	●	●	
<b>MSF 15012</b>	5 x 120	●	●	
<b>MSF 16010</b>	6 x 100	●	●	●





## PREMIUM MASKING FILM – GREEN

### MSF 03820

- HDPE green masking film is non-paint absorbent and is used only for covering.
- No corona treatment; needs to be combined with masking paper in case used in the spray booth.

### AVAILABLE GRITS

- 3,8m x 200m

### SUITED FOR



## PRE-TAPED MASKING FILM

### DAE 035-260

- Easy to tear static masking film with masking tape.
- Corona treated for optimum paint adhesion.
- Right-handed motion is necessary for smoother and ideal unfolding.

### AVAILABLE GRITS

- DAE 035 : 0,35m x 25m
- DAE 060 : 0,60m x 25m
- DAE 100 : 1m x 25m
- DAE 120 : 1,2m x 25m
- DAE 180 : 1,8m x 25m
- DAE 260 : 2,6m x 25m



### SUITED FOR







## MASKING PAPER 40 G/M<sup>2</sup>

### MAP B020-150

- 40 g/m<sup>2</sup> kraft paper
- Pure, not recycled
- One side glossy and therefore paintproof
- Dustfree
- Available in 8 sizes
- 450 m per roll
- Individually packed

### AVAILABLE SIZES:

- **MAP B020** : 0,2m x 450m
- **MAP B030** : 0,3m x 450m
- **MAP B037** : 0,37m x 450m
- **MAP B040** : 0,4m x 450m
- **MAP B060** : 0,6m x 450m
- **MAP B090** : 0,9m x 450m
- **MAP B120** : 1,2m x 450m
- **MAP B150** : 1,5m x 450m

### SUITED FOR







## DISPENSER FOR MASKING PAPER

### EQU 57

- Easy, fast and time-saving dispenser for masking paper
- Automatically applies the tape to the paper
- Holds 3 max. widths of masking paper: 30-60-90 cm
- Toothed blades for easy and straight tearing
- Mobile: equipped with large and stable wheels for easy moving

### SUITED FOR


- MAP B020
- MAP B030
- MAP B040
- MAP B060
- MAP B090



## DISPENSER FOR MASKING FILM SINGLE

### EQU 70

- Mobile dispenser for masking film
- Easy to operate by 1 person
- Unroll the film over the vehicle and cut along the cutter guide with the film cutter
- Saves space in the workshop
- The MSF 00 caps are included as standard



### SUITED FOR

- MSF 34015 - 35012 - 36010
- MSF 24015
- MSF 14015 - 14020 - 14030 - 14820 - 15012 - 16010



PLA 49

PLA 50M  
20p.

PLA 52

PLA 55  
10p.CUK 00  
10p.

## MAGNETIC CUTTER FOR MASKING FILM

### PLA 49

- Magnetic
- Film cutter with a fixed blade
- The blade can never come into contact with the bodywork, no risk of damages

## STANDARD CUTTER FOR MASKING FILM

### PLA 50M

- Film cutter with a fixed blade
- The blade can never come into contact with the bodywork, no risk of damages

## PREMIUM CUTTER FOR MASKING FILM

### PLA 52

- Film cutter with replaceable razor blade
- The blade can never come into contact with the bodywork, no risk of damages
- PLA 55: replacement blades 10 pc.

## REPLACEMENT BLADES

### PLA 55

- Replacement blades for premium cutter - 10p.

## CUTTER KNIFE IN STAINLESS STEEL

### CUK 00

- General purpose stainless steel cutter knife
- Standard 9mm replaceable blade
- Sliding knob with lock system
- Includes pocket clip





## MASKING TAPE 100 °C

### MST 919-950

- High-quality masking tape
- Can be used with all paints, mainly with solvent-based paints
- Excellent adhesion on most surfaces
- Suited for IR and UV drying
- Heat resistant: 10 minutes at 100 °C, 30 minutes at 80 °C, 60 minutes at 60 °C
- Thickness: 0,125mm
- Adhesive strength on steel: 4,3 N/25mm

#### AVAILABLE SIZES:

- 19mm x 50m (MST 919)
- 25mm x 50m (MST 925)
- 30mm x 50m (MST 930)
- 38mm x 50m (MST 938)
- 50mm x 50m (MST 950)

**NEW**



## MASKING TAPE CORAL 110°

### MST 419-450

- Excellent adhesion on all surfaces, also on plastic and rubber
- Perfect 'tape on tape' adhesion
- Easy application on curved profiles and irregular surfaces
- Entirely saturated, compatible with solvent- and water-based paints
- Suited for IR and UV drying
- Easily removable, no residue
- Temperature resistant: 10 minutes at 110°C, 30 minutes at 90°C, 1 hour at 80°C
- Thickness: 132 micron
- Adhesive strength on steel: 4,6 N/25mm

#### AVAILABLE SIZES:

- 19mm x 50m (MST 419)
- 25mm x 50m (MST 425)
- 30mm x 50m (MST 430)
- 38mm x 50m (MST 438)
- 50mm x 50m (MST 450)

 WATCH VIDEO





## MASKING TAPE 120 °C

### MST 719-750

- Entirely saturated masking tape of high adhesive strength
- Can be used with all water- and solvent-based paints
- Easily removable
- Excellent adhesion on most surfaces
- Solvent- & water-resistant
- Suited for IR and UV drying
- Heat resistant: 10 minutes at 120°C, 30 minutes at 90°C
- Thickness: 0,130mm
- Adhesive strength on steel: 4,8 N/25mm

#### AVAILABLE SIZES:

- 19mm x 50m (MST 719)
- 25mm x 50m (MST 725)
- 30mm x 50m (MST 730)
- 38mm x 50m (MST 738)
- 50mm x 50m (MST 750)



**Tip: Always press the tape firmly during application, especially when applying tape on tape. Our tapes are provided with a pressure sensitive adhesive layer. This gives them optimal adhesion.**



## MASKING TAPE GOLD 100 °C

### MST 819-850

- Masking tape of the new generation
- Can be used with all water- and solvent-based automotive paints
- Solvent- and water-resistant
- Excellent adhesion on all surfaces, also on plastic and rubber
- Ultra thin carrier; Japanese flat paper (rice paper)
- Can easily be used in soft curves and can replace fine line tape
- Saves a considerable amount of time during disassembly and assembly
- Never leaves traces of glue, not even on polycarbonate of head and tail lights
- Heat resistant: 30 minutes at 100 °C
- Thickness: 0,09mm
- Adhesive strength on steel: 4,8 N/25mm

#### AVAILABLE SIZES:

- 19mm x 50m (MST 819)
- 25mm x 50m (MST 825)
- 38mm x 50m (MST 838)
- 50mm x 50m (MST 850)







**FOL 501MT**  
**9mm x 10m**  
**12mm x 10m**  
**20mm x 10m**

### LIFTING TAPE 'MULTI'

#### FOL 501MT

- Masking tape with two different sized plastic strips for masking various areas of the vehicle.
- The combination of two plastic strips makes it possible to use one tape for three different applications.
- Simply place one, two or the two strips folded together between rubber and panel and then pull away the rubber from the panel by attaching the tape to the wind screen.
- The tape and strips are perforated every 42mm, so they can be torn by hand.
- Always tear from the plastic side to the tape side.

 WATCH VIDEO



**FOL 501**  
**10mm x 10m**

### LIFTING TAPE

#### FOL 51

- Masking tape with 10mm plastic strip for masking around wind screens. Simply place the plastic strip between rubber and panel and then pull away the rubber from the panel by attaching the tape to the window.
- Easy to cut to size with scissors.



**FOL 501ET**  
**10mm x 10m**

### LIFTING TAPE 'EASY TEAR'

#### FOL 51ET

- Masking tape with 10mm plastic strip for masking around wind screens. Simply place the plastic strip between rubber and panel and then pull away the rubber from the panel by attaching the tape to the window.
- The tape and strips are perforated every 46mm, so they can be torn by hand.
- Always tear from the plastic side to the tape side.



JST 15  
15mm x 35m



JST 22  
22mm x 25m

## JOINT STOPPER

### JST 15-22

- The easiest and fastest way to mask door joints and other vehicle gaps before primer application
- Seals and protects jambs from overspray
- No primer build-up on panel edges
- Precise fingertip adjustment
- Unique 8-shape, stays fixed during spraying
- Easy to remove, no glue
- Remove while the primer is still wet to obtain a soft feathered edge
- Reduces process times to a minimum
- Available sizes: 15mm x 35m & 22 mm x 25m

 WATCH VIDEO



## SPON TAPE - ROUND

### SPT 13-17

- Round shaped foam strip for masking joints between two panels.
- One side of the strip has been treated with heat resistant adhesive.
- Simply stick the tape on the inside of one of the panels and close the other panel.
- Protects the joint perfectly, absorbs the paint and avoids edge building.



SPT 13  
13mm x 50m



SPT 17  
17mm x 40m



## SPON TAPE - OVAL

### SPT 25

- Oval shaped spon tape to protect joints during paint work
- Unlike the traditional spontapes, SPT 25 is put on the moving part of the panel
- The paint never comes in contact with the glue layer
- The tape can still be repositioned for a perfect finishing after closing the door
- Foam is perfect to use with fade-out spraying, without edge forming

### WATCH VIDEO



SPT 25  
25mm x 37m



## FLEXI 'NO EDGE' BLENDING TAPE

### SPT 05

- Foam tape helps blending out clear coats and 2K topcoats
- Can be used to avoid edge forming by applying primers
- Saves time when sanding primers and polishing clear coats
- Flexible application, also on round forms
- Easy to use for masking curves
- TIP: remove before drying to avoid glue residue



SPT 05  
15mm x 25m









200p.

## TEAR-OFF COVER SET

### TCS 200

- All-in-one interior protection set on a roll (200p.)
- Protects against oil, dirt and water
- Universal use, fits all sizes
- Easy fit seat cover and floor mat with non-slip inner surface
- Non-slip steering wheel cover
- Universal gear lever and hand brake cover

#### Tear-off covers:

- part 1-2 – Seat cover and floor mat
- part 3 – Non-slip steering wheel cover
- part 4 – Gear lever protection
- part 5 – Hand brake protection

 WATCH VIDEO



100p.

## COVER SET

### COP 05

- Cover set for car interiors to protect against dirt while repairing the car
- Includes: one seat cover, one footmat, one steering wheel cover, one gear shift lever cover and one hand brake cover.
- Easy in handling as there is 1 set per job
- Strong white plastic film



250p.

80p.  
13-22inchCOP 00  
1p.PLA 62  
250p.

## WHEEL & RIM PROTECTION COVER

### PLA 81

- Transparent, disposable wheel cover
- Protects the tire & rim while repairing the vehicle
- Thickness 20µm
- Size: 70cm x 34.5cm x 90cm

#### AVAILABLE SIZES:

- 70 x 34,5 x 90cm

#### SUITED FOR



## RIM MASKING FILM

### TMF 81

- The fast and professional way to paint / repair rims without dismantling the tyre; the wheel does not need to be re-balanced after repair
- HDPE tire cover with elastic cord
- Corona-treated for good paint absorption
- Can be used on rims from 13 to 22 inch

#### AVAILABLE SIZES:

- 70 x 34,5 x 90cm

#### SUITED FOR



## SEAT COVERS

### PLA 62

- For protection of the seat upholstery.
- White transparent.
- Dimensions: 820mm x 1300mm x 500mm.

## NYLON SEAT COVER

### COP 00

- Durable and reusable nylon seat cover
- High-quality look and feel
- Washable
- Water and oil repellent



PAP 60  
375 x 500mm  
250p.



PAP 61  
70gr  
500p.



PLA 60  
380mm x 490mm  
250p.



PLA 67  
125mm x 150m  
10pcs

## FOOTMATS

### PLA 60, PAP 60-61

For floor protection we offer three types of footmats:

- Plastic footmats perforated on a roll : are water repellent and stronger - with anti skid coating (PLA 60)
- Paper footmats on a plastic film (PAP 61)
- Paper footmats perforated on a roll : absorb water and dirt (PAP 60)

## STEERING WHEEL FILM

### PLA 67

- For protection of the steering wheel
- Transparent

## SUPPORT STEERING WHEEL FILM PLA 67

### PLA 68



PSM 17  
60p.

FOL 303M-325M

## PARKING SENSOR MASK

### PSM 17

- The fastest and safest way to mask integrated parking sensors
- Avoids contamination of sensors
- No need to dismount the parking sensors
- Provides protection against potential damage from sanding, painting and polishing
- Clean and easy removal due to lifting tabs
- No adhesive residue
- Great for masking door keyholes
- Remove while clearcoat is wet to avoid lacquer bridging

## FINE LINE TAPE BLUE

### FOL 303M-325M

- PVC tape for specific masking tasks such as spraying of multiple colours, artwork or custom painting
- This tape is more flexible than conventional masking tapes
- The excellent adhesive quality makes it possible to mask plastic and rubber
- 7 different widths available
- Unique stretch

### AVAILABLE SIZES:

- 3mm x 55m (FOL 303M) - 10pcs
- 6mm x 55m (FOL 306M) - 10pcs
- 9mm x 55m (FOL 309M) - 10pcs
- 12mm x 55m (FOL 312M) - 5pcs
- 15mm x 55m (FOL 315M) - 5pcs
- 19mm x 55m (FOL 319M) - 5pcs
- 25mm x 55m (FOL 325M) - 5pcs





# 08

---










## TECHNICAL SPRAYS

*Aerosol spray cans are a fast, easy, time saving and cost-effective way to apply paint-like products. Finixa offers a wide range of technical sprays to help the professional body shop in nearly each step of the car body repair process; from the panel beating shop where the focus is mainly on corrosion protection, to primers and fillers for the preparation area and clear coats and lacquers for the paint shop. Finixa technical sprays give you a professional application and finish, especially for smart and spot repair.*

---

<b>127</b>	General information
<b>128</b>	Primer/filler
<b>129</b>	Corrosion protection
<b>131</b>	Paints & lacquers
<b>132</b>	Specials
<b>138</b>	2K spray cans



		DESCRIPTION	 NUMBER OF COATS	 FLASH BETWEEN COATS (min.)	 DRY FILM THICKNESS	 DUST DRY (min.)	 DRYING (min.)	 DRYING IR (min.)	 SHELF LIFE (year)	 M <sup>2</sup> /CAN/LAYER	 PAGE
PRIMER/ FILLER	<b>TSP 110 - 120 - 130 - 140</b>	Universal Primer/filler	1-2	10	30µm	10	60 - 20°C	10	4	1,5	<b>130</b>
	<b>TSP 1500</b>	UV primer/filler	1-2	20 sec	30-40µm	-	1-2 - UV	-	3	1,5	<b>130</b>
CORROSION PROTECTION	<b>TSP 190</b>	Etch primer	1-2	3-5	15µm	5	20 - 20°C	-	3	-	<b>131</b>
	<b>TSP 410</b>	Zinc spray	1-4	10	20-25µm	10	20 - 20°C	-	4	1-2	<b>131</b>
	<b>TSP 810</b>	Weld thru primer - Zinc phosphate	2	5	-	-Séchage (min.)	15 - 20°C	-	4	-	<b>132</b>
	<b>TSP 530</b>	Weld thru primer - Copper	2	5	-	-	10 - 20°C	-	4	-	<b>132</b>
PAINTS & LACQUERS	<b>TSP 520</b>	Wheel spray	2-3	5	-	10	180 - 20°C	possible	4	-	<b>133</b>
	<b>TSP 180</b>	1K clear coat	2-3	10	30-40µm	10	120	-	4	1,3-1,4 40µm	<b>133</b>
	<b>TSP 1000 - 1010</b>	High gloss	-	10	-	10	120	-	2	1,5	<b>133</b>
	<b>TSP 910</b>	Matt black	2-3	5	15-20µm	10	300 - 20°C	-	4	1-2	<b>133</b>
2K	<b>TSP 710</b>	2K clear coat	1-2	10-15	30-50µm	10	720 - 20°C 40 - 60°C	35-40	3	0,5 - 0,75	<b>140</b>
SPECIALS	<b>TSP 030</b>	Adhesion promotor	Increases the adhesion on plastic. Apply in thin layer. Flash-off 10-15 minutes.								<b>134</b>
	<b>TSP 310</b>	Sanding guide	Can be sanded after 3 seconds without clogging the sanding material.								<b>135</b>
	<b>TSP 920</b>	Fade out thinner	Solvent for universal blending. Compatible with all A-brand clear coats.								<b>134</b>
	<b>TSP 550</b>	Structure spray	Restores the structure of damaged external and internal elements. Is paintable.								<b>135</b>
	<b>TSP 1100</b>	Contact glue	Universal, fast-drying spray adhesive.								<b>135</b>
	<b>AGB - AGG</b>	Anti-gravel coating	Quick-drying, paintable, anti-chip coating based on synthetic rubber.								<b>136</b>
	<b>TSP 930</b>	Control spray	Creates a temporary shine on the sample plate. For colour inspection.								<b>137</b>
	<b>TSP 100 - 900</b>	Prefill solvent-based	Can prefilled with propellant. Compatible with most paint brands.								<b>138</b>



400ml



TSP 110



TSP 120



TSP 130



TSP 140



400ml

**NEW**

## UNIVERSAL PRIMER/FILLER

### TSP 110-140

- Universal primer/filler in white, light grey, grey and dark grey suitable to finish with all solvent and water based 1K and 2K paints.
- Can be applied on all surfaces, ideal for fast repairs after sanding too hard. Also ideal for spot or panel repair, especially for smaller surfaces.
- Apply fine layers. If you desire a thick layer: first apply 1 full layer at a distance of 30-35cm and afterwards finish with a crosswise layer at a distance of 20cm.
- All primer/fillers sprays have a special nozzle which sprays a flat vertical pattern, comparable to a spray gun.
- Primer with a high viscosity: shake the can very well before the first use.

## UV PRIMER/FILLER

### TSP 1500

- One component primer/filler; No mixing with other products necessary
- To be dried with UV lamp (UVL 00)
- 1-2 minutes drying (depending on the layer thickness)
- 1 step system
- Higher productivity: increased time efficiency, energy saving
- For use on sanded and clean steel, aluminum, galvanized steel, dried and sanded OEM finishes, polyester fillers, hard and semi-hard plastics, ...
- Ideal for spot & smart repair

[Check out our blog](#)





400ml

## ETCH PRIMER

**TSP 190**

- Etching primer for bare metal surfaces. Provides excellent anticorrosion protection.
- Overpaintable without sanding with any 1K or 2K primer/filler.



400ml

## ZINC SPRAY

**TSP 410**

- This zinc spray can be used to temporarily protect naked metal before or after welding, can also be used for spot welding, paintable with all 1 and 2K paints, solvent and water based paints.
- Contains 85% zinc.





400ml

### WELD THRU PRIMER - ZINC PHOSPHATE

#### TSP 810

- Alkyd resin based zinc-phosphate anti-corrosion primer offers rust protection for SPOT, MIG & TIG welding applications. High concentration of zinc in the dry film in a fast drying formulation to speed up the welding process with limited impact on the weld.
- Has excellent adhesive properties.
- The product can be used before and after welding.
- Zinc phosphate primer can be painted over with most types of lacquer systems.



400ml

### WELD THRU PRIMER - COPPER

#### TSP 530

- Acrylate resin based copper anti-corrosion primer offers rust protection for SPOT, MIG & TIG welding applications.
- High concentration of copper in the dry film in a fast drying formulation to speed up the welding process with limited impact on the weld.
- Has excellent adhesive properties.
- The product can be used before and after welding.
- Copper primer can be painted over with most types of lacquer systems.

**NEW**

400ml

**WHEEL SPRAY****TSP 520**

- Can be used for a quick and easy repair of alloy wheels in the market
- Fast-drying paint with real metal particles
- Superior paint finish
- Suitable for indoor and outdoor use
- Easy to use
- Time-saving
- UV-resistant




400ml

**1K CLEAR COAT****TSP 180**

- Fast drying, high-quality professional 1K clear coat in aerosol
- Easy application, constant atomization pressure
- Very good flow
- High gloss level
- Good surface hardness
- Resistant to petrol, chemicals and weather influences
- Non-fading and UV resistant.
- Very good polish ability
- No colour deviation
- Easy to fade out with TSP 920 fade-out thinner

**NEW**

400ml

**HIGH GLOSS****TSP 1000-1010**

- Quick-drying, high-quality and professional topcoat
- High gloss
- Easy to use
- Constant pressure spray
- Good surface hardness
- Resistant to petrol, chemicals and weathering
- Colorfast
- UV-resistant
- Easy to polish
- Available in black (RAL 9005) and white (RAL 9010)



400ml

**MATT BLACK****TSP 910**

- Black matt paint for quick plastic repair or to cover up overspray on plastic inner parts in a fast and easy way.



400ml

## ADHESION PROMOTOR

### TSP 030

- Adhesion promotor to be used on most plastics
- Spray one light coat
- Excellent adhesion
- Fast drying
- Paintable after 15 minutes



400ml

## FADE OUT THINNER

### TSP 920

- Blending solvent to dissolve edges of clear coats making a perfect transition between old and new clear coat. Universal use as it is compatible with all A-brand clear coats. No spray gun needed; so much faster in SMART repair.





400ml

## STRUCTURE SPRAY

**TSP 550**

- Special product to repair the texture on plastic parts
- Choice of structural finishes
- Easy to use
- Dries very quickly
- Can be painted over with all conventional 1K basecoat and 2K topcoat systems



400ml

## CONTACT GLUE

**TSP 1100**

- Extremely versatile, fast-drying spray adhesive that bonds to a wide range of materials
- Professional, industrial strength
- High initial strength
- High strength, fast, contact type adhesive
- Bonds laminate, wood, metal, plastic and more



400ml



TSP 310



TSP 320

## SANDING GUIDE

**TSP 310-320**

- Black & fluo green
- Unique product! Thanks to unique composition this sanding guide can be sanded after 3 seconds at 20°C without filling the sanding paper.
- Contrary to most comparable products in the market this product causes no extra abrasive consumption.
- Available in black and green.



150g

## CONTROL POWDER

### CPS 150-160

- Control powder is used to detect imperfections. The powder will allow the operator to achieve a perfect flatness of the surface and body contours equal to the original ones.
- Control powder is used for sanding putty as well as for sanding primer.
- Contains 150 g.



400ml

## ANTI-GRAVEL

### TSP 210-230

- Anti-gravel is available in light grey and black, supplied with a round thick spray jet to apply the viscous product in thicker layers.
- To get a composition of layers: apply layers crosswise at a distance of 35cm.
- Shortening the distance provides a more glossy result.
- Can be overpainted with most 1K & 2K paints.



1l

## ANTI-GRAVEL COATING

### AGB 01 - AGG 01

- Solvent-based stone chip protection in grey or black colour
- Flexible, good adhesion
- Anti-gravel coating based on synthetic resins and rubbers
- Fast drying, can be applied drip-free
- Excellent rust- and gravel protection, reduces the noise inside cars
- For use on front and rear spoilers, sills, side skirts, wheel arches, etc.
- Can be overpainted with most 1K & 2K paints.



400ml

## CONTROL SPRAY

### TSP 930

The temporary gloss layer of the Finixa control spray replaces the clear coat without leaving any trace on the surface. Spray a thin layer on a sample plate (that is sprayed with a basecoat) to create a temporary shine. Compare the sample plate with the desired color for inspection.

TSP 930 is also the perfect tool to detect imperfections. The gloss layer works as a magnifying glass and it will detect errors faster and easier. Finixa control spray evaporates completely after use without leaving any residue on the sprayed surface.

[WATCH VIDEO](#)



400ml



400ml

## PREFILL SOLVENT-BASED

### TSP 100

- Is pre-filled with propellant compatible with most brands of solvent-based paints.
- The paint is transferred via a filling device into the can to produce a ready-to-use end product (dealers liability).
- Adaptable spray nozzle for horizontal (spray gun effect) to round (for closed parts) alignment of the spray pattern.
- Higher spray rate and higher working speed.
- Ideal for spot repair.

## PREFILL STARTERSET SOLVENT

### TSP 159

- Set of 12pcs TSP 100 and 12 Fillon Pichon Fill-one+ filling caps



12p

12p

## PREFILL WATER-BASED

### TSP 900

- Spray can pre-filled with a propellant, compatible with most brands of water-based paints.
- The paint is transferred via a filling device into the can to produce a ready-to-use end product (dealers liability).
- Adaptable spray nozzle for horizontal (spray gun effect) to round (for closed parts) alignment of the spray pattern.
- Higher spray rate and higher working speed.
- Ideal for spot repair.

## PREFILL STARTERSET WATERBASED

### TSP 959

- Set of 12pcs TSP 900 and 12 Fillon Pichon Fill-one+ filling caps



12p

12p





**FINIXA**  
FINISHES

**2K CLEAR COAT**  
250 ml

2K clear coat  
2K blankie lak  
2K vernis  
2K Klarlack

**TSP 710**



250ml

2K

## 2K CLEAR COAT

**TSP 710**

- 2K clear coat for the professional user: a SMART repair solution.
- Apply 2 layers with an interval of 10 minutes to get the perfect spray gun finish, which is scratch free, petrol- and UV-resistant and suffers no weather influences.

[WATCH VIDEO](#)



## MAGNETIC AEROSOL HOLDER

**TSD 50**

- Aerosol holder with pre-mounted magnets on the back.



**09**

**SPRAY BOOTH  
MAINTENANCE AND  
PROTECTION**

# 09

---








# SPRAY BOOTH MAINTENANCE AND PROTECTION

*Finixa offers a complete line of washable and strippable coatings that provide an economic alternative to labour intensive spray booth scraping and cleaning. There is no bigger investment in an autobody shop than the paint booth. And the booth is where the final, most visible step in the repair process takes place. A properly maintained paint booth can mean the difference between success and failure for a repair shop.*

- 
- 141** General information
  - 142** Dust control
  - 143** Cleaning
  - 144** Protection





	ARTICLE CODE	PEELABLE	WASHABLE	FILM	COLOUR	APPLICATION	# LAYERS	COVERAGE PER L PER LAYER	SIZE	PAGE
<b>CLEANING</b>	<b>CBC 05</b> 				Transparent	Wall & floors			5L	<b>145</b>
	<b>CPP 17</b> 	●			White	Wall	2 - 15	5 - 6 m <sup>2</sup>	17L	<b>148</b>
<b>PROTECTION</b>	<b>CBP - P 05 - 10 - 25</b> 		●		Transparent	Wall - tacky	2 - 4	8 m <sup>2</sup>	5 - 10 - 25L	<b>146</b>
	<b>CBP 05 - 10 - 25</b> 		●		Transparent	Wall - tacky	1 - 3	10 m <sup>2</sup>	5 - 10 - 25L	<b>146</b>
	<b>CLM 05</b>		●		White	Wall - non-tacky	1 - 3	15 m <sup>2</sup>	5L	<b>148</b>
	<b>PLA 32</b>			●	Transparent	Wall	1	275 m <sup>2</sup> / roll	200 cm x 100m	<b>149</b>
	<b>CPF 10</b>			●	Transparent	Lighting	1	20 m <sup>2</sup> / roll	400 mm x 50m	<b>150</b>
	<b>CPF 11</b>			●	White	Lighting	1	30 m <sup>2</sup> / roll	600 mm x 50m	<b>150</b>
	<b>PRF 600</b>			●	White	Floor & tables	1	15 m <sup>2</sup> / roll	60 cm x 25m	<b>151</b>
	<b>PRF 1200</b>			●	White	Floor & tables	1	30 m <sup>2</sup> / roll	120 cm x 25m	<b>151</b>
	<b>PWP 05W</b> 	●			White	Wall	1	5 - 6m <sup>2</sup>	5L	<b>147</b>
	<b>PWP 05T</b> 	●			Transparent	Wall	1	5 - 6m <sup>2</sup>	5L	<b>147</b>
<b>DUST CONTROL</b>	<b>DUC 05 - 10 - 25</b> 					Floor	1	80m <sup>2</sup>	5 - 10 - 25L	<b>144</b>



5L

DUC 05

10L

DUC 10

25L

DUC 25

## DUST CONTROL



### DUC 05-10-25

- The most original and efficient formula for suppressing dust circulation inside a spraybooth, workshop and warehouse. Dust Control ionizes the dust so it is being drawn together in clusters which makes it to heavy to circulate in the air. Mist economically with pressure sprayer.
- Biodegradable.
- Inhouse development and production
- Water-based product
- **Number of layers (min-max):** 1/1
- **Coverage:** 80m<sup>2</sup> / L
- **Drying time:** 10 min
- **Removal:** not applicable

#### Application:

- Make sure the surface is dry
- Apply with a pressure sprayer - fill the pump to 3/4
- Atomize the product lightly but regularly
- For optimal results use on a daily basis



DUC 50

### DUST CONTROL PRESSURE SPRAYER

#### DUC 50

- Designed for dust control application
- 5l manual pressure sprayer
- Adjustable spray nozzle, trigger lock
- Pressure release valve
- Shoulder strap



5L  
CBC 05

CBC 05

### SPRAY BOOTH CLEAN 5L



#### CBC 05

- Biodegradable paint solvent
- Water-based
- VOC-free
- Apply the product with a brush or roll, let it rest for 5 to 15 minutes and then remove with a rag
- Rinse with water
- Dissolves both water-based and solvent-based 1 and 2K paint products
- Useful to remove dried remaining paint on spray guns, paint mix tables, mixing room, floor and spray booth walls
- Warning: always test on a small surface first

This paint stripper is based on microorganisms that break down the paint. Because of this, it is advised to let the product sit for about 15-20 minutes to get the best result.



5L  
CBP 05

10L  
CBP 10

25L  
CBP 25

WATCH VIDEO

## SPRAY BOOTH PROTECT PRO



CBP 05-10-25

- Transparent, tacky and washable coating for the protection of spraybooth walls against overspray. Product stays tacky in order to hold on to swirling dust.
- Apply one thick layer by means of a pressure tank, airmix or airless pump in 1 thick layer.
- Remove afterwards with water and sponge.
- Biodegradable.
- Remove or apply another coat when the product is no longer tacky.
- Average consumption per spraybooth: 12L.
- Depending on temperature and humidity, the product will stay tacky for 10-12 weeks.
- Water-based product
- **Number of layers (min-max):** 1/3
- **Coverage:** 10m<sup>2</sup>/L/layer
- **Drying time:** 15 min. 60°
- **Removal:** water and sponge - high-pressure washer

### Application:

- Paint roller: no dilution
- Spray gun: needle 2.5
- Pressure tank: 2.0 - no dilution
- Airless: tip 515-0.015" - no dilution

IMPROVED



5L  
CBP 05P

10L  
CBP 10P

25L  
CBP 25P

WATCH VIDEO

## SPRAY BOOTH PROTECT PERFORMANCE



CBP 05-10-25P

- Improved formula for a smooth finish.
- Transparent, tacky and washable coating for the protection of spraybooth walls against overspray. Product stays tacky in order to hold on to swirling dust.
- Apply with spray gun (2.5) in two or three coats. The thicker the total coat, the longer it stays active. Applying another coat after some time will re-activate the product.
- Remove afterwards with water and sponge.
- Biodegradable.
- Remove or apply another coat when the product is no longer tacky.
- Average consumption per spraybooth: 15L.
- Depending on temperature and humidity, product will stay tacky for 6 - 8 weeks.
- Can be applied over 2 dried layers of powerpeel for easy removal
- Water-based product
- **Number of layers (min-max):** 2/4
- **Coverage:** 8m<sup>2</sup>/L/layer
- **Drying time:** 15 min. 60°
- **Removal:** water and sponge - high-pressure washer

### Application:

- Paint roller: no dilution
- Spray gun: needle 2.5
- Pressure tank: 2.0 - no dilution
- Airless: tip 515-0.015" - no dilution



**NEW**

○  
PWP 05T  
**Transparent**


○  
PWP 05W  
**White**

**POWERPEEL****PWP 05T - 05W**

- Easy peelable coating for the protection of spray booth walls against overspray
- Available in white and transparent
- Apply with a spray gun (2.5mm nozzle) in only 1 coat. (We suggest using our SPG 80+81)
- Bidon of 5L fits perfectly in SPG 80
- Water-based product
- Easy to remove with water when it's liquid
- When dried, powerpeel can't be removed with water. This makes it possible to apply a coating of our CBP (active for 10-12 weeks). When the CBP has dried up, peel both layers off at once
- Effortlessly protect your spray booth walls with our peelable coating

**Application:**

- Paint roller: no dilution
- Spray gun: needle 2.5
- Pressure tank: 3.0 - no dilution
- Airless: tip 517-0.017" - no dilution

 **WATCH VIDEO**




5L  
CLM 05

## LIQUID MASKING WALL PROTECTION - WASHABLE



CLM 05

- Has the same application as Spraybooth Protect transparent washable coating (CBP), but CLM 05 dries completely and does not stay tacky
- Apply with spraygun (1.5) in one thick coat - remove with water and sponge
- Biodegradable
- Water-based product
- Can be used to mask off large surfaces to protect against overspray
- **Number of layers (min-max):** 1/3
- **Coverage:** 15m<sup>2</sup>/L/layer
- **Drying time:** 15 min. 60°
- **Removal:** water and sponge - high-pressure washer

### Application:

- Paint roller: no dilution
- Spray gun: needle 1.5
- Pressure tank: 1.8 - no dilution



17L  
CPP 17

## SPRAY BOOTH PROTECT - PEELABLE



CPP 17

- White, peelable coating for the protection of spraybooth walls against overspray.
- Apply with a spraygun (2.5) in 2 to 3 coats.
- After contamination, it is best to put an extra coat on and repeat, this will save time and makes it easier to peel off the coating in one piece once it has reached a certain thickness.
- Biodegradable.
- Water-based product
- **Number of layers (min-max):** 2-15
- **Coverage:** 5-6m<sup>2</sup>/L/layer
- **Drying time:** 15 min. 60°
- **Removal:** peeling

### Application:

- Paint roller: no dilution
- Spray gun: needle 2.5 - dilution max. 3% water
- Pressure tank: 2.0 - no dilution
- Airless: tip 619-0.019" - no dilution

WATCH VIDEO



PLA 32  
260 cm x 100m

## BOOTHMASK WALL PROTECTION FILM

### PLA 32

- Static and paint absorbent white film cut to size in order to be used to protect spraybooth walls against overspray.
- The unique folding of the film makes it much easier and faster in application. Unroll the foil directly on the cabine wall over the complete lenght and add a magnet in the middle of the foil. Just unfold the foil up and down and add the additional magnet and the cabine is ready.
- Easy to remove.



PLA 45  
100 cm

## MAGNET STRIP PLIABLE/CUTTABLE

### PLA 45



CPF 10  
400mm x 50m

CPF 11  
600mm x 100m

## PROTECTION FILM SPRAY BOOTH LIGHTING

### CPF 10-11

- A high-tack transparent masking film for interior and exterior use with a water-based acrylic adhesive and a U.V. inhibitor.
- Transparent adhesive film to protect the lighting fixtures inside a spraybooth with a minimum loss of lighting intensity
- Does not leave glue residue after removal
- Can also be used to cover broken wind shields





PRF 1200  
120cm x 25m



PRF 600  
60cm x 25m



CPT 50  
50mm x 50m  
24p.

## SELF-ADHESIVE PROTECTION FILM - WHITE

### PRF 600-1200

- A white polypropylene adhesive film, designed to protect any kind of surface from chemical products
- To protect mixing tables and floors from getting contaminated by overspray, paint spill, oil, etc.
- Skid proof, even wet, due to grain particles in the film
- Acrylic adhesive layer
- Clean removal, no residue up to 10 days
- White colour for optimal light reflection
- Good dimensional stability and flatness
- Low electrostatic charge
- Good barrier to water vapor
- Resistant to oils and greases
- Good puncture, flex and crack resistance

## SPRAY BOOTH PROTECT TAPE - WHITE

### CPT 50

- All-purpose white duct tape to seal the seams between self-adhesive protection films PRF 600 or 1200
- Unwinds easily
- Applies smoothly
- Excellent for reinforcing
- 50mm x 50 m



**10**

**PERSONAL  
PROTECTION**

# 10

# PERSONAL PROTECTION

*When preparing surfaces or applying paint, a specific level of protection is required against the risks users are exposed to. Finixa's range of protective clothing offers not only protection, but also comfort and durability. Depending on the specific workshop task we offer either reusable or disposable dust & spray masks, gloves, and coveralls.*

- 
- 152** General information
  - 154** Dust & spray masks
  - 156** Dust & spray masks accessories
  - 158** Gloves
  - 161** Personal hygiene
  - 163** Spray overalls



All Finixa personal protection equipment is compliant with the PPE Regulation 2016/425. The aim of this regulation is to ensure common standards for personal protective equipment (PPE) in the European Union in terms of protection of health and the safety of users. In short, it defines legal obligations to ensure that PPE on the EU internal market provides the highest level of protection against risks (a EU Declaration of Conformity is available for each product).

MASKS	PROTECTION				REPLACEMENT FILTERS	VALVE	SINGLE USE	ADDITIONAL WEARING COMFORT	ADJUSTABLE STRAPS	PAGE
	GAS		DUST							
	A1	A2	P2	P3						
MAS 12			●			●	●			157
MAS 13			●			●			●	157
MAS 35				●		●		●	●	157
MAS 00	●		●		●	●		●	●	158
MAS 20		●		●	●	●		●	●	158
MAS 42V			●			●		●	●	156
MAS 43V				●		●		●	●	156

OVERALLS		AIR VENTILATION SYSTEM										
		SINGLE USE	FULL BODY	UPPER BODY	LOWER BODY	WASHABLE 30°C	ANTI-STATIC TESTED	ARMPITS	CROTCH	SLOT AT BACK	FULL BACK BREATHABLE FABRIC	PAGE
	TSO	●	●									170
	CSO	●	●				●					170
	NSC		●			●	●					169
	WSC		●			●	●					169
	TCC			●		●	●					168
	TCO		●			●	●		●			168
	TPJ			●		●	●	●	●			165
	TPP				●	●	●					165
	SOG		●			●	●	●	●			166
	PHO		●			●	●			●		167





## APPLICATION

	COLOUR	SINGLE USE	NORMAL CUFF 24-26CM	LONG CUFF => 30CM	PANEL REPAIR	PLASTIC REPAIR	DEGREASING & DUSTING	APPLYING PUTTY	SANDING, MASKING & POLISHING	SEALING & BONDING	SPRAYING PAINT	CLEANING & RINSING	CLEANING SPRAY GUN - WATER	CLEANING SPRAY GUN - SOLVENT	ASSEMBLY & DISASSEMBLY	PAGE
GLN																160
GCN																160
GLB																160
GLG																161
GLL																161
GLMB																161
GLP																162
GLC																162
GLD																162
GLQ																162



MAS 42V  
15p.

### DUST MASK FFP2 WITH VALVE

#### MAS 42V

- Safety class FFP2
- Light structure for easy breathing
- Easy to adjust nose clip for extra wearing comfort
- Exhalation valve reduces warm air build-up and makes breathing easier in warm/humid environments
- Latex-free material to prevent irritation
- The masks comply with the PPE Regulation (EU) 2016/425
- Packed per 15



CE 0082  
EN149:2001+A1:2009



MAS 43V  
15p.

### DUST MASK FFP3 WITH VALVE

#### MAS 43V

- Safety class FFP3
- Light structure for easy breathing
- Easy to adjust nose clip for extra wearing comfort
- Exhalation valve reduces warm air build-up and makes breathing easier in warm/humid environments
- Latex-free material to prevent irritation
- The masks comply with the PPE Regulation (EU) 2016/425
- Packed per 15



CE 0082  
EN149:2001+A1:2009



FFP2

MAS 12  
15p.



FFP2

MAS 13  
5p.



FFP3

MAS 35  
10p.

## DUST MASK FINE

### MAS 12

- Safety class FFP2.
- Lightweight structure for easy breathing and comfortable wear
- Advanced low resistant exhalation valve reduces hot air build-up and makes breathing easy in hot/humid environments
- Latex-free material to avoid irritation
- Packed per 15.



CE 2797  
EN149:2001+A1:2009

## CARBON DUST MASK

### MAS 13

- Safety class FFP2.
- Lightweight structure for easy breathing and comfortable wear
- Advanced low resistant exhalation valve reduces hot air build-up and makes breathing easy in hot/humid environments
- Latex-free material to avoid irritation
- Charcoal filter parts absorbing any hazardous dust particles.
- Packed per 5.



CE 2797  
EN149:2001+A1:2009

## DUST MASK P3 WITH VALVE

### MAS 35

- Safety class FFP3.
- Lightweight structure results in easy breathing and comfortable wear
- Advanced low resistant exhalation valve reduces hot air build-up and makes breathing easy in hot/humid environments
- Latex-free material to avoid irritation
- Ergonomic mask shape provides custom seal for different facial sizes
- Half-face seal foam and adjustable strap reinforce the seal for lowest leakage
- Packed per 10.



CE 2797  
EN149:2001+A1:2009



A1-P2

MAS 00  
1p.

### SPRAY MASK A1, P2

#### MAS 00

- Comfortable silicone rubber half mask (high quality).
- Fits tight around the face and does not cause irritation.
- Adjustable head and neck band
- Exchangeable gas filtering cartridge MAS 06
- Exchangeable dust filtering cartridge MAS 05
- Exchangeable protection caps MAS 09



CE 0082  
EN140:1998  
EN 14387:2004 + A1:2008  
EN 143:2000/A1:2006



A2-P3

MAS 20  
1p.

### SPRAY MASK A2, P3

#### MAS 20

- Comfortable silicone rubber half mask (high quality).
- Fits tight around the face and does not cause irritation.
- Adjustable head and neck band
- Exchangeable gas/dust cartridge MAS 03



CE 0082  
EN140:1998  
EN 14387:2004 + A1:2008  
EN 143:2000/A1:2006







MAS 03



MAS 06



MAS 05



MAS 09



MAS 50

## DUST & GAS FILTERING CARTRIDGE A2 P3 FOR SPRAY MASK

### MAS 03

- Active Carbon Filter A2 with built-in dust-filter P3
- Replacement after a period of 40 hours at normal use or once a month
- Packed per 2 pieces



MAS 20

## DUST FILTERING P2 CARTRIDGE FOR SPRAY MASK

### MAS 05

- Pre-filter P2
- Protects the carbon filters from overspray
- Packed per 10 pieces per bag



MAS 00

## GAS FILTERING CARTRIDGE A1 FOR SPRAY MASK

### MAS 06

- Gas filtering cartridge A1
- Replacement after a period of 40 hours at normal use or once a month
- Packed per 2 pieces



MAS 00

## CARTRIDGE RING FOR SPRAY MASK

### MAS 09

- Cartridge ring for spray mask MAS 00
- Holds the pre-filter (MAS 05) on the cartridge (MAS 06)
- Packed per 2



MAS 00

## CLEANING WIPES

### MAS 50

- Mini wet towel to clean your mask
- Lemon fragrance
- Towel size: 120 x 220 mm
- Packaging: 50 pieces per box

 WATCH VIDEO

CE 0082  
EN140:1998  
EN 14387:2004 + A1:2008  
EN 143:2000/A1:2006

CE 0082  
EN140:1998  
EN 14387:2004 + A1:2008  
EN 143:2000/A1:2006



100p.



100p.



60p.

### NITRILE DISPOSABLE GLOVES

#### GLN 08-09-10

- Disposable nitrile gloves are 3 times stronger than latex or vinyl and offer optimum comfort combined with optimum protection.
- No sweaty hands as compared to vinyl and latex.
- Packed per 100 pieces in a dispenser box.
- Thickness 0.12 +/- 0.01 mm.
- Glove length: 240mm +/- 10mm



CE 0598 EN ISO 374-5 EN ISO 374-1/ Type B

VIRUS JKT

### NITRILE DISPOSABLE GLOVES

#### GCN 08-09-10

- Disposable nitrile gloves are 3 times stronger than latex or vinyl and offer optimum comfort combined with optimum protection.
- No sweaty hands as compared to vinyl and latex.
- Packed per 100 pieces in a dispenser box
- Thickness 0.14mm +/- 0.01mm.
- Glove length: 240mm +/- 10mm
- Standards and certifications



CE 0598 EN ISO 374-5 EN ISO 374-1/ Type B

VIRUS JKT

### LONG CUFF NITRILE DISPOSABLE GLOVES

#### GLB 07-08-09-10

- Disposable nitrile gloves are 3 times stronger than latex or vinyl and offer optimum comfort combined with optimum protection.
- No sweaty hands as compared to vinyl and latex.
- In conformity with the PPE Regulation (EU) 2016/4
- Packed per 60 pieces in a dispenser box.
- Thickness 0.15mm +/- 0.01mm
- Glove length: 300mm +/- 10mm




CE 0598 EN ISO 374-5 EN ISO 374-1/ Type B

VIRUS JKT



**NEW**



Embossed fish scale for better grip



Increased airflow




Touchscreen friendly

50 pair

### SUPER GRIP NITRILE DISPOSABLE GLOVES

**GLG 08-09-10**

- Fish scale shaped embossed fingers & palm for a super grip
- Increased airflow - less sweating
- Offers 50% more tensile strength than diamond grip gloves
- Specially formulated nitrile for comfort stretch
- Completely silicone- and latex-free
- Superb snug fit
- Fish scale surface for wet and dry grip
- Touchscreen-friendly



12 pair



### PU COATED GLOVES

**GLL 07B-11B**

- Ultra-light and comfortable glove.
- Universal use for mechanical jobs, assembly, preparation and spraying.
- Open nylon structure (outside).
- PU coating on a nylon carrier (inside).
- Excellent finger sensitivity.
- Colourfast.
- Prevents sweaty hands.
- Packed per 12 pair.



12 pair

### MICROFOAM NITRILE GLOVES

**GLMB 07-11**

- Ultra-light and comfortable glove
- Universal use for mechanical jobs, assembly, preparation and spraying.
- Open nylon structure (outside).
- Nitrile foam on a nylon carrier (inside).
- Reusable gloves specifically designed for assembly work.
- Breathable reduces hand fatigue and sweaty hands.
- Excellent finger sensitivity.
- Packed per 12 pair.





Red, 1 pair



Green, 1 pair



Red, 1 pair



Blue, 1 pair

**RE-USABLE PVA GLOVES RED**

**GLP 09-10**

- PVA (Polyvinylalcohol) glove with cotton interlock lining
- Usage: strong organic or chlorinated solvents
- Latex and silicone free
- Glove length: 355mm +/-10mm

S 07	M 08	L 09	XL 10	XXL 11
---------	---------	---------	----------	-----------

CE 0493  
EN 420:2003+A1:2009;Categorie III

EN ISO 374-1/  
Type A

EN 388 3121	EN ISO 374-1/ Type A BCDFIJ	EN ISO 374-5 VIRUS
----------------	-----------------------------------	-----------------------

**RE-USABLE NITRILE GLOVES GREEN NITRILE GLOVES RED**

**GLC 08-10**

- Nitril glove with cotton interlock lining
- Usage: cleaning, recycling or coagulating jobs
- Latex and silicone free
- Glove length: 330mm +/-10mm

S 07	M 08	L 09	XL 10	XXL 11
---------	---------	---------	----------	-----------

CE 0493  
EN 420:2003+A1:2009;Categorie III

EN ISO 374-1/  
Type A

EN 388 4101	EN ISO 374-1/ Type A JKLOPT	EN ISO 374-5 VIRUS
----------------	-----------------------------------	-----------------------

**NITRILE GLOVES RED**

**GLD 09-10**

- Nitrile glove
- Usage: handling paints and tool cleaning.
- Latex and silicone free
- Glove length: 380mm +/-10mm

S 07	M 08	L 09	XL 10	XXL 11
---------	---------	---------	----------	-----------

CE 0493  
EN 420:2003+A1:2009;Categorie III

EN ISO 374-1/  
Type A

EN 388 4101	EN ISO 374-1/ Type A AJKLOPT	EN ISO 374-5 VIRUS
----------------	------------------------------------	-----------------------

**KETONE RESISTANT GLOVES**

**GLQ 08-10**

- Nitrile rubber glove
- Usage: handling paints, resins, ketones and tool cleaning
- Latex and silicone free
- Glove length: 330mm +/-10mm.

S 07	M 08	L 09	XL 10	XXL 11
---------	---------	---------	----------	-----------

CE 0120  
EN 420:2003+A1:2009;Categorie III

EN ISO 374-1/  
Type A

EN 388 2001	EN ISO 374-1/ Type A BFGHJ	EN ISO 374-5 VIRUS
----------------	----------------------------------	-----------------------



**TIP: when you feel cold through the gloves while using them in combination with solvent products, you have to replace the gloves even if they don't show any holes. The solvent will come through the gloves and will penetrate human skin and body.**





## IMPREGNATED CLEANING CLOTHS

### SCR 100

- Scrubs impregnated cleaning cloths 100p. in dispenser bucket
- Polypropylene cloth impregnated with a cleaner suitable for removal of solvent and water based paints, ink, grease oil, wax etc.
- Very suitable for places where there is no washing facility.
- Orange cloths 26cm x 27cm.



**IMPROVED****HAND CLEANER****HCL 3000**

- All-round soap for the bodyshop professional.
- Specifically designed for removing solvent- and water-based paints, glue, oil, grease and other contamination.
- Biodegradable.
- Contains a hand moisturizing and hand nutrient agent, based on aloe vera.

Made with ground walnut shells. The walnut shells provide an abrasive effect to get the contamination off your hands. This used to be done with 'microspheres' made of plastic but is very harmful to the environment. That's why we chose the walnut as an ecological replacement.

CAN BE USED WITH:

**STANDARD PUMP FOR HCL 3000****HCL 3001**

CAN BE USED WITH:

**PREMIUM PUMP FOR HCL 3000****HCL 3002**

CAN BE USED WITH:

**WALLHOLDER FOR HCL 3000****HCL 3003**



TPP 07-11

TPJ 07-11



Washable at 30°C



anti-static tested EN1149:1



SOGK 02

## 2.PROTECT PANTS

### TPP 07-11

- Washable pants for preparation and painting jobs
- Material: 100% Polyester
- Silicone-free, lint-free
- PPE CAT. I
- Breathable
- 2 side pockets
- Knee pockets for separate available kneepad SOGK 02
- Washable up to 30°C or by chemical cleaning
- Matches with TPJ 2.Protect jacket

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------

CE  
PPE CAT.I  
Acc. to EU Regulation 2016/425  
EN1149-1:2008  
EN 13688:2013

## 2.PROTECT JACKET

### TPJ 07-11

- Washable jacket for preparation and painting jobs
- Material: 100% Polyester
- Silicone-free, lint-free
- PPE CAT. I
- Breathable
- Hood with cord cuff, elastics at ankle, wrist and waist
- 2-way zipper with flap
- Breast pocket with velcro
- Washable up to 30°C or by chemical cleaning
- Matches with TPP 2.Protect pants

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------

CE  
PPE CAT.I  
Acc. to EU Regulation 2016/425  
EN1149-1:2008  
EN 13688:2013

## KNEE PAD FOR SPRAY OVERALL GREY

### SOGK 02

- Comfortable and certified knee protection
- Ideal if you only kneel down now and again during indoor work on even surfaces
- Can be placed at different heights in the kneepad pocket
- Always in place – high sides prevent the knee from sliding off the kneepad
- One size
- Material: 100% polyethylene







Washable at  
30°C



anti-static tested  
EN1149:1

## POLYESTER SPRAY OVERALL WITH OPTIONAL GREY KNEE PROTECTION

### SOG 07-11

- Very strong high-density, grey overall
- Polyester is antistatic and therefore attracts less dust
- Polyester fibre that protects against paint penetration
- With hood and breast pocket
- New design of sleeves insert for optimal arm movement
- Air ventilation on back, armpit and crotch
- Cord cuffs at the wrists and ankles
- With optional knee protection

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------

CE

PPE CAT. I  
Acc. to EU Regulation 2016/425  
EN1149-1:2008  
EN 13688:2013





## HIGH TECH SPRAY OVERALL

### PHO 07-11

- A new revolutionary technology.
- The only washable overall on the market that gives 100% protection during the application of high solid paint products.
- The front is a Teflon-treated polyester fibre that protects against paint penetration.
- The back is completely made of multi dry woven material.
- Multi dry absorbs all the perspiration of the body and vaporises this humidity into the air (from the head, back, armpits, back of the knee).
- Very comfortable to wear.
- The overall has two large side pockets and one breast pocket.
- It also has shoe protection.
- Centred waist band for comfort.
- Washable at 30 °C, up to 10 times.

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------

CE

PPE CAT.I  
Acc. to EU Regulation 2016/425  
EN1149-1:2008  
EN 13688:2013



Washable at  
30°C



anti-static tested  
EN1149:1





Washable at  
30°C



anti-static tested  
EN1149:1



Washable at  
30°C



anti-static tested  
EN1149:1



**Carbotec overall & spray coat**

Carbotec models are completing our overall program as highest standard available on the market: Carbotec technology comes in overall or spray coat; made of lint-free & silicone free polyamide filaments in addition, the fabric is woven with 2% carbon fiber to avoid any electrical charging (EN1149:5:2008). The original DuPont Teflon coating ensures that the overall is dirt and water repellent. The AVS ventilation system will guarantee the wearer excellent breathability. The Carbotec offers a high degree of process reliability.



PPE CAT.I  
Acc. to EU Regulation 2016/425  
EN1149-1:2008  
EN 13688:2013

**TEFLON® CARBOTEC SPRAY COAT**

**TCC 07-12**

- Polyester fabric, woven with 2% carbon fiber.
- Permanent antistatic, original Dupont Teflon coated.
- 1 chest pocket, 2 side pockets.
- Plastic press buttons, cord cuffs at the wrist.
- 2-way zipper covered / velcro closing.
- Washable, breathable.

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------

**TEFLON® CARBOTEC OVERALL**

**TCO 07-12**

- Polyester fabric, woven with 2% carbon fiber.
- Permanent antistatic, original Dupont Teflon coated.
- Air ventilation slot at the back and under the arms.
- Integrated hood, 2 chest pockets, 2 side pockets, 1 back pocket.
- Plastic press buttons, cord cuffs at the wrist.
- Velcro closing & zipper at the ankle, 2-way zipper covered.
- Washable, breathable.

S 07	M 08	L 09	XL 10	XXL 11	XXXL 12
---------	---------	---------	----------	-----------	------------



## POLYESTER SPRAY OVERALL WHITE / POLYESTER SPRAY OVERALL BLUE

### NSC-WSC 07-12

- Ultra-light economical polyester overall in 190gr material.
- Reusable and washable spray overall with hood.
- Standard colour: white.
- Also available in blue: for a minimal reflection in the lacquer.
- Polyester has the following advantages (compared to nylon): slows down fire and is therefore safer.
- Polyester 'breathes' and is therefore more comfortable to wear.
- Polyester is antistatic and therefore attracts less dust.

#### NSC 07-12

S

M

L

XL

XXL

XXXL

07

08

09

10

11

12

#### WSC 07-11

S

M

L

XL

XXL

XXXL

07

08

09

10

11

12

CE

PPE CAT. I  
Acc. to EU Regulation 2016/425  
EN1149-1:2008  
EN 13688:2013



anti-static tested  
EN1149:1



Washable at  
30°C



WSC 07-11



NSC 07-12





anti-static tested  
EN1149:5

### DISPOSABLE SPRAY OVERALL WHITE

#### TSO 08-11

- Material: Tyvek® 1431 N, 41 g/m<sup>2</sup>
- 3 piece hood
- External stitched seams, Tyvek®
- Zipper with storm flap
- Elastic cuffs, ankles and waist



CE 2895  
 EN ISO 13688:2013  
 EN ISO 13982-1:2004/A1: 2010 (Type 5)  
 EN 13034:2005/A1:2009 (Type 6)  
 EN 1073-2:2002 TIL Class1

### DISPOSABLE SPRAY OVERALL WHITE

#### CSO 08-11

- Material: 50% PP / 50% PE (63g/m<sup>2</sup>)
- Antistatic treatment
- 3 piece hood
- External stitched seams
- Zipper with storm flap
- Elastic cuffs, ankles and waist



CE 2895  
 EN ISO 13688:2013  
 EN ISO 13982-1:2004/A1: 2010 (Type 5)  
 EN 13034:2005/A1:2009 (Type 6)  
 EN 1073-2:2002 TIL Class1





WASH TIMER  
Max. 5 MINUTES  
0  
1  
2  
3  
4  
5

FLOW CONTROL  
VERT

AUTOMATIC

FLOW CONTROL  
CLEAR WASH

FLOW CONTROL  
STOP

FLOW CONTROL  
AUTOMATIC

FLOW CONTROL  
STOP

AUTOMATIC  
CLEAN WASH

B-TEC

FINN  
A Proper

# 11

---

## EQUIPMENT

*Finixa offers you a wide range of technical equipment, as well as the corresponding chemicals and accessories for use in the different departments of your workshop. For the paint mixing room, we offer a complete line of spray gun cleaners for both water- and solvent- based cleaning to ensure your spray guns will stay clean and in optimal condition. Our spray gun cleaners can be modularly adapted to suit your needs. For water-based cleaning, we can offer you gun shampoo, regenerator and coagulation powder. For the spray booth and workshop there are various panel stands and parts storage systems available.*

---

<b>171</b>	General information
<b>172</b>	Gun cleaning
<b>176</b>	Lamps
<b>178</b>	Isolation pads
<b>179</b>	Panel stands & trestles
<b>181</b>	Accessories



PROPERTIES GUN CLEANERS	AGC 50	AGC 21	AGC 31	AGC 40
Water	●	●	●	●
Solvent		●	●	●
Automatic cleaning		●	●	●
Automatic venturi for vapor evacuation		●	●	●
Product recycling for pre-wash	●	●	●	●
Product fed pre-cleaning brush	●	●	●	●
Manually operated jet for fresh product rinsing	●	●	●	●
Fully automatic rinsing			●	●
Galvanized bin cover				●
2-part access door		●	●	●
External air blow gun	●			●
2 solvent-resistant diaphragm pumps	1	●	●	●
<b>PAGE</b>	<b>174</b>	<b>174</b>	<b>175</b>	<b>175</b>



AGC 50  
100 cm x 40 cm x 30 cm

## QUICK CLEANER

### AGC 50

- To clean all waterborne paints.
- No need to leave the spray booth.
- Saves time.
- Cleaning in 30 seconds.
- To be combined with BTC 80 (waterbased gun shampoo).
- Low consumption of gun shampoo, 5 litre for 100 guns.
- Compatible with all disposable cup systems.
- Atex approved.



AGC 21  
140 cm x 56 cm x 41 cm

## AUTOMATIC GUN CLEANER

### AGC 21

- To be used in combination with cellulose thinner to clean solvent-paint guns or BTC 80, to clean water-based paint guns.
- Equipped with a brush for pre-cleaning.
- Possible after-cleaning with clean material / air mixture.
- Stainless steel.
- Easy assembly, easy to maintain and to operate.
- Volumes and pressure can easily be set on the front panel.
- Dimensions outside (max.): 1400mm high x 560mm wide x 410mm deep.
- Automatic venturi for suction during opening is standard.
- Optionally available with fully automatic after-clean rinsing.







AGC 31  
140 cm x 56 cm x 41 cm



AGC 40  
140 cm x 56 cm x 41 cm



20L  
BTC 80

BTC 80  
20L

### AUTOMATIC GUN CLEANER WITH FULLY AUTOMATIC RINSING

#### AGC 31

- Same as automatic gun cleaner AGC 21 incl.:
- Fully automatic rinsing system AGC 35



### AUTOMATIC GUN CLEANER WITH FULLY AUTOMATIC RINSING

#### AGC 40

- Same as automatic gun cleaner AGC 21 incl.:
- External air blow gun AGC 25
- Galvanized bin cover AGC 26
- Fully automatic rinsing system AGC 35



### H2O GUN SHAMPOO

#### BTC 80

- Save time and clean your spray guns for water-based paint automatically.
- You only need 100ml of shampoo for one spray gun.
- Cost reducing and higher customer satisfaction
- Coagulations will reduce the waste heavily (up to 90%) and is collected by an officially recognized company.
- The shampoo can be coagulated up to 10 times.
- Can be used in combination with all automatic and manual spray gun cleaners.
- Water-based product





1L  
BTC 001

BTC 001  
1L



5kg  
AEC 90

500gr  
AEC 91

AEC 90  
5kg

AEC 91  
500gr



AGC 10

## REGENERATOR

### BTC 001

- Adding 1l of regenerator to the coagulated BTC 80, brings back the original cleaning power of the BTC 80.
- 1l of regenerator is sufficient for 20l of coagulated BTC 80.



## COAGULATION POWDER

### AEC 90-91

- Powerful universal coagulation powder.
- Depending on the intensity of the pollution, use about 500 gr coagulation powder for 20L contaminated BTC 80.



## COAGULATION SET 25L

### AGC 10

- Can be used to coagulate any type of water based paint.
- Up to 25l.
- Pneumatic mixing system included.
- The cleaned gun shampoo can be easily poured back in the original container using the tap.
- To be regenerated up to full force by adding 1l of Finixa Regenerator.







UVL 00

### UV CURING LAMP

#### UVL 00

- Super-fast curing times
- Powerful irradiance with maximum UV-A intensity of 55  $\mu\text{W}/\text{cm}^2$  at 20cm
- Successfully tested on UV paint products from all major paint manufacturers
- Only emits UV-A (395nm) and does not emit UV-B or UV-C
- Active built-in cooling system keeps the lamp cooler in order to maintain optimum light output during extended use
- Ultrasonic distance control
- LCD control display
- Wall-mounted charging station provides a convenient recharging process and better organized workplace

CAN BE USED WITH:



### UV PRIMER/FILLER

#### TSP 1500

[See overview](#)



### TRIPOD FOR UV CURING LAMP

#### UVL 01



[WATCH VIDEO](#)

[INSTRUCTIONS VIDEO](#)

[CHECK OUT OUR BLOG](#)





## COLOUR INSPECTION LAMP 360°

### CIL 01

- Handheld, rechargeable inspection lamp for accurate colour matching and detecting paint imperfections
- Highest colour matching of any LED light on the market (CRI 97)
- Body rotates 360°
- Collapsible, 360° rotating hanging hook for hands-free operation
- Extra 3W torch at the front
- 180° folding magnetic base
- Lens can be easily removed and cleaned
- Charging via USB-C + led charge indicator
- High impact resistant rubber coating




## DUAL PEN LIGHT

### DPL 20

- Pocket light with 2 modes: high brightness 2W COB LED and 1W torch
- Slim design for handy inspection
- 360° rotating magnetic clip
- USB connection with removable cover
- Dimensions: L28,4 x W21,6 x H164,1mm
- Soft finish
- Sales unit: displaybox with 20 pen lights





WAP 10  
50 cm x 50 cm  
10p.



WAP 15  
50 cm x 50 cm  
10p.



PLA 80  
60 cm x 40 cm  
1p.

## SOUND DEADENING PADS

### WAP 10

- Self-adhesive sound deadening pads for application inside doors, boot, roof etc. to prevent sound vibration.
- Bitumen based with protection layer, very flexible, easy to cut and heat resistant.
- Each pad can be torn in half due to a perforated line in the middle to make two pads of 25cm x 50cm.



## TRUNK INSULATION PADS

### WAP 15

- Specific flat surface, as OEM-applied in German cars.
- Self-adhesive sound deadening pads for application inside doors, boot, roof etc. to prevent sound vibration.
- Bitumen-based with protection layer, very flexible, easy to cut and heat resistant.



## DOOR FOAM FILM

### PLA 80

- Foam film with adhesive for finishing and isolating inside doors as original.
- Raster printed protection film for easy cutting into shape.





EQU 80  
210 x 65 x 90cm



EQU 50  
123 x 31 x 20cm



EQU 52  
91 x 70 x 15cm



EQU 64  
149 x 23 x 16cm

### SPARE PART CART

#### EQU 80

- Keep your parts organized for each job in the handy chariot.
- 2100x650x900mm
- 230kg max.



### BUMPER STAND

#### EQU 50

- Mobile stand for storage of bumpers.
- Equipped with 8 adjustable supports all cushioned for safety.
- Dimensions (LxWxH) packed: 123cm x 31cm x 20cm.
- Weight: 25kg.



### WHEEL AND PANEL STAND

#### EQU 52

- Mobile panel stand with two horizontal supports with two wheel supports on each side.
- The wheel supports can be taken off so the stand can be used for larger panels such as hood or bonnet - horizontal supports are foam-cushioned for safety.
- Dimensions (LxWxH) packed: 91cm x 70cm x 15cm
- Weight: 27kg



### PORTAL ROTATING PANEL STAND

#### EQU 64

- Mobile panel stand with rotating central axis that can be locked under different angles into different positions by means of a foot pedal.
- Supplied with extensions for the axis so that two doors can be fitted one next to the other, 4 vertical supports with hook and 2 supports with holes.
- Maximum load capacity 50kg
- Dimensions (LxWxH) packed: 149cm x 23cm x 16cm
- Weight: 26kg





EQU 53  
91 x 125cm



EQU 60  
19 x 9 x 123,5cm



EQU 61

## BUTTERFLY TRESTLE PREMIUM

### EQU 53

- Folding trestle that can be adjusted in height and width by means of two chains.
- Premium quality, feet are attached by means of an extra bar.
- Dimensions (lxwxh) packed: 107cm x 32cm x 9cm.
- Weight: 8,5kg



## X-TRESTLE STANDARD - GALVANIZED

### EQU 60

- Adjustable trestle with locking system on the axis for different positions.
- Standard X-trestle is galvanized and has a metal axis locking system
- Dimensions : 19cm x 9cm x 123,5cm
- Weight : 8kg
- The bumper supports (EQU 61) are available separately.



## BUMPER SUPPORT FOR EQU 60 - GALVANIZED

### EQU 61

- Bumper support for EQU 60
- Galvanized
- Easy to adjust with 2 plastic wing nuts





BID 00



EQU 91



TRT 27



SUP 00

## TAP FOR BARRELS 20/25/30L

BID 00

## PANEL FIXATION SET

EQU 91

- Set of 4 interchangeable bars that can be used to fixate panels in a firm 'open' position to work on them. For use on doors, bonnet and boot lid.
- Each bar has a hook and an eye for attachment on to a lock.



## TRIM REMOVAL TOOL SET

TRT 27

- With this complete set of plastic tools, interior panel removing without damaging the panel becomes an easy job, good overview without losing any item thanks to the handy toolkit case.



## STEP-UP

SUP 00

- Strong, safe and lightweight: can be used to stand on to reach higher spots on bigger cars and as a seat for comfort during daily activities.
- Strong and durable: handles up to 175kg
- Made of polypropylene and therefore lightweight: weighs only 3,4kg
- No sharp corners; no risk of damaging cars
- Can be used to sit on, but also to stand on to reach rooftops more easily
- Opening in sides as a handle for easy carrying
- Rubber anti slip feet
- Anti slip steps



 WATCH VIDEO



**ADHESIVE ERASER AND ACCESSORIES**

PRD 01-05-55   PRD 10-11   PRD 50


- Rotation disc made of natural rubber available in different models and dimensions.
- To be used on a power drill to remove adhesives, stickers or double sided tape without harming the surface underneath.
- Recommended rotation speed between 2,000 and 4,000 rpm.
- PRD 05: ridged disc; can be fitted directly on the PRD 55 machine.
- PRD 01: can be used on every drilling machine.
- Advantage of PRD 05 over PRD 01: the disc is much wider and is ridged. Due to the ridge the paint does not become warm, there is no paint damage and works three times faster than the PRD 01.
- The combination of PRD 05 with PRD 55 also results in a better finish and is much more user friendly than PRD 01 on a drilling machine.
- PRD 50 : Arbor for PRD 01

*To remove paint and corrosion very fast with a minimum of metal degradation using the metal brush and its adaptor on the Finixa PRD 55; patented quick change technology from the brush on its adaptor, no tools required.*



**FLUO MARKERS**

MAR 11-24



- Handy to mark smaller damages on cars.
- Easily removed by any type of degreaser.
- Available in 2 fluorescent colours: green and pink
- Two sizes: round diameter 4mm / rectangular 15 x 7mm.
- The MAR 1XX (round point) draws a line of 1,5mm wide
- The MAR 2XX (rectangular point) draws a line of 1,5mm on the point, 5mm on the small side and 15mm on the large side.

**TIP:**

- **Not to be used on freshly painted panels as you can create scratches.**
- **Solvents can react with the MAR liquid.**



**NEW**

WMG 00

### WALL MOUNT FOR DISPENSER BOX

#### WMG 00

Conveniently keeps boxes of disposable gloves, tissues, Green Paint System (GPS 0650), or wipes within reach when mounted near work area. The spring-loaded clamp is adjustable to fit many box sizes. Universal holder comes ready to install with 2 adhesive strips on back, for mounting on smooth non-porous surfaces. Two screw holes have been provided, if stronger installation is required. To insert box, push top of holder upwards with box as shown. The “teeth” will clamp down on box and hold it securely in place.







**12**

**PROMOTIONAL  
ITEMS**



# 12

# PROMOTIONAL ITEMS



## PROMOTIONAL ITEMS

*Finixa offers a wide range of branded promotional items to its dealers. Some have become our 'traditional' items, such as T-shirts, notebooks, cups, etc. A selection can be found on this page.*

**DISCOVER ALL OUR PRODUCTS**

[WWW.FINIXA.COM](http://WWW.FINIXA.COM)

4

1

**FINIXA RACK - STARTER MODULE 220CM X 103CM X 55CM**

PRO 57

2

**FINIXA RACK - EXTENSION MODULE 220CM X 103CM X 55CM**

PRO 58

3

**FINIXA RACK - CORNER MODULE H 220CM X W 75CM X W75CM**

PRO 59

4

**STANDARD ROLL-UP BANNER 85X200**

PRO 52 - 60 - 62 - ...

- Take a look at [www.finixa.com](http://www.finixa.com) for all options



- 4 — **BLOCNOTE A4**  
PRO 39
- 5 — **WEBCAM COVER**  
PRO 68
- 6 — **PEN**  
PRO 19
- 7 — **WALL CLOCK Ø 28CM**  
PRO 72
- 8 — **COFFEE CUPS PORCELAIN LUGANO**  
PRO 71
- 9 — **CARDBOARD CUP**  
PRO 34
- 10 — **TRIPLE HOP BEER**  
PRO 41-42
- 11 — **REMOTE CONTROL CAR 1/10**  
PRO 036
- 12 — **TUBE WITH 4 TENNIS BALLS**  
PRO 63
- 13 — **USB 32GB**  
PRO 69
- 14 — **EARPODS**  
PRO 800

- 1 — **PAPER BAG**  
PRO 28
- 2 — **UMBRELLA**  
PRO 23
- 3 — **FOOTBALL - SIZE 5**  
PRO 64
- 4 — **BLOCNOTE A5**  
PRO 38



1



2



3



4



5



6



7

1 — SOFTSHELL JACKET

PRO 701 - 705

2 — SHIRT WHITE

PRO 420-424

3 — SHARPWHITE HOODIE BLUE

PRO 721 - 727

4 — CAP

PRO 22

5 — T-SHIRT

PRO 100-106

6 — BODYWARMER BLUE

PRO 731 - 734

7 — POLO SHIRT

PRO 431-436

DISCOVER ALL OUR PRODUCTS

[WWW.FINIXA.COM](http://WWW.FINIXA.COM)



**13**

**ALPHABETICAL  
INDEX**

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>A</b>					
<b>AEC 90</b>	Coagulation powder 5 kg	1	24	-	<b>176</b>
<b>AEC 91</b>	Coagulation powder 500 gr	1	1	-	<b>176</b>
<b>AGB 01</b>	Anti-gravel coating paintable black - 1l	1	12	480	<b>136</b>
<b>AGC 10</b>	Coagulation set 25L	1	1	0	<b>176</b>
<b>AGC 21</b>	Automatic gun cleaner with two pieces door	1	1	8	<b>174</b>
<b>AGC 31</b>	Automatic gun cleaner with fully automatic rinsing	1	1	8	<b>175</b>
<b>AGC 40</b>	Automatic gun cleaner with fully automatic rinsing	1	1	8	<b>175</b>
<b>AGC 50</b>	Quick cleaner	1	1	10	<b>174</b>
<b>AGG 01</b>	Anti-gravel coating paintable grey - 1l	1	12	480	<b>136</b>
<b>B</b>					
<b>BBF 10</b>	strainers for gravity fed spray guns 275µm 10p.	10	100	-	<b>22</b>
<b>BID 00</b>	Tap for barrels 20/25/30l	1	1	-	<b>183</b>
<b>BTC 001</b>	Regenerator for BTC 80 - 1l	1	24	-	<b>176</b>
<b>BTC 80</b>	H <sup>2</sup> O gun shampoo 20l	1	1	28	<b>175</b>
<b>BTG 05</b>	Plastic and tyre renovator black 0.5l	1	10	800	<b>48</b>
<b>BTS 12</b>	Black tyre gel applicator sponges - 12p.	12	44	384	<b>48</b>
<b>BUC 12</b>	Bucket with spout - black 12l	1	1	675	<b>50</b>
<b>BUI 12</b>	Anti-dirt grid for BUC 12	1	1	-	<b>50</b>
<b>C</b>					
<b>CBC 05</b>	Spray booth clean 5l	1	-	96	<b>145</b>
<b>CBP 05</b>	Spray booth protect pro 5l	1	-	96	<b>146</b>
<b>CBP 05P</b>	Spray booth protect performance 5l	1	-	96	<b>146</b>
<b>CBP 10</b>	Spray booth protect pro 10l	1	-	60	<b>146</b>
<b>CBP 10P</b>	Spray booth protect performance 10l	1	-	60	<b>146</b>
<b>CBP 25</b>	Spray booth protect pro 25l	1	-	24	<b>146</b>
<b>CBP 25P</b>	Spray booth protect performance 25l	1	-	24	<b>146</b>
<b>CCB 00</b>	Cleaning clay bar (grey) - 2x100g	1	50	2,400	<b>49</b>
<b>CCL 10</b>	Cleaning clay lubricant - 1l	1	200	200	<b>49</b>
<b>CIL 01</b>	Colour inspection lamp - 360°	1	12	-	<b>179</b>
<b>CLM 05</b>	Liquid masking 5l	1	-	96	<b>148</b>
<b>CLP 15</b>	Clay pad with velcro 15cm	1	100	-	<b>49</b>
<b>CLP 16</b>	Velcro hand pad 15cm	1	200	-	<b>49</b>
<b>CNS 00</b>	Cleaning needle set (pen + 10 needles)	1	1	-	<b>59</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>CNS 01</b>	Replacement needles in a blister 10p.	10	15	-	<b>59</b>
<b>COP 00</b>	Nylon seat cover black	1	1	-	<b>124</b>
<b>COP 05</b>	Cover set 100p.	100	4	60	<b>123</b>
<b>CPF 10</b>	Protection film spray booth lighting 400mm x 50m	1	1	108	<b>150</b>
<b>CPF 11</b>	Protection film spray booth lighting 600mm x 100m	1	1	72	<b>150</b>
<b>CPP 17</b>	Cabin Protect peelable 17l	1	-	24	<b>148</b>
<b>CPS 150</b>	Control powder with applicator green- 150gr	1	12	972	<b>136</b>
<b>CPS 160</b>	Control powder with applicator black - 150gr	1	12	972	<b>136</b>
<b>CPT 50</b>	Cabin protect tape white 50mm x 50m 24 rolls	24	1	53	<b>151</b>
<b>CSG 00</b>	Pneumatic combi sealant gun	1	-	-	<b>80</b>
<b>CSG 01</b>	Inner nozzle for spray sealant applications 5p.	1	-	-	<b>82</b>
<b>CSG 02</b>	Black outer nozzle for coarse structure 5p.	1	-	-	<b>82</b>
<b>CSG 03</b>	Black outer nozzle for fine structure 5p.	1	-	-	<b>82</b>
<b>CSH 05</b>	All in one car shampoo green - 5l	1	-	96	<b>47</b>
<b>CSH 25</b>	All in one car shampoo green - 25l	1	-	24	<b>47</b>
<b>CSO 08</b>	Spray overall white - M 46-48	1	25	600	<b>170</b>
<b>CSO 09</b>	Spray overall white - L 50-52	1	25	600	<b>170</b>
<b>CSO 10</b>	Spray overall white - XL 54-56	1	25	600	<b>170</b>
<b>CSO 11</b>	Spray overall white - XXL 58-60	1	25	600	<b>170</b>
<b>CUK 00</b>	Cutter knife stainless steel 9mm 10p.	10	10	-	<b>116</b>
<b>D</b>					
<b>DAE 035</b>	Pre-taped masking film 35cm x 25m, 20p.	20	1	80	<b>113</b>
<b>DAE 060</b>	Pre-taped masking film 60cm x 25m, 16p.	16	1	80	<b>113</b>
<b>DAE 100</b>	Pre-taped masking film 100cm x 25m, 16p.	16	1	40	<b>113</b>
<b>DAE 120</b>	Pre-taped masking film 120cm x 25m, 16p.	16	1	40	<b>113</b>
<b>DAE 180</b>	Pre-taped masking film 180cm x 25m, 15p.	15	1	40	<b>113</b>
<b>DAE 260</b>	Pre-taped masking film 260cm x 25m, 12p.	12	1	50	<b>113</b>
<b>DDD 00</b>	3D spray sample plastic black 35p.	35	1	30	<b>26</b>
<b>DEB 12</b>	Lead & tin replacer 1,5 kg + hardener	1	12	480	<b>67</b>
<b>DEB 51</b>	Hardener white 30g	1	100	-	<b>70</b>
<b>DGR 05</b>	Silicone remover and surface degreaser 5l	1	1	96	<b>38</b>
<b>DGR 25</b>	Silicone remover 25l	1	1	24	<b>38</b>
<b>DPL 20</b>	Dual pen light (20 p. in displaybox)	20	4	96	<b>179</b>
<b>DRF 05</b>	Dust removal file rounded	1	1	-	<b>59</b>
<b>DRF 10</b>	Dust removal file straight	1	1	-	<b>59</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>DRF 50</b>	Magnetic holder for dust removal file for DRF 10	1	1	-	<b>59</b>
<b>DRW05</b>	Dry Wash 5l	1	-	96	<b>46</b>
<b>DUC 05</b>	Dust control 5l	1	-	96	<b>144</b>
<b>DUC 10</b>	Dust control 10l	1	-	60	<b>144</b>
<b>DUC 25</b>	Dust control 25l	1	-	24	<b>144</b>
<b>DUC 50</b>	Dust Control pressure sprayer 5l	1	1	-	<b>145</b>
<b>DZB 04</b>	Double sided tape red 4mm x 10m	1	10	-	<b>76</b>
<b>DZB 06</b>	Double sided tape red 6mm x 10m	1	10	-	<b>76</b>
<b>DZB 09</b>	Double sided tape red 9mm x 10m	1	10	-	<b>76</b>
<b>DZB 12</b>	Double sided tape red 12mm x 10m	1	10	-	<b>76</b>
<b>DZB 15</b>	Double sided tape red 15mm x 10m	1	10	-	<b>76</b>
<b>DZB 19</b>	Double sided tape red 19mm x 10m	1	10	-	<b>76</b>
<b>DZB 25</b>					<b>76</b>
<b>E</b>					
<b>EQU 024</b>	Little tap for WJE 05	1	10	-	<b>41</b>
<b>EQU 50</b>	Bumper stand	1	1	12	<b>181</b>
<b>EQU 52</b>	Wheel and panel stand	1	1	10	<b>181</b>
<b>EQU 53</b>	Butterfly trestle 1p.	1	1	40	<b>182</b>
<b>EQU 57</b>	Paper standard for 3 rolls (30, 60 and 90cm)	1	1	-	<b>115</b>
<b>EQU 60</b>	X-trestle standard - galvanized	1	1	25	<b>182</b>
<b>EQU 61</b>	Bumper supports for EQU 60 - galvanized	1	1		<b>182</b>
<b>EQU 64</b>	Portal rotating panel stand	1	1	25	<b>181</b>
<b>EQU 70</b>	Dispenser for masking film single	1	1	-	<b>115</b>
<b>EQU 80</b>	Spare part cart	1	1	5	<b>181</b>
<b>EQU 85</b>	Spray gun support with magnet backing	1	5	-	<b>28</b>
<b>EQU 91</b>	Panel fixation set	1	1	-	<b>183</b>
<b>ESS 06</b>	Easy seam sealer on a roll - 6mm x 9m	1	10	-	<b>79</b>
<b>ESS 08</b>	Easy seam sealer on a roll - 8mm x 9m	1	10	-	<b>79</b>
<b>ESS 10</b>	Easy seam sealer on a roll - 10mm x 9m	1	10	-	<b>79</b>
<b>ESS 20</b>	Roller for easy seam sealer	1	100	-	<b>79</b>
<b>F</b>					
<b>FFP 0320</b>	Flat foam pad 115x115mm PRIMER PREP 50p.	50	8	-	<b>100</b>
<b>FFP 0500</b>	Flat foam pad 115x115mm BASE COAT PREP 50p.	50	8	-	<b>100</b>
<b>FFP 0800</b>	Flat foam pad 115x115mm CLEAR COAT PREP 50p.	50	8	-	<b>100</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>FFP 1500</b>	Flat foam pad 115x115mm CLEAR COAT FADE OUT 50p.	50	8	-	<b>100</b>
<b>FOL 51</b>	Lifting tape 10mm x 10m 1p.	1	10	1,080	<b>119</b>
<b>FOL 51ET</b>	Lifting tape 'Easy Tear' 10mm x 10m 1p.	1	10	1,080	<b>119</b>
<b>FOL 62</b>	Logo tape adhesive transfer 50mm x 300mm 10p.	10	50	-	<b>82</b>
<b>FOL 303M</b>	Fine line tape blue 3mm x 55m 10p.	10	-	-	<b>126</b>
<b>FOL 306M</b>	Fine line tape blue 6mm x 55m 10p.	10	-	-	<b>126</b>
<b>FOL 309M</b>	Fine line tape blue 9mm x 55m 10p.	10	-	-	<b>126</b>
<b>FOL 312M</b>	Fine line tape blue 12mm x 55m 5p.	5	-	-	<b>126</b>
<b>FOL 315M</b>	Fine line tape blue 15mm x 55m 5p.	5	-	-	<b>126</b>
<b>FOL 319M</b>	Fine line tape blue 19mm x 55m 5p.	5	-	-	<b>126</b>
<b>FOL 325M</b>	Fine line tape blue 25mm x 55m 5p.	5	-	-	<b>126</b>
<b>FOL 501MT</b>	Lifting tape 'multi' 9, 12, 20mm x 10m 1p.	1	10	1,008	<b>119</b>
<b>G</b>					
<b>GAC 0250</b>	Mixing paddles plastic 23cm 250p.	250	1	100	<b>25</b>
<b>GAC 1000</b>	Mixing paddles plastic 23cm 1.000p.	1,000	1	50	<b>25</b>
<b>GAD 00500</b>	Black storage cup with lid 500ml 312p.	312	1	16	<b>29</b>
<b>GAD 01000</b>	Black storage cup with lid 1l 140p.	140	1	16	<b>29</b>
<b>GAD 03000</b>	Black storage cup with lid 3l 45p.	45	1	16	<b>29</b>
<b>GAD 05000</b>	Black storage cup with lid 5l 30p.	30	1	16	<b>29</b>
<b>GAD 10000</b>	Black storage cup with lid 10l 12p.	12	1	16	<b>29</b>
<b>GAP 00</b>	Polyester putty 2kg + hardener - GAPOL	2kg	6	288	<b>64</b>
<b>GAP 10</b>	Polyester putty 2kg + hardener - multi	2kg	6	288	<b>64</b>
<b>GAP 20</b>	Polyester putty 2kg + hardener - fine	2kg	6	288	<b>64</b>
<b>GAP 25</b>	Self-levelling putty - 1kg	1kg	6	504	<b>65</b>
<b>GAP 30</b>	Polyester putty 1.5kg + hardener - light	1,5kg	6	288	<b>66</b>
<b>GAP 31</b>	Polyester putty UL Azure 1kg + hardener - ultra light	1kg	6	330	<b>66</b>
<b>GAP 33</b>	Polyester putty 3kg + hardener - extra light	3kg	4	120	<b>66</b>
<b>GAP 40</b>	Polyester putty 1.8kg + hardener - fiber	1,8kg	6	288	<b>67</b>
<b>GAP 50</b>	Polyester putty 2kg + hardener - alu	2kg	6	288	<b>67</b>
<b>GAP 52</b>	Hardener blue 50g	1	100	0	<b>70</b>
<b>GAP 60</b>	Mixing board 100 sheets	100	10	1,000	<b>71</b>
<b>GAP 70</b>	Plastfill-Polyester putty for plastic- 1 kg + hardener	1kg	12	420	<b>68</b>
<b>GAP 90</b>	Polyester putty - light and easy to sand - 1.9kg	1,9kg	8	288	<b>69</b>
<b>GAP 93</b>	Polyester putty - light and easy to sand - 3.8kg	3,8kg	4	120	<b>69</b>
<b>GCN 08</b>	Nitril disposable gloves blue - M 100p.	100	10	420	<b>160</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>GCN 09</b>	Nitril disposable gloves blue - L 100p.	100	10	420	<b>160</b>
<b>GCN 10</b>	Nitril disposable gloves blue - XL 100p.	100	10	420	<b>160</b>
<b>GLB 07</b>	Long cuff nitrile disposable gloves black - S 60p.	60	10	960	<b>160</b>
<b>GLB 08</b>	Long cuff nitrile disposable gloves black - M 60p.	60	10	960	<b>160</b>
<b>GLB 09</b>	Long cuff nitrile disposable gloves black - L 60p.	60	10	960	<b>160</b>
<b>GLB 10</b>	Long cuff nitrile disposable gloves black - XL 60p.	60	10	960	<b>160</b>
<b>GLC 08</b>	Nitrile gloves green M - 12 pairs	12	12	-	<b>162</b>
<b>GLC 09</b>	Nitrile gloves green L - 12 pairs	12	12	-	<b>162</b>
<b>GLC 10</b>	Nitrile gloves green XL - 12 pairs	12	12	-	<b>162</b>
<b>GLD 09</b>	Nitrile gloves red L - 1 pair	1	72	-	<b>162</b>
<b>GLD 10</b>	Nitrile gloves red XL - 1 pair	1	72	-	<b>162</b>
<b>GLG 08</b>	Super grip nitrile disposable gloves lime green - M 50p.	50	10	560	<b>161</b>
<b>GLG 09</b>	Super grip nitrile disposable gloves lime green - L 50p.	50	10	560	<b>161</b>
<b>GLG 10</b>	Super grip nitrile disposable gloves lime green -XL 50p.	50	10	560	<b>161</b>
<b>GLL 07B</b>	Assembly gloves PU black - S 12 pairs	12	20	480	<b>161</b>
<b>GLL 08B</b>	Assembly gloves PU black - M 12 pairs	12	20	480	<b>161</b>
<b>GLL 09B</b>	Assembly gloves PU black - L 12 pairs	12	20	480	<b>161</b>
<b>GLL 10B</b>	Assembly gloves PU black - XL 12 pairs	12	20	480	<b>161</b>
<b>GLL 11B</b>	Assembly gloves PU black - XXL 12 pairs	12	20	480	<b>161</b>
<b>GLMB 07</b>	Microfoam nitrile gloves - S 12 pairs	12	12	576	<b>161</b>
<b>GLMB 08</b>	Microfoam nitrile gloves - M 12 pairs	12	12	576	<b>161</b>
<b>GLMB 09</b>	Microfoam nitrile gloves - L 12 pairs	12	12	576	<b>161</b>
<b>GLMB 10</b>	Microfoam nitrile gloves - XL 12 pairs	12	12	576	<b>161</b>
<b>GLMB 11</b>	Microfoam nitrile gloves - XXL 12 pairs	12	12	576	<b>161</b>
<b>GLN 08</b>	Nitril disposable gloves green - M 100p.	100	10	420	<b>160</b>
<b>GLN 09</b>	Nitril disposable gloves green - L 100p.	100	10	420	<b>160</b>
<b>GLN 10</b>	Nitril disposable gloves green - XL 100p.	100	10	420	<b>160</b>
<b>GLP 09</b>	PVA gloves red - L 1 pair	1	12	-	<b>162</b>
<b>GLP 10</b>	PVA gloves red - XL 1 pair	1	12	-	<b>162</b>
<b>GLQ 08</b>	Ketone resistant gloves blue - M 1 pair	1	12	-	<b>162</b>
<b>GLQ 09</b>	Ketone resistant gloves blue - L 1 pair	1	12	-	<b>162</b>
<b>GLQ 10</b>	Ketone resistant gloves blue - XL 1 pair	1	12	-	<b>162</b>
<b>GPS 00</b>	Closing caps for Green Paint System - 3x20p.	1	60	-	<b>15</b>
<b>GPS 01</b>	GPS adaptor M16 x 1,5 internal thread	1	60	-	<b>23</b>
<b>GPS 02</b>	GPS adaptor M16 x 1,5 external thread	1	60	-	<b>23</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>GPS 03</b>	GPS adaptor 3/8 internal thread	1	60	-	<b>23</b>
<b>GPS 04</b>	GPS adaptor 3/8 external thread	1	60	-	<b>23</b>
<b>GPS 05</b>	GPS quick adaptor ¼	1	60	-	<b>23</b>
<b>GPS 06</b>	GPS adaptor 1/4 external thread	1	60	-	<b>23</b>
<b>GPS 07</b>	GPS adaptor M14x1 internal thread	1	50	-	<b>23</b>
<b>GPS 08</b>	GPS adaptor QCC for SATA mini-jet	1	20	-	<b>23</b>
<b>GPS 650C</b>	Outer cup 650ml for GPS system - 5p.	5	1	390	<b>15</b>
<b>GPS 650125</b>	Green paint system 125µ	50	1	60	<b>14</b>
<b>GPS 650190</b>	Green paint system 190µ	50	1	60	<b>14</b>
<b>H - I - J</b>					
<b>HCL 3000</b>	Hand cleaner 3l - without pump	1	6	180	<b>164</b>
<b>HCL 3001</b>	Plastic pump for HCL 3000	1	1	1	<b>164</b>
<b>HCL 3002</b>	Metal pump for HCL 3000	1	1	1	<b>164</b>
<b>HCL 3003</b>	Wallholder for HCL 3000	1	1	1	<b>164</b>
<b>HRS 00</b>	Headlight renewal set	1	-	-	<b>51</b>
<b>IAG 20</b>	Instant adhesive gel - 20gr	1	6	-	<b>75</b>
<b>ILO 20</b>	Drying oven for spray sample plates	1	1	60	<b>27</b>
<b>JST 15</b>	Joint stopper 15mm - 35m	1	-	240	<b>120</b>
<b>JST 22</b>	Joint stopper 22mm - 25m	1	-	240	<b>120</b>
<b>K - L</b>					
<b>LSP 20</b>	Pressure sprayer premium 1l (FKM)	1	60	360	<b>41</b>
<b>LSP 30</b>	Manual sprayer 1l	1	80	480	<b>46</b>
<b>LSP 50</b>	Holdere + coding caps - 5p.	5	1	-	<b>41</b>
<b>LSP 202</b>	Pressure sprayer premium 1l (EPDM)	1	60	360	<b>41</b>
<b>M - N - O</b>					
<b>MAK 00</b>	Spray gun cleaning kit	1	20	-	<b>22</b>
<b>MAP B020</b>	Masking paper Kraft pure 20cm x 450m 40g/m <sup>2</sup>	1	1	120	<b>114</b>
<b>MAP B030</b>	Masking paper Kraft pure 30cm x 450m 40g/m <sup>2</sup>	1	1	72	<b>114</b>
<b>MAP B037</b>	Masking paper Kraft pure 37,5cm x 450m 40g/m <sup>2</sup>	1	-	72	<b>114</b>
<b>MAP B040</b>	Masking paper Kraft pure 40cm x 450m 40g/m <sup>2</sup>	1	1	72	<b>114</b>
<b>MAP B060</b>	Masking paper Kraft pure 60cm x 450m 40g/m <sup>2</sup>	1	1	48	<b>114</b>
<b>MAP B090</b>	Masking paper Kraft pure 90cm x 450m 40g/m <sup>2</sup>	1	1	24	<b>114</b>
<b>MAP B120</b>	Masking paper Kraft pure 120cm x 450m 40g/m <sup>2</sup>	1	1	24	<b>114</b>



CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>MAP B150</b>	Masking paper Kraft pure 150cm x 450m 40g/m <sup>2</sup>	1	1	24	<b>114</b>
<b>MAR 11</b>	Fluo marker green 12 p. fine 1.5mm				<b>184</b>
<b>MAR 12</b>	Fluo marker pink 12 p. fine 1.5mm	12	10	-	<b>184</b>
<b>MAR 21</b>	Fluo marker green 6 p. 5mm-15mm	6	10	-	<b>184</b>
<b>MAR 22</b>	Fluo marker pink 6 p. 5mm-15mm	6	10	-	<b>184</b>
<b>MAS 00</b>	Spray mask A1, P2	1	60	360	<b>158</b>
<b>MAS 03</b>	Dust & gas filtering cartridge A2, P3 for spray mask - 2p.	2	50	-	<b>159</b>
<b>MAS 05</b>	Dust filtering cartridge P2 for spray mask - 10p.	10	150	-	<b>159</b>
<b>MAS 06</b>	Gas filtering cartridge A1 for spray mask - 2p.	2	40	-	<b>159</b>
<b>MAS 09</b>	Cartridge ring for spray mask - 2p.	2	50	220	<b>159</b>
<b>MAS 12</b>	Dust mask P2 with valve - 15p.	15	16	288	<b>157</b>
<b>MAS 13</b>	Carbon dust mask P2 with 2 valves - 5p.	5	20	280	<b>157</b>
<b>MAS 20</b>	Spray mask A2, P3	1	50	200	<b>158</b>
<b>MAS 35</b>	Dust mask P3 with valve - 10p.	10	20	320	<b>157</b>
<b>MAS 42V</b>	Dust mask FFP2 with valve - 12p.	12	576	6912	<b>156</b>
<b>MAS 43V</b>	Dust mask FFP3 with valve - 12p.	12	576	6912	<b>156</b>
<b>MAS 50</b>	Cleaning wipes 150 x 170 - 50p..	50	-	-	<b>159</b>
<b>MCB 0400</b>	Black cups 400ml 200p.	200	1	60	<b>13</b>
<b>MCB 0650</b>	Black cups 650ml 200p.	200	1	40	<b>13</b>
<b>MCBL 0400</b>	Lids for black cups 400ml 10 x 50p.	500	1	60	<b>13</b>
<b>MCBL 0650</b>	Lids for black cups 650ml 10 x 50p.	500	1	40	<b>13</b>
<b>MCD 70</b>	Dispenser for mixing cups and lids	1	1	50	<b>28</b>
<b>MCL 0400</b>	Lids for mixing cups 400ml 10 x 50p.	500	1	60	<b>13</b>
<b>MCL 0650</b>	Lids for mixing cups 650 / 900ml 10 x 50p.	500	1	40	<b>13</b>
<b>MCL 1300</b>	Lids for mixing cups 1300ml 8 x 50p.	400	1	24	<b>13</b>
<b>MCL 2240</b>	Lids for mixing cups 2240ml 8 x 50p.	400	1	18	<b>13</b>
<b>MCL 5000</b>	Lids for mixing cups 5000ml 100p.	100	1	54	<b>13</b>
<b>MCLS 0400</b>	Lids for mixing cups 400ml 2 x 50p.	100	1	154	<b>13</b>
<b>MCLS 0650</b>	Lids for mixing cups 650 & 900ml 2 x 50p.	100	1	130	<b>13</b>
<b>MCLS 1300</b>	Lids for mixing cups 1300ml 2 x 50p.	100	1	60	<b>13</b>
<b>MCLS 2240</b>	Lids for mixing cups 2240ml 2 x 50p.	100	1	50	<b>13</b>
<b>MCP 0400</b>	Mixing cups 400ml 200p.	200	1	60	<b>13</b>
<b>MCP 0650</b>	Mixing cups 650ml 200p.	200	1	40	<b>13</b>
<b>MCP 0900</b>	Mixing cups 900ml 200p.	200	1	24	<b>13</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>MCP 1300</b>	Mixing cups 1300ml 200p.	200	1	24	<b>13</b>
<b>MCP 2240</b>	Mixing cups 2240ml 200p.	200	1	18	<b>13</b>
<b>MCP 5000</b>	Mixing cups 5000 ml 40p.	40	1	18	<b>13</b>
<b>MCU 0400</b>	Unprinted cups 400ml 200p.	200	1	60	<b>13</b>
<b>MCU 0650</b>	Unprinted cups 650ml 200p.	200	1	40	<b>13</b>
<b>MCU 0900</b>	Unprinted cups 900ml 200p.	200	1	24	<b>13</b>
<b>MCU 1300</b>	Unprinted cups 1300ml 200p.	200	1	24	<b>13</b>
<b>MCU 2240</b>	Unprinted cups 2240ml 200p.	200	1	18	<b>13</b>
<b>MFS 40</b>	Microfiber cloth grey soft 40cmx40cm 4p.	4	32	480	<b>46</b>
<b>MHW 05</b>	Machine/handwax 0.5l	1	10	800	<b>48</b>
<b>MPP 0200</b>	Mixing paddles plastic 30cm 200p.	200	3	36	<b>25</b>
<b>MPP 0250</b>	Mixing paddles plastic 20cm 250p.	250	6	102	<b>25</b>
<b>MPP 02501</b>	Refill mixing paddles plastic 20cm 8 x 250p.	2,000	1	16	<b>25</b>
<b>MSA 100</b>	MS Fast adhesive - 290ml - white	1	12	1,248	<b>75</b>
<b>MSF 03820</b>	Premium masking film – green 3.8m x 200m	1	1	32	<b>113</b>
<b>MSF 14015</b>	Premium masking film - paint adhesive 4m x 150m	1	1	50	<b>112</b>
<b>MSF 14020</b>	Premium masking film - paint adhesive 4m x 200m	1	1	32	<b>112</b>
<b>MSF 14030</b>	Premium masking film - paint adhesive 4m x 300m	1	1	32	<b>112</b>
<b>MSF 14820</b>	Premium masking film - paint adhesive 4.8m x 200m	1	1	32	<b>112</b>
<b>MSF 15012</b>	Premium masking film - paint adhesive 5m x 120m	1	1	32	<b>112</b>
<b>MSF 16010</b>	Premium masking film - paint adhesive 6m x 100m	1	1	32	<b>112</b>
<b>MSF 24015</b>	Premium+ masking film - paint adhesive 4m x 150m	1	1	32	<b>111</b>
<b>MSF 34015</b>	Premium+ masking film - paint adhesive & absorb. 4m x 150m	1	1	32	<b>110</b>
<b>MSF 35012</b>	Premium+ masking film - paint adhesive & absorb. 5m x 120m	1	1	32	<b>110</b>
<b>MSF 36010</b>	Premium+ masking film - paint adhesive & absorb. 6m x 100m	1	1	32	<b>110</b>
<b>MST 419</b>	Masking tape coral 110° 19mm x 50m 48p.	48	1	36	<b>117</b>
<b>MST 425</b>	Masking tape coral 110° 25mm x 50m 48p.	48	1	36	<b>117</b>
<b>MST 430</b>	Masking tape coral 110° 30mm x 50m 32p	32	1	36	<b>117</b>
<b>MST 438</b>	Masking tape coral 110° 38mm x 50m 24p.	24	1	36	<b>117</b>
<b>MST 450</b>	Masking tape coral 110° 50mm x 50m 24p.	24	1	36	<b>117</b>
<b>MST 719</b>	Masking tape 120° 19mm x 50m 48p.	48	1	48	<b>118</b>
<b>MST 725</b>	Masking tape 120° 25mm x 50m 36p.	36	1	48	<b>118</b>
<b>MST 730</b>	Masking tape 120° 30mm x 50m 32p.	32	1	48	<b>118</b>
<b>MST 738</b>	Masking tape 120° 38mm x 50m 24p.	24	1	48	<b>118</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>MST 750</b>	Masking tape 120° 50mm x 50m 24p.	24	1	36	<b>118</b>
<b>MST 819</b>	Masking tape Gold 19mm x 50m 48p.	48	1	48	<b>118</b>
<b>MST 825</b>	Masking tape Gold 25mm x 50m 36p.	36	1	48	<b>118</b>
<b>MST 838</b>	Masking tape Gold 38mm x 50m 24p.	24	1	48	<b>118</b>
<b>MST 850</b>	Masking tape Gold 50mm x 50m 18p.	18	1	36	<b>118</b>
<b>MST 919</b>	Masking tape 100° 19mm x 50m 48p.	48	1	48	<b>117</b>
<b>MST 925</b>	Masking tape 100° - 25mm x 50m 36p.	36	1	48	<b>117</b>
<b>MST 930</b>	Masking tape 100° - 30mm x 50m 32p.	32	1	48	<b>117</b>
<b>MST 938</b>	Masking tape 100° 38mm x 50m 24p.	24	1	48	<b>117</b>
<b>MST 950</b>	Masking tape 100° 50mm x 50m 24p.	24	1	36	<b>117</b>
<b>NSC 07</b>	Polyester spray overall blue - S 42-44	1	50	800	<b>169</b>
<b>NSC 08</b>	Polyester spray overall blue - M 46-48	1	50	800	<b>169</b>
<b>NSC 09</b>	Polyester spray overall blue - L 50-52	1	50	800	<b>169</b>
<b>NSC 10</b>	Polyester spray overall blue - XL 54-56	1	50	800	<b>169</b>
<b>NSC 11</b>	Polyester spray overall blue - XXL 58-60	1	50	800	<b>169</b>
<b>NSC 12</b>	Polyester spray overall blue - XXXL 60-62	1	50	800	<b>169</b>
<b>NVZ 0125</b>	Nylon paint strainers 125µm 4 x 250p.	1,000	1	30	<b>24</b>
<b>NVZ 0190</b>	Nylon paint strainers 190µm 4 x 250p.	1,000	1	30	<b>24</b>
<b>P</b>					
<b>PAP 60</b>	Floormats paper 375mmx500mm 250p. perforated on a roll	250	1	96	<b>125</b>
<b>PAP 61</b>	Paper footmats on plastic film 70gr - 500p.	500	1	68	<b>125</b>
<b>PHO 07</b>	High-tec spray overall white/blue - S	1	25	800	<b>167</b>
<b>PHO 08</b>	High-tec spray overall white/blue - M	1	25	800	<b>167</b>
<b>PHO 09</b>	High-tec spray overall white/blue - L	1	25	800	<b>167</b>
<b>PHO 10</b>	High-tec spray overall white/blue - XL	1	25	800	<b>167</b>
<b>PHO 11</b>	High-tec spray overall white/blue - XXL	1	25	800	<b>167</b>
<b>PIP 03</b>	Pipette 3ml 500p.	500	1	-	<b>28</b>
<b>PLA 32</b>	Plastic for spray booth 15µm 260cm x 100m	1	1	105	<b>149</b>
<b>PLA 45</b>	Pliable/cutable magnet strip 100cm - 1p.	1	250	-	<b>149</b>
<b>PLA 49</b>	Cutter for masking film - magnetic	1	72	-	<b>116</b>
<b>PLA 50M</b>	Cutters for masking film - standard 20p.	20	60	-	<b>116</b>
<b>PLA 52</b>	Cutter for masking film - premium	1	10	-	<b>116</b>
<b>PLA 55</b>	Replacement blades for premium cutter 10p.	10	10	-	<b>116</b>
<b>PLA 60</b>	Footmats plastic 380mm x 500mm 250p. perforated on a roll	250	1	156	<b>125</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>PLA 62</b>	Seat covers 820x1300x500mm - 12µm 250p. on a roll	250	1	49	<b>124</b>
<b>PLA 67</b>	steering wheel film 15µm 125mm x 150m 10p.	10	10	82	<b>125</b>
<b>PLA 68</b>	Support steering wheel film PLA 67	1	1	-	<b>125</b>
<b>PLA 80</b>	Door foam film 60cm x 10m	1	1	72	<b>180</b>
<b>PLA 81</b>	Wheel covers 20µm 70 x 34,5 x 90cm - 250p.	250	1	80	<b>124</b>
<b>PLI 00</b>	Plastic repair set	1	5	-	<b>78</b>
<b>PLI 01</b>	Plastic repair 'fast' (25sec.) black - 50ml	1	6	-	<b>77</b>
<b>PLI 02</b>	Plastic repair 'medium' (1.5min.) black - 50ml	1	6	-	<b>77</b>
<b>PLI 03</b>	Plastic repair 'slow' (3.5min.) black - 50ml	1	6	-	<b>77</b>
<b>PLI 05</b>	Mixer tips for plastic repair 50ml 10p.	10	100	-	<b>78</b>
<b>PLI 10</b>	Applicator gun for plastic repair	1	25	-	<b>78</b>
<b>PLI 15</b>	Reinforcement canvas 12cm x 3.6m	1	10	-	<b>78</b>
<b>PLI 16</b>	Contour canvas 12cm x 3.6m	1	10	-	<b>78</b>
<b>PLI 50</b>	Metal bonding 60 min. black - 220ml	1	6	-	<b>81</b>
<b>PLI 55</b>	Mixer tips for metal bonding 10p.	1	1	-	<b>81</b>
<b>PLI 60</b>	Applicator gun for metal bonding	1	1	-	<b>81</b>
<b>PMP 20</b>	Touch up tips in a dispenser 100p. Blue 2mm	100	96	-	<b>59</b>
<b>PMP 21</b>	Touch up tips in a dispenser 100p. Yellow 1.5mm	100	96	-	<b>59</b>
<b>PMP 22</b>	Touch up tips in a dispenser 100p. White 1mm	100	96	-	<b>59</b>
<b>POL 05</b>	One step polish paste 0.5kg	1	10	800	<b>54</b>
<b>POL 10</b>	One step polish paste 1kg	1	8	480	<b>54</b>
<b>POL 15</b>	2 step polish paste 1kg - step 1	1	8	384	<b>53</b>
<b>POL 16</b>	2 step polish paste 1kg - step 2	1	8	384	<b>53</b>
<b>POL 33</b>	Black foam pad 'soft' 1p.	1	1	-	<b>48</b>
<b>POL 40</b>	Microfiber cloth green 40x40cm 5p.	5	36	360	<b>49</b>
<b>POL 50</b>	Pneumatic polish machine	1	10	300	<b>56</b>
<b>POL 55</b>	Electric polish machine 1050W 700-2500RPM	1	4	160	<b>56</b>
<b>POL 56</b>	Interface pad for POL 50, 55, 80 - 120mm - M14	1	-	-	<b>57</b>
<b>POL 57</b>	Interface pad - 120mm - BSP 5/8	1	-	-	<b>57</b>
<b>POL 58</b>	Pad for POL 50-55-80 - 80mm - M14	1	360	-	<b>57</b>
<b>POL 60</b>	Polishing case - electric polishing machine	1	-	-	<b>58</b>
<b>POL 62</b>	Polishing case + MHW + electric polishing machine	1	-	-	<b>58</b>
<b>POL 70</b>	Matting compound 1kg	1	8	480	<b>105</b>
<b>POL 80</b>	Electric polish machine HD - 1500W 700-2500RPM	1	3	120	<b>56</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>POL 81</b>	Pad for POL 80 - 180mm - M14	1	40	1,080	<b>57</b>
<b>POP 108</b>	Lambswool pad 80/5mm - 4p.	4	100	-	<b>55</b>
<b>POP 114</b>	Lambswool pad 135/5mm - 2p.	2	100	-	<b>55</b>
<b>POP 117</b>	Lambswool pad 175/5mm - 2p.	2	100	-	<b>55</b>
<b>POP 308</b>	Red foam pad 'hard' 80/25mm - 5p.	5	100	-	<b>55</b>
<b>POP 314</b>	Red foam pad 'hard' 145/30mm - 2p.	2	100	-	<b>55</b>
<b>POP 318</b>	Red foam pad 'hard' 180/30mm - 2p.	2	50	-	<b>55</b>
<b>POP 508</b>	White foam pad 80/25mm - 5 p.	5	100	-	<b>55</b>
<b>POP 514</b>	White foam pad 145/30mm 2p.	2	100	-	<b>55</b>
<b>POP 518</b>	White foam pad 'closed cell' 180/30mm - 2s.	2	50	-	<b>55</b>
<b>POP 708</b>	Orange foam pad 80/25mm - 5 p.	5	100	-	<b>55</b>
<b>POP 714</b>	Orange foam pad 145/30mm 2p.	2	100	-	<b>55</b>
<b>POP 718</b>	Orange foam pad 'closed cell' 180/30mm - 2 p.	2	50	-	<b>55</b>
<b>POP 908</b>	Black foam pad 80/25mm - 5 p.	5	100	-	<b>55</b>
<b>POP 914</b>	Black foam pad 'soft' 145/30mm 2p.	2	100	-	<b>55</b>
<b>POP 918</b>	Black foam pad 'closed cell' 180/30mm - 2 p.	2	50	-	<b>55</b>
<b>PPM 20</b>	Flexible metal spreader set 4p.	4	100	-	<b>71</b>
<b>PPM 25</b>	Plastic spreaders in dispenser box 25p. - replaces PPM 10	25	-	-	<b>71</b>
<b>PPM 40</b>	Rubber spreaders 20p.	20	10	-	<b>71</b>
<b>PRD 01</b>	Adhesive eraser with integrated arbor Ø 88mm x	1	100	-	<b>184</b>
<b>PRD 05</b>	Ridged adhesive eraser - Ø100mm x 26mm	1	50	-	<b>184</b>
<b>PRD 10</b>	steel brush for PRD 55	1	1	-	<b>184</b>
<b>PRD 11</b>	Adapter for wire brush PRD 10	1	1	-	<b>184</b>
<b>PRD 50</b>	Arbor for PRD 01	1	50	-	<b>184</b>
<b>PRD 55</b>	Pneumatic machine - 4.000 rpm	1	10	-	<b>184</b>
<b>PRF 600</b>	Self-adhesive protection film - white - 60cm x 25m	1	1	72	<b>151</b>
<b>PRF 1200</b>	Self-adhesive protection film - white - 120cm x 25m	1	1	36	<b>151</b>
<b>PRG 05</b>	Plastic renewal gel - 500ml	1	10	800	<b>48</b>
<b>PRO 19</b>	Pen 25p.	25	-	-	<b>189</b>
<b>PRO 22</b>	Cap - blue	1	25	-	<b>190</b>
<b>PRO 23</b>	Umbrella XL - black	1	25	-	<b>189</b>
<b>PRO 28</b>	Paper bag	1	-	-	<b>189</b>
<b>PRO 34</b>	Cardboard cup 100p.	100	-	-	<b>189</b>
<b>PRO 036</b>	Promo car 1/10	1	16	-	<b>189</b>
<b>PRO 38</b>	Notepad A5 10p.	10	6	-	<b>189</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>PRO 39</b>	Notepad A4 10p.	10	3	-	<b>189</b>
<b>PRO 42</b>	Bottle Beer 33cl	1	24	1,536	<b>189</b>
<b>PRO 52</b>	standard roll-up banner 85x200 - logo	1	1	-	<b>188</b>
<b>PRO 57</b>	Rack - starter module	1	1	-	<b>188</b>
<b>PRO 58</b>	Rack - extension module	1	1	-	<b>188</b>
<b>PRO 59</b>	Rack - corner module	1	1	-	<b>188</b>
<b>PRO 60</b>	standard roll-up banner 85x200 - POL	1	1	-	<b>188</b>
<b>PRO 62</b>	standard roll-up banner 85x200 - Sharp White	1	1	-	<b>188</b>
<b>PRO 63</b>	Tennis balls - tube with 4 pieces	1	36	648	<b>189</b>
<b>PRO 64</b>	Football	1	24	-	<b>189</b>
<b>PRO 68</b>	Webcam cover	1	-	-	<b>189</b>
<b>PRO 69</b>	USB 32GB	1	300	-	<b>189</b>
<b>PRO 71</b>	Coffee cups porcelain Lugano 6p.	6	-	-	<b>189</b>
<b>PRO 72</b>	Finixa wall clock dia 28cm	1	20	-	<b>189</b>
<b>PRO 100</b>	T-shirt navy - S	1	50	-	<b>190</b>
<b>PRO 101</b>	T-shirt navy - M	1	50	-	<b>190</b>
<b>PRO 102</b>	T-shirt navy - L	1	50	-	<b>190</b>
<b>PRO 103</b>	T-shirt navy - XL	1	50	-	<b>190</b>
<b>PRO 104</b>	T-shirt navy - XXL	1	50	-	<b>190</b>
<b>PRO 105</b>	T-shirt navy - XXXL	1	50	-	<b>190</b>
<b>PRO 106</b>	T-shirt navy - XXXXL	1	50	-	<b>190</b>
<b>PRO 420</b>	Shirt white - S	1	-	-	<b>190</b>
<b>PRO 421</b>	Shirt white - M	1	-	-	<b>190</b>
<b>PRO 422</b>	Shirt white - L	1	-	-	<b>190</b>
<b>PRO 423</b>	Shirt white - XL	1	-	-	<b>190</b>
<b>PRO 424</b>	Shirt white - XXL	1	-	-	<b>190</b>
<b>PRO 431</b>	Polo French Navy - S	1	-	-	<b>190</b>
<b>PRO 432</b>	Polo French Navy - M	1	-	-	<b>190</b>
<b>PRO 433</b>	Polo French Navy - L	1	-	-	<b>190</b>
<b>PRO 434</b>	Polo French Navy - XL	1	-	-	<b>190</b>
<b>PRO 435</b>	Polo French Navy - XXL	1	-	-	<b>190</b>
<b>PRO 436</b>	Polo French Navy - XXXL	1	-	-	<b>190</b>
<b>PRO 701</b>	Softshell jacket - S	1	0	-	<b>190</b>
<b>PRO 702</b>	Softshell jacket - M	1	0	-	<b>190</b>
<b>PRO 703</b>	Softshell jacket - L	1	0	-	<b>190</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>PRO 704</b>	Softshell jacket - XL	1	0	-	<b>190</b>
<b>PRO 705</b>	Softshell jacket - XXL	1	0	-	<b>190</b>
<b>PRO 721</b>	SharpWhite hoodie blue - S	1	40	-	<b>190</b>
<b>PRO 722</b>	SharpWhite hoodie blue - M	1	35	-	<b>190</b>
<b>PRO 723</b>	SharpWhite hoodie blue - L	1	30	-	<b>190</b>
<b>PRO 724</b>	SharpWhite hoodie blue - XL	1	30	-	<b>190</b>
<b>PRO 725</b>	SharpWhite hoodie blue - XXL	1	20	-	<b>190</b>
<b>PRO 726</b>	SharpWhite hoodie blue - XXXL	1	20	-	<b>190</b>
<b>PRO 727</b>	SharpWhite hoodie blue - XXXXL	1	20	-	<b>190</b>
<b>PRO 731</b>	Finixa bodywarmer blue - M	1	20	-	<b>190</b>
<b>PRO 732</b>	Finixa bodywarmer blue - L	1	20	-	<b>190</b>
<b>PRO 733</b>	Finixa bodywarmer blue - XL	1	20	-	<b>190</b>
<b>PRO 734</b>	Finixa bodywarmer blue - XXL	1	20	-	<b>190</b>
<b>PRO 800</b>	Earpods	1	90	-	<b>189</b>
<b>PSM 17</b>	Parking sensor masking discs 60 p.. (3x20p.)	60	50	-	<b>126</b>
<b>PWP 05T</b>	Powerpeel transparent 5l	5l	1	96	<b>147</b>
<b>PWP 05W</b>	Powerpeel white 5l	5l	1	96	<b>147</b>

**Q - R**

<b>QCD 5036</b>	Quick change sanding disc Ø50mm P36 25p.	25	8	-	<b>92</b>
<b>QCD 5050</b>	Quick change sanding disc Ø50mm P50 25p.	25	8	-	<b>92</b>
<b>QCD 5080</b>	Quick change sanding disc Ø50mm P80 25p.	25	8	-	<b>92</b>
<b>QCD 7550</b>	Quick change sanding disc Ø75mm P50 25p.	25	8	-	<b>92</b>
<b>QCD 7580</b>	Quick change sanding disc Ø75mm P80 25p.	25	8	-	<b>92</b>
<b>QCS 00</b>	Quick change spindle for 50mm discs (Type R)	1	100	-	<b>98</b>
<b>RJE 20</b>	Rubber jet	1	100	-	<b>41</b>
<b>RJE 21</b>	Rubber Jet with Orion connector	1	100	-	<b>41</b>

**S**

<b>SAB 01</b>	Sanding block flat hand grip for sanding discs Ø150m	1	6	-	<b>104</b>
<b>SAB 07</b>	Sanding block - ergonomic grip + 3 shapes	1	1	-	<b>103</b>
<b>SAB 30</b>	Sanding block with extraction, 70 x 125mm, 8 holes	1	1	-	<b>104</b>
<b>SAB 31</b>	Sanding block with extraction, 70 x 198mm, 8 holes	1	1	-	<b>104</b>
<b>SAB 32</b>	Sanding block with extraction, 70 x 400mm, 14 holes	1	1	-	<b>104</b>
<b>SAB 33</b>	Sanding block with extraction, 115 x 230mm, 10 holes	1	1	-	<b>104</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>SAB 35</b>	Sanding block w. extraction, 70x198mm, 8 holes + 4 shapes	1	1	-	<b>103</b>
<b>SAB 50</b>	Velcro board for sanding gear	1	1	-	<b>98</b>
<b>SAM 00</b>	Pneumatic sanding machine Ø150mm - 2.5mm deviation	1	10	200	<b>95</b>
<b>SAM 01</b>	Pneumatic sanding machine Ø150mm - 5.0mm deviation	1	10	200	<b>95</b>
<b>SAM 02</b>	Pneum. eccentric sand. machine Ø75mm-2.5mm deviation	1	10	-	<b>96</b>
<b>SAM 15M</b>	Sanding pad velcro 15 holes MEDIUM universal Ø150mm	1	1	-	<b>97</b>
<b>SAM 15S</b>	Sanding pad velcro 15 holes SOFT universal Ø150mm	1	1	-	<b>97</b>
<b>SAM 021</b>	Sanding pad velcro 75mm	1	5	-	<b>98</b>
<b>SAM 36M</b>	Sanding pad soft velcro 15 holes 10mm Ø150mm - 3p.	3	-	-	<b>97</b>
<b>SAM 37M</b>	Sanding pad soft velcro 15 holes 5mm Ø150mm - 3p.	3	-	-	<b>97</b>
<b>SAM 38M</b>	Sanding pad soft velcro - no holes - 5mm Ø75mm - 3p.	3	-	-	<b>98</b>
<b>SAM 39M</b>	Sanding pad soft velcro - no holes - 10mm Ø75mm - 3p.	3	-	-	<b>98</b>
<b>SAM 41</b>	Mini sander with central vacuum	1	12	192	<b>96</b>
<b>SAM 50</b>	Pneum. sand. machine Ø150mm-2.5mm deviation	1	12	192	<b>95</b>
<b>SAM 51</b>	Pneum. sand. machine Ø150mm-5mm deviation	1	12	192	<b>95</b>
<b>SAM 75M</b>	Sanding pad medium - 75 holes - Ø150mm for SharpWhite	1	1	-	<b>97</b>
<b>SAM 75S</b>	Sanding pad soft - 75 holes - Ø150mm for SharpWhite	1	1	-	<b>97</b>
<b>SAM 125M</b>	Sanding pad velcro 9 holes MEDIUM universal Ø125mm	1	1	-	<b>97</b>
<b>SAM 125S</b>	Sanding pad velcro 9 holes SOFT universal Ø125mm	1	1	-	<b>97</b>
<b>SAM 411</b>	Sanding pad velcro Ø77mm-¼x20 screw thread-3 holes-medium	1	-	-	<b>98</b>
<b>SBR 10</b>	Scuff rolls extra fine - red - 100mm x 10m	1	5	120	<b>105</b>
<b>SBR 20</b>	Scuff rolls ultra fine - grey - 100mm x 10m	1	5	120	<b>105</b>
<b>SBR 30</b>	Scuff rolls micro fine - gold - 100mm x 10m	1	5	120	<b>105</b>
<b>SCL 00</b>	stone chip UV curing lamp	1	40	1,000	<b>60</b>
<b>SCR 100</b>	Scrubs impregnated cleaning cloths 100p. in dispenser bucket	100	4	192	<b>163</b>
<b>SCU 20</b>	UV stone chip repair - 20g	1	12	-	<b>60</b>
<b>SFDC 0080</b>	SharpWhite sanding disc Ø150mm - Multihole P80 100p.	100	8	336	<b>87</b>
<b>SFDC 0120</b>	SharpWhite sanding disc Ø150mm - Multihole P120 100p.	100	8	336	<b>87</b>
<b>SFDC 0150</b>	SharpWhite sanding disc Ø150mm - Multihole P150 100p.	100	8	336	<b>87</b>
<b>SFDC 0180</b>	SharpWhite sanding disc Ø150mm - Multihole P180 100p.	100	8	336	<b>87</b>
<b>SFDC 0220</b>	SharpWhite sanding disc Ø150mm - Multihole P220 100p.	100	8	336	<b>87</b>
<b>SFDC 0240</b>	SharpWhite sanding disc Ø150mm - Multihole P240 100p.	100	8	336	<b>87</b>
<b>SFDC 0320</b>	SharpWhite sanding disc Ø150mm - Multihole P320 100p.	100	8	336	<b>87</b>
<b>SFDC 0400</b>	SharpWhite sanding disc Ø150mm - Multihole P400 100p.	100	8	336	<b>87</b>



CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>SFDC 0500</b>	SharpWhite sanding disc Ø150mm - Multihole P500 100p.	100	8	336	<b>87</b>
<b>SFDC 0500</b>	SharpWhite sanding disc Ø150mm - Multihole P600 100p.	100	8	336	<b>87</b>
<b>SFDC 0800</b>	SharpWhite sanding disc Ø150mm - Multihole P800 100p.	100	8	336	<b>87</b>
<b>SFDD 0080</b>	SharpWhite sanding disc Ø75mm - Multihole P80 50p.	50	48	-	<b>88</b>
<b>SFDD 0120</b>	SharpWhite sanding disc Ø75mm - Multihole P120 50p.	50	48	-	<b>88</b>
<b>SFDD 0150</b>	SharpWhite sanding disc Ø75mm - Multihole P150 50p.	50	48	-	<b>88</b>
<b>SFDD 0180</b>	SharpWhite sanding disc Ø75mm - Multihole P180 50p.	50	48	-	<b>88</b>
<b>SFDD 0220</b>	SharpWhite sanding disc Ø75mm - Multihole P220 50p.	50	48	-	<b>88</b>
<b>SFDD 0240</b>	SharpWhite sanding disc Ø75mm - Multihole P240 50p.	50	48	-	<b>88</b>
<b>SFDD 0320</b>	SharpWhite sanding disc Ø75mm - Multihole P320 50p.	50	48	-	<b>88</b>
<b>SFDD 0400</b>	SharpWhite sanding disc Ø75mm - Multihole P400 50p.	50	48	-	<b>88</b>
<b>SFDD 0500</b>	SharpWhite sanding disc Ø75mm - Multihole P500 50p.	50	48	-	<b>88</b>
<b>SFDD 0600</b>	SharpWhite sanding disc Ø75mm - Multihole P600 50p.	50	48	-	<b>88</b>
<b>SFDD 0800</b>	SharpWhite sanding disc Ø75mm - Multihole P800 50p.	50	48	-	<b>88</b>
<b>SFDE 0800</b>	Finishing film discs Ø150mm-15 holes P800 50p.	50	10	-	<b>94</b>
<b>SFDE 1000</b>	Finishing film discs Ø150mm-15 holes P1000 50p.	50	10	-	<b>94</b>
<b>SFDE 1500</b>	Finishing film discs Ø150mm-15 holes P1500 50p.	50	10	-	<b>94</b>
<b>SFDE 2000</b>	Finishing film discs Ø150mm-15 holes P2000 50p.	50	10	-	<b>94</b>
<b>SFDE 2500</b>	Finishing film discs Ø150mm-15 holes P2500 50p.	50	10	-	<b>94</b>
<b>SFDF 0800</b>	Finishing film discs Ø75mm-no holes P800 50p.	50	10	-	<b>93</b>
<b>SFDF 1000</b>	Finishing film discs Ø75mm-no holes P1000 50p.	50	10	-	<b>93</b>
<b>SFDF 1500</b>	Finishing film discs Ø75mm-no holes P1500 50p.	50	10	-	<b>93</b>
<b>SFDF 2000</b>	Finishing film discs Ø75mm-no holes P2000 50p.	50	10	-	<b>93</b>
<b>SFDF 2500</b>	Finishing film discs Ø75mm-no holes P2500 50p.	50	10	-	<b>93</b>
<b>SFP 0080</b>	Sharp foam pad 0080 - 24 p.	24	10	-	<b>99</b>
<b>SFP 0120</b>	Sharp foam pad 0120 - 24 p.	24	10	-	<b>99</b>
<b>SFP 0220</b>	Sharp foam pad 0220 - 24 p.	24	10	-	<b>99</b>
<b>SFP 0320</b>	Sharp foam pad 0320 - 24 p.	24	10	-	<b>99</b>
<b>SFP 0500</b>	Sharp foam pad 0500 - 24 p.	24	10	-	<b>99</b>
<b>SFP 0800</b>	Sharp foam pad 0800 - 24 p.	24	10	-	<b>99</b>
<b>SFP 1000</b>	Sharp foam pad 1000 - 24 p.	24	10	-	<b>99</b>
<b>SIP 1000</b>	Siphon 1l 6p.	6	1	30	<b>28</b>
<b>SOF 11</b>	Polishing cloths 380mm x 400mm in dispenser box 400p.	400	1	48	<b>34</b>
<b>SOF 19</b>	Degreasing cloths white 42 x 30cm 260p.	260	1	90	<b>33</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>SOF 20</b>	Degreasing cloths turquoise 42 x 30cm 200p.	200	1	90	<b>33</b>
<b>SOF 21</b>	Degreasing cloths 380mm x 300mm 500p./roll	500	1	60	<b>33</b>
<b>SOF 25</b>	Degreasing cloths white 450mm x 300mm 70p./bucket	70	6	216	<b>33</b>
<b>SOF 50</b>	Cleaning cloths 380mm x 400mm dispenser box 225p.	225	1	60	<b>34</b>
<b>SOF 52</b>	Cleaning cloths 380mm x 320mm 500p. on a roll	500	1	40	<b>34</b>
<b>SOF 60</b>	3-layer cleaning paper 380mm x 370mm 1000p. on a roll	1,000	1	40	<b>34</b>
<b>SOF 62</b>	2-layer cleaning paper 240mm x 365mm 950p. on a roll	952	1	96	<b>34</b>
<b>SOF 90</b>	Floor dispenser	1	1	50	<b>40</b>
<b>SOF 91</b>	Wall dispenser	1	1	50	<b>40</b>
<b>SOF 92</b>	Floor dispenser + bin bag fastner	1	1	50	<b>40</b>
<b>SOF 251</b>	SOF 25 refill - 6 rolls 450mm x 300mm 70p..	6	1	88	<b>33</b>
<b>SOG 07</b>	Polyester spray overall grey knee protection S	1	50	-	<b>166</b>
<b>SOG 08</b>	Polyester spray overall grey knee protection M	1	50	-	<b>166</b>
<b>SOG 09</b>	Polyester spray overall grey knee protection L	1	50	-	<b>166</b>
<b>SOG 10</b>	Polyester spray overall grey knee protection XL	1	50	-	<b>166</b>
<b>SOG 11</b>	Polyester spray overall grey knee protection XXL	1	50	-	<b>166</b>
<b>SOGK 02</b>	Knee pad for spray overall grey	1	40	-	<b>165</b>
<b>SPDA 0040</b>	Abrasive red-paper-Ø150mm 15 holes P40 50p.	50	8	336	<b>89</b>
<b>SPDA 0060</b>	Abrasive red-paper-Ø150mm 15 holes P60 50p.	50	8	336	<b>89</b>
<b>SPDA 0080</b>	Abrasive red-paper-Ø150mm 15 holes P80 100p.	100	8	336	<b>89</b>
<b>SPDA 0100</b>	Abrasive red-paper-Ø150mm 15 holes P100 100p.	100	8	336	<b>89</b>
<b>SPDA 0120</b>	Abrasive red-paper-Ø150mm 15 holes P120 100p.	100	8	336	<b>89</b>
<b>SPDA 0150</b>	Abrasive red-paper-Ø150mm 15 holes P150 100p.	100	8	336	<b>89</b>
<b>SPDA 0180</b>	Abrasive red-paper-Ø150mm 15 holes P180 100p.	100	8	336	<b>89</b>
<b>SPDA 0220</b>	Abrasive red-paper-Ø150mm 15 holes P220 100p.	100	8	336	<b>89</b>
<b>SPDA 0240</b>	Abrasive red-paper-Ø150mm 15 holes P240 100p.	100	8	336	<b>89</b>
<b>SPDA 0280</b>	Abrasive red-paper-Ø150mm 15 holes P280 100p.	100	8	336	<b>89</b>
<b>SPDA 0320</b>	Abrasive red-paper-Ø150mm 15 holes P320 100p.	100	8	336	<b>89</b>
<b>SPDA 0360</b>	Abrasive red-paper-Ø150mm 15 holes P360 100p.	100	8	336	<b>89</b>
<b>SPDA 0400</b>	Abrasive red-paper-Ø150mm 15 holes P400 100p.	100	8	336	<b>89</b>
<b>SPDA 0500</b>	Abrasive red-paper-Ø150mm 15 holes P500 100p.	100	8	336	<b>89</b>
<b>SPDA 0600</b>	Abrasive red-paper-Ø150mm 15 holes P600 100p.	100	8	336	<b>89</b>
<b>SPDA 0800</b>	Abrasive red-paper-Ø150mm 15 holes P800 100p.	100	8	336	<b>89</b>
<b>SPDA 1000</b>	Abrasive red-paper-Ø150mm 15 holes P1000 100p.	100	8	336	<b>89</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>SPDA 1200</b>	Abrasivo red-paper-Ø150mm 15 holes P1200 100p.	100	8	336	<b>89</b>
<b>SPDD 0080</b>	Abrasivo disc Ø125mm 8 holes P80 100p.	100	10	-	<b>91</b>
<b>SPDD 0120</b>	Abrasivo disc Ø125mm 8 holes P120 100p.	100	10	-	<b>91</b>
<b>SPDD 0180</b>	Abrasivo disc Ø125mm 8 holes P180 100p.	100	10	-	<b>91</b>
<b>SPDD 0220</b>	Abrasivo disc Ø125mm 8 holes P220 100p.	100	10	-	<b>91</b>
<b>SPDD 0240</b>	Abrasivo disc Ø125mm 8 holes P240 100p.	100	10	-	<b>91</b>
<b>SPDD 0320</b>	Abrasivo disc Ø125mm 8 holes P320 100p.	100	10	-	<b>91</b>
<b>SPDD 0400</b>	Abrasivo disc Ø125mm 8 holes P400 100p.	100	10	-	<b>91</b>
<b>SPDD 0500</b>	Abrasivo disc Ø125mm 8 holes P500 100p.	100	10	-	<b>91</b>
<b>SPDD 0600</b>	Abrasivo disc Ø125mm 8 holes P600 100p.	100	10	-	<b>91</b>
<b>SPDD 0800</b>	Abrasivo disc Ø125mm 8 holes P800 100p.	100	10	-	<b>91</b>
<b>SPDE 0040</b>	Abrasivo disc Ø203mm 8 holes P40 50p.	100	10	-	<b>91</b>
<b>SPDE 0080</b>	Abrasivo disc Ø203mm 8 holes P80 100p.	100	10	-	<b>91</b>
<b>SPDE 0120</b>	Abrasivo disc Ø203mm 8 holes P120 100p.	100	10	-	<b>91</b>
<b>SPDE 0150</b>	Abrasivo disc Ø203mm 8 holes P150 100p.	100	10	-	<b>91</b>
<b>SPDE 0240</b>	Abrasivo disc Ø203mm 8 holes P240 100p.	100	10	-	<b>91</b>
<b>SPDE 0320</b>	Abrasivo disc Ø203mm 8 holes P320 100p.	100	10	-	<b>91</b>
<b>SPDE 0400</b>	Abrasivo disc Ø203mm 8 holes P400 100p.	100	10	-	<b>91</b>
<b>SPDM 1500</b>	Adhesive minidisks pvc support Ø35mm P1500 100p.	100	1	-	<b>105</b>
<b>SPDM 2000</b>	Adhesive minidisks pvc support Ø35mm P2000 100p.	100	1	-	<b>105</b>
<b>SPDM 2500</b>	Adhesive minidisks pvc support Ø35mm P2500 100p.	100	1	-	<b>105</b>
<b>SPDM 3000</b>	Adhesive minidisks pvc support Ø35mm P3000 100p.	100	1	-	<b>105</b>
<b>SPDQ 1000</b>	Ultimate foam discs velcro 150mm no holes P1000 10p.	10	8	-	<b>92</b>
<b>SPDQ 2000</b>	Ultimate foam discs velcro 150mm no holes P2000 10p.	10	8	-	<b>92</b>
<b>SPDQ 3000</b>	Ultimate foam discs velcro 150mm no holes P3000 10p.	10	8	-	<b>92</b>
<b>SPDR 1000</b>	Ultimate foam discs velcro 75mm no holes P1000 20p.	20	8	-	<b>92</b>
<b>SPDR 2000</b>	Ultimate foam discs velcro 75mm no holes P2000 20p.	20	8	-	<b>92</b>
<b>SPDR 3000</b>	Ultimate foam discs velcro 75mm no holes P3000 20p.	20	8	-	<b>92</b>
<b>SPDS 0040</b>	Abrasivo red-paper-Ø150mm 0 holes P40 50p.	50	8	-	<b>91</b>
<b>SPDS 0060</b>	Abrasivo red-paper-Ø150mm 0 holes P60 50p.	50	8	-	<b>91</b>
<b>SPDS 0080</b>	Abrasivo red-paper-Ø150mm 0 holes P80 100p.	100	8	-	<b>91</b>
<b>SPDS 0100</b>	Abrasivo red-paper-Ø150mm 0 holes P100 100p.	100	8	-	<b>91</b>
<b>SPDS 0120</b>	Abrasivo red-paper-Ø150mm 0 holes P120 100p.	100	8	-	<b>91</b>
<b>SPDS 0150</b>	Abrasivo red-paper-Ø150mm 0 holes P150 100p.	100	8	-	<b>91</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>SPDS 0180</b>	Abrasivo red-paper-Ø150mm 0 holes P180 100p.	100	8	-	<b>91</b>
<b>SPDS 0220</b>	Abrasivo red-paper-Ø150mm 0 holes P220 100p.	100	8	-	<b>91</b>
<b>SPDS 0240</b>	Abrasivo red-paper-Ø150mm 0 holes P240 100p.	100	8	-	<b>91</b>
<b>SPDS 0280</b>	Abrasivo red-paper-Ø150mm 0 holes P280 100p.	100	8	-	<b>91</b>
<b>SPDS 0320</b>	Abrasivo red-paper-Ø150mm 0 holes P320 100p.	100	8	-	<b>91</b>
<b>SPDS 0360</b>	Abrasivo red-paper-Ø150mm 0 holes P360 100p.	100	8	-	<b>91</b>
<b>SPDS 0400</b>	Abrasivo red-paper-Ø150mm 0 holes P400 100p.	100	8	-	<b>91</b>
<b>SPDS 0500</b>	Abrasivo red-paper-Ø150mm 0 holes P500 100p.	100	8	-	<b>91</b>
<b>SPDS 0600</b>	Abrasivo red-paper-Ø150mm 0 holes P600 100p.	100	8	-	<b>91</b>
<b>SPDS 0800</b>	Abrasivo red-paper-Ø150mm 0 holes P800 100p.	100	8	-	<b>91</b>
<b>SPDS 1000</b>	Abrasivo red-paper-Ø150mm 0 holes P1000 100p.	100	8	-	<b>91</b>
<b>SPDS 1200</b>	Abrasivo red-paper-Ø150mm 0 holes P1200 100p.	100	8	-	<b>91</b>
<b>SPFA 0080</b>	Foam backing abrasive on a roll 114mm x 25m P80	1	1	80	<b>101</b>
<b>SPFA 0150</b>	Foam backing abrasive on a roll 114mm x 25m P150	1	1	80	<b>101</b>
<b>SPFA 0180</b>	Foam backing abrasive on a roll 114mm x 25m P180	1	1	80	<b>101</b>
<b>SPFA 0240</b>	Foam backing abrasive on a roll 114mm x 25m P240	1	1	80	<b>101</b>
<b>SPFA 0320</b>	Foam backing abrasive on a roll 114mm x 25m P320	1	1	80	<b>101</b>
<b>SPFA 0400</b>	Foam backing abrasive on a roll 114mm x 25m P400	1	1	80	<b>101</b>
<b>SPFA 0500</b>	Foam backing abrasive on a roll 114mm x 25m P500	1	1	80	<b>101</b>
<b>SPFA 0600</b>	Foam backing abrasive on a roll 114mm x 25m P600	1	1	80	<b>101</b>
<b>SPFA 0800</b>	Foam backing abrasive on a roll 114mm x 25m P800	1	1	80	<b>101</b>
<b>SPFA 1000</b>	Foam backing abrasive on a roll 114mm x 25m P1000	1	1	80	<b>101</b>
<b>SPG 80</b>	10l pressure tank incl. 10m hose + spray gun 1.8mm	1	1	20	<b>17</b>
<b>SPG 80K1.2</b>	Nozzle set for SPG 81 1.2mm	1	1	-	<b>21</b>
<b>SPG 80K1.5</b>	Nozzle set for SPG 81 1.5mm	1	1	-	<b>21</b>
<b>SPG 80K1.8</b>	Nozzle set for SPG 81 1.8mm	1	1	-	<b>21</b>
<b>SPG 80K2.0</b>	Nozzle set for SPG 81 2.0mm	1	1	-	<b>21</b>
<b>SPG 80K2.5</b>	Nozzle set for SPG 81 2.5mm	1	1	-	<b>21</b>
<b>SPG 80K3.0</b>	Nozzle set for SPG 81 3.0mm	1	1	-	<b>21</b>
<b>SPG 81</b>	Spray gun + nozzle 1.8mm for SPG 80	1	1	-	<b>17</b>
<b>SPG 82</b>	Set hoses for SPG 80 - 10m	1	1	-	<b>17</b>
<b>SPG 100</b>	Spray gun spot repair CC100, nozzle 0.8mm	1	20	-	<b>16</b>
<b>SPG 100C</b>	Gravity cup 100ml	1	1	-	<b>16</b>
<b>SPG 100K0.8</b>	Nozzle set for SPG 100 0.8mm	1	1	-	<b>21</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>SPG 100K1.2</b>	Nozzle set for SPG 100 1.2mm	1	1	-	<b>21</b>
<b>SPG 500</b>	Spray gun CC 500 (black chrome) - without kit	1	10	120	<b>16</b>
<b>SPG 500C</b>	Gravity cup 500ml	1	1	-	<b>16</b>
<b>SPG 500K1.3</b>	Nozzle set for SPG 500 1.3mm	1	1	-	<b>21</b>
<b>SPG 500K1.5</b>	Nozzle set for SPG 500 1.5mm	1	1	-	<b>21</b>
<b>SPG 500K1.8</b>	Nozzle set for SPG 500 1.8mm	1	1	-	<b>21</b>
<b>SPG 500K2.0</b>	Nozzle set for SPG 500 2.0mm	1	1	-	<b>21</b>
<b>SPG 500K2.5</b>	Nozzle set for SPG 500 2.5mm	1	1	-	<b>21</b>
<b>SPG 700</b>	Mini spray gun PRO - 0.8mm nozzle kit	1	20	840	<b>20</b>
<b>SPG 700C</b>	Gravity cup 100ml for SPG 700				<b>20</b>
<b>SPG 700K0.8</b>	Nozzle set for SPG 700K 0.8mm	1	-	-	<b>21</b>
<b>SPG 700K1.0</b>	Nozzle set for SPG 700K 1.0mm	1	-	-	<b>21</b>
<b>SPG 700K1.2</b>	Nozzle set for SPG 700K 1.2mm	1	-	-	<b>21</b>
<b>SPG 710</b>	Maintenance kit for SPG 700	1	500	-	<b>22</b>
<b>SPG 800</b>	High transfer spray gun matte (basecoat) - 1.3mm nozzle kit	1	5	-	<b>18</b>
<b>SPG 800C</b>	Gravity cup 600ml for SPG 800-900	1	40	-	<b>18</b>
<b>SPG 900</b>	High transfer spray gun glos (clear coat) - 1.3mm nozzle kit	1	5	-	<b>18</b>
<b>SPG 900K1.2</b>	Nozzle set for SPG 800-900 1.2mm	1	50	-	<b>21</b>
<b>SPG 900K1.3</b>	Nozzle set for SPG 800-900 1.3mm	1	50	-	<b>21</b>
<b>SPG 900K1.4</b>	Nozzle set for SPG 800-900 1.4mm	1	50	-	<b>21</b>
<b>SPG 900K1.5</b>	Nozzle set for SPG 800-900 1.5mm	1	50	-	<b>21</b>
<b>SPG 900K1.8</b>	Nozzle set for SPG 800-900 1.8mm	1	50	-	<b>21</b>
<b>SPG 910</b>	Maintenance kit for SPG 800-900	1	500	-	<b>22</b>
<b>SPG 920</b>	Pressure regulator for SPG 800-900	1	500	-	<b>22</b>
<b>SPJ 00</b>	Jumbo sponge - orange	1	48	768	<b>50</b>
<b>SPLA 0080</b>	Sanding sheets 230x280mm P80 50p.	50	5	-	<b>101</b>
<b>SPLA 0120</b>	Sanding sheets 230x280mm P120 50p.	50	5	-	<b>101</b>
<b>SPLA 0150</b>	Sanding sheets 230x280mm P150 50p.	50	5	-	<b>101</b>
<b>SPLA 0180</b>	Sanding sheets 230x280mm P180 50p.	50	5	-	<b>101</b>
<b>SPLA 0220</b>	Sanding sheets 230x280mm P220 50p.	50	5	-	<b>101</b>
<b>SPLA 0240</b>	Sanding sheets 230x280mm P240 50p.	50	5	-	<b>101</b>
<b>SPLA 0320</b>	Sanding sheets 230x280mm P320 50p.	50	5	-	<b>101</b>
<b>SPLA 0400</b>	Sanding sheets 230x280mm P400 50p.	50	5	-	<b>101</b>
<b>SPLA 0500</b>	Sanding sheets 230x280mm P500 50p.	50	5	-	<b>101</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>SPLA 0600</b>	Sanding sheets 230x280mm P600 50p.	50	5	-	<b>101</b>
<b>SPLA 0800</b>	Sanding sheets 230x280mm P800 50p.	50	5	-	<b>101</b>
<b>SPLA 1000</b>	Sanding sheets 230x280mm P1000 50p.	50	5	-	<b>101</b>
<b>SPLA 1200</b>	Sanding sheets 230x280mm P1200 50p.	50	5	-	<b>101</b>
<b>SPLA 1500</b>	Sanding sheets 230x280mm P1500 50p.	50	5	-	<b>101</b>
<b>SPLA 2000</b>	Sanding sheets 230x280mm P2000 50p.	50	5	-	<b>101</b>
<b>SPLA 2500</b>	Sanding sheets 230x280mm P2500 50p.	50	5	-	<b>101</b>
<b>SPM 00</b>	Microfiber sponge - green	1	48	480	<b>50</b>
<b>SPSA 0060</b>	Sanding strip-paper-70x125mm 8 holes P60 50p.	50	8	-	<b>102</b>
<b>SPSA 0080</b>	Sanding strip-paper-70x125mm 8 holes P80 100p.	100	8	-	<b>102</b>
<b>SPSA 0100</b>	Sanding strip-paper-70x125mm 8 holes P100 100p.	100	8	-	<b>102</b>
<b>SPSA 0120</b>	Sanding strip-paper-70x125mm 8 holes P120 100p.	100	8	-	<b>102</b>
<b>SPSA 0150</b>	Sanding strip-paper-70x125mm 8 holes P150 100p.	100	8	-	<b>102</b>
<b>SPSA 0180</b>	Sanding strip-paper-70x125mm 8 holes P180 100p.	100	8	-	<b>102</b>
<b>SPSA 0240</b>	Sanding strip-paper-70x125mm 8 holes P240 100p.	100	8	-	<b>102</b>
<b>SPSA 0320</b>	Sanding strip-paper-70x125mm 8 holes P320 100p.	100	8	-	<b>102</b>
<b>SPSA 0400</b>	Sanding strip-paper-70x125mm 8 holes P400 100p.	100	8	-	<b>102</b>
<b>SPSB 0060</b>	Sanding strip-paper-70x198mm 8 holes P60 50p.	50	8	-	<b>102</b>
<b>SPSB 0080</b>	Sanding strip-paper-70x198mm 8 holes P80 100p.	100	8	-	<b>102</b>
<b>SPSB 0100</b>	Sanding strip-paper-70x198mm 8 holes P100 100p.	100	8	-	<b>102</b>
<b>SPSB 0120</b>	Sanding strip-paper-70x198mm 8 holes P120 100p.	100	8	-	<b>102</b>
<b>SPSB 0150</b>	Sanding strip-paper-70x198mm 8 holes P150 100p.	100	8	-	<b>102</b>
<b>SPSB 0180</b>	Sanding strip-paper-70x198mm 8 holes P180 100p.	100	8	-	<b>102</b>
<b>SPSB 0240</b>	Sanding strip-paper-70x198mm 8 holes P240 100p.	100	8	-	<b>102</b>
<b>SPSB 0320</b>	Sanding strip-paper-70x198mm 8 holes P320 100p.	100	8	-	<b>102</b>
<b>SPSB 0400</b>	Sanding strip-paper-70x198mm 8 holes P400 100p.	100	8	-	<b>102</b>
<b>SPSC 0060</b>	Sanding strip-paper-70x420mm 14 holes P60 50p.	50	8	-	<b>102</b>
<b>SPSC 0080</b>	Sanding strip-paper-70x420mm 14 holes P80 100p.	100	8	-	<b>102</b>
<b>SPSC 0100</b>	Sanding strip-paper-70x420mm 14 holes P100 100p.	100	8	-	<b>102</b>
<b>SPSC 0120</b>	Sanding strip-paper-70x420mm 14 holes P120 100p.	100	8	-	<b>102</b>
<b>SPSC 0150</b>	Sanding strip-paper-70x420mm 14 holes P150 100p.	100	8	-	<b>102</b>
<b>SPSC 0180</b>	Sanding strip-paper-70x420mm 14 holes P180 100p.	100	8	-	<b>102</b>
<b>SPSC 0240</b>	Sanding strip-paper-70x420mm 14 holes P240 100p.	100	8	-	<b>102</b>
<b>SPSC 0320</b>	Sanding strip-paper-70x420mm 14 holes P320 100p.	100	8	-	<b>102</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>SPSC 0400</b>	Sanding strip-paper-70x420mm 14 holes P400 100p.	100	8	-	<b>102</b>
<b>SPSD 0060</b>	Sanding strip-paper-115x230mm 10 holes P60 50p.	50	8	-	<b>102</b>
<b>SPSD 0080</b>	Sanding strip-paper-115x230mm 10 holes P80 100p.	100	8	-	<b>102</b>
<b>SPSD 0100</b>	Sanding strip-paper-115x230mm 10 holes P100 100p.	100	8	-	<b>102</b>
<b>SPSD 0120</b>	Sanding strip-paper-115x230mm 10 holes P120 100p.	100	8	-	<b>102</b>
<b>SPSD 0150</b>	Sanding strip-paper-115x230mm 10 holes P150 100p.	100	8	-	<b>102</b>
<b>SPSD 0180</b>	Sanding strip-paper-115x230mm 10 holes P180 100p.	100	8	-	<b>102</b>
<b>SPSD 0240</b>	Sanding strip-paper-115x230mm 10 holes P240 100p.	100	8	-	<b>102</b>
<b>SPSD 0320</b>	Sanding strip-paper-115x230mm 10 holes P320 100p.	100	8	-	<b>102</b>
<b>SPSD 0400</b>	Sanding strip-paper-115x230mm 10 holes P400 100p.	100	8	-	<b>102</b>
<b>SPT 05</b>	Flexi no edge blending tape 15mm x 25m	1	1	210	<b>121</b>
<b>SPT 13</b>	Spon Tape 13mm x 50m	1	1	140	<b>121</b>
<b>SPT 17</b>	Spon Tape 17mm x 40m	1	1	140	<b>121</b>
<b>SPT 25</b>	Spon Tape 25mm x 37m	1	1	140	<b>121</b>
<b>SPW 05</b>	Spray wax - 5l	1	-	96	<b>47</b>
<b>SSP 00</b>	Spray sample plates white 5 x 100p.	500	1	108	<b>26</b>
<b>SSP 01</b>	Spray sample plates grey 5 x 100p.	500	1	108	<b>26</b>
<b>SSP 02</b>	Spray sample plates deep grey 5 x 100p.	500	1	108	<b>26</b>
<b>SSP 40</b>	Filing system for spray sample plates	1	1	-	<b>27</b>
<b>SSP 42</b>	Envelopes for spray sample plates 250p.	250	1	84	<b>27</b>
<b>SSP 50</b>	Holder and stand for spray sample plates	1	1	-	<b>27</b>
<b>SSS 000</b>	Spraytip 10p.	10	10	-	<b>82</b>
<b>SSS 005</b>	1k spraytip with wings 100p.	100	-	-	<b>82</b>
<b>SSS 030</b>	Brush - 30mm	1	1	-	<b>82</b>
<b>SSS 100</b>	Sprayable seam sealer 290ml white	1	12	1,248	<b>79</b>
<b>SSS 200</b>	Sprayable seam sealer 290ml grey	1	12	1,248	<b>79</b>
<b>SSS 300</b>	Sprayable seam sealer 290ml black	1	12	1,248	<b>79</b>
<b>SSS 400</b>	Sprayable seam sealer 290ml beige	1	12	1,248	<b>79</b>
<b>SUP 00</b>	step-up blue	1	1	24	<b>183</b>
<b>T</b>					
<b>TAK 00</b>	Tack rags standard 80cm x 45cm 50p.	50	1	120	<b>36</b>
<b>TAK 01</b>	Tack rags standard H2O 80cm x 45cm 50p.	50	1	120	<b>36</b>
<b>TAK 10</b>	Tack rags CTI 80cm x 80cm 50p.	50	1	84	<b>36</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>TAK 11</b>	Tack rags CTI H2O 80cm x 90cm 50p.	50	1	84	<b>36</b>
<b>TAK 20</b>	Tack rags soft 17cm x 45cm 100p.	100	1	112	<b>37</b>
<b>TAK 30</b>	Tack rags smooth 38cm x 45cm 30x6p.	180	1	105	<b>37</b>
<b>TAP 50</b>	Duct tape grey 50mm x 50 m 18 rolls	18	1	48	<b>76</b>
<b>TAP 52</b>	Duct tape black 50mm x 50 m 18 rolls	18	1	48	<b>76</b>
<b>TCC 07</b>	Teflon carbotec spray coat grey - S 42-44	1	25	300	<b>168</b>
<b>TCC 08</b>	Teflon carbotec spray coat grey - M 46-48	1	25	300	<b>168</b>
<b>TCC 09</b>	Teflon carbotec spray coat grey - L 50-52	1	25	300	<b>168</b>
<b>TCC 10</b>	Teflon carbotec spray coat grey - XL 54-56	1	25	300	<b>168</b>
<b>TCC 11</b>	Teflon carbotec spray coat grey - XXL 58-60	1	25	300	<b>168</b>
<b>TCC 12</b>	Teflon carbotec spray coat grey - XXXL 62-64	1	25	300	<b>168</b>
<b>TCO 07</b>	Teflon carbotec spray overall grey - S 42-44	1	25	300	<b>168</b>
<b>TCO 08</b>	Teflon carbotec spray overall grey - M 46-48	1	25	300	<b>168</b>
<b>TCO 09</b>	Teflon carbotec spray overall grey - L 50-52	1	25	300	<b>168</b>
<b>TCO 10</b>	Teflon carbotec spray overall grey - XL 54-56	1	25	300	<b>168</b>
<b>TCO 11</b>	Teflon carbotec spray overall grey - XXL 58-60	1	25	300	<b>168</b>
<b>TCO 12</b>	Teflon carbotec spray overall grey - XXXL 62-64	1	25	300	<b>168</b>
<b>TCS 200</b>	Tear-off cover set 200 p. per roll	1	-	42	<b>123</b>
<b>TMF 81</b>	Rim masking film 4x20p. in dispenserbox	80	1	48	<b>124</b>
<b>TPJ 07</b>	2.Protect jacket - S	1	25	300	<b>165</b>
<b>TPJ 08</b>	2.Protect jacket - M	1	25	300	<b>165</b>
<b>TPJ 09</b>	2.Protect jacket - L	1	25	300	<b>165</b>
<b>TPJ 10</b>	2.Protect jacket - XL	1	25	300	<b>165</b>
<b>TPJ 11</b>	2.Protect jacket - XXL	1	25	300	<b>165</b>
<b>TPP 07</b>	2.Protect pants - S	1	25	300	<b>165</b>
<b>TPP 08</b>	2.Protect pants - M	1	25	300	<b>165</b>
<b>TPP 09</b>	2.Protect pants - L	1	25	300	<b>165</b>
<b>TPP 10</b>	2.Protect pants - XL	1	25	300	<b>165</b>
<b>TPP 11</b>	2.Protect pants - XXL	1	25	300	<b>165</b>
<b>TRT 27</b>	Trim removal tool set 27 p.	27	5	120	<b>183</b>
<b>TSD 50</b>	Magnetic aerosol holder	1	10	500	<b>140</b>
<b>TSO 08</b>	Spray overall white - M 46-48	1	25	800	<b>170</b>
<b>TSO 09</b>	Spray overall white - L 50-52	1	25	800	<b>170</b>
<b>TSO 10</b>	Spray overall white - XL 54-56	1	25	800	<b>170</b>



CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>TSO 11</b>	Spray overall white - XXL 58-60	1	25	800	<b>170</b>
<b>TSP 030</b>	Adhesion primer 400ml	1	12	672	<b>134</b>
<b>TSP 100</b>	Prefill solvent 400ml	1	12	672	<b>138</b>
<b>TSP 110</b>	Primer light grey 400ml	1	12	672	<b>130</b>
<b>TSP 120</b>	Primer grey 400ml	1	12	672	<b>130</b>
<b>TSP 130</b>	Primer dark grey 400ml	1	12	672	<b>130</b>
<b>TSP 140</b>	Primer white 400ml	1	12	672	<b>130</b>
<b>TSP 159</b>	Prefill starterset solvent 12p.	1	1	56	<b>138</b>
<b>TSP 180</b>	1K Clear coat 400ml	1	12	672	<b>133</b>
<b>TSP 190</b>	Etch primer grey 400ml	1	12	672	<b>131</b>
<b>TSP 210</b>	Spray anti-gravel grey 400ml	1	12	672	<b>136</b>
<b>TSP 230</b>	Spray anti-gravel black 400ml	1	12	672	<b>136</b>
<b>TSP 310</b>	Sanding guide black 400ml	1	12	672	<b>135</b>
<b>TSP 320</b>	Sanding guide fluo green 400ml	1	12	672	<b>135</b>
<b>TSP 410</b>	Zinc spray 400ml	1	12	672	<b>131</b>
<b>TSP 520</b>	Wheel spray silver - light & ultrafine 400ml	1	12	672	<b>133</b>
<b>TSP 530</b>	Weld-thru primer copper 400ml	1	12	672	<b>132</b>
<b>TSP 550</b>	structure spray - 400ml	1	12	672	<b>135</b>
<b>TSP 600</b>	Foam-it! 500ml	1	12	672	<b>39</b>
<b>TSP 710</b>	2k clear coat 250ml	1	6	696	<b>140</b>
<b>TSP 810</b>	Weld-thru primer phosphate zinc 400ml	1	12	672	<b>132</b>
<b>TSP 900</b>	Prefill waterbased 400ml	1	12	672	<b>138</b>
<b>TSP 910</b>	Spray matt black 400ml	1	12	672	<b>133</b>
<b>TSP 920</b>	Fade out thinner 400ml	1	12	672	<b>134</b>
<b>TSP 930</b>	Control spray 400 ml	1	12	672	<b>137</b>
<b>TSP 959</b>	Prefill starterset waterbased 12p.	1	1	-	<b>138</b>
<b>TSP 1000</b>	High Gloss White 400ml	1	12	672	<b>133</b>
<b>TSP 1010</b>	High Gloss black 400ml	1	12	672	<b>133</b>
<b>TSP 1100</b>	Contact glue 400ml	1	12	672	<b>75</b>
<b>TSP 1500</b>	One-step UV Primer/Filler 400ml	1	12	672	<b>130</b>
<b>TUB 60</b>	Touch-up bottles 50ml 60p.	60	10	160	<b>29</b>
<b>TUB 61</b>	Touch-up bottles 20ml 100p.	100	10	120	<b>29</b>
<b>TWL 00</b>	Maxi dry car towel 60cmx90cm	1	35	-	<b>50</b>

CODE	DESCRIPTION	S.U	BOX	PAL	PAGE
<b>U - V - W</b>					
<b>UVL 00</b>	UV curing lamp	1	2	80	<b>178</b>
<b>UVL 01</b>	Tripod for UV curing lamp	1	1	-	<b>178</b>
<b>WAP 10</b>	Sound deadening pads 50cm x 50cm 10p.	10	1	80	<b>180</b>
<b>WAP 15</b>	Trunk isolation pads 50cm x 50cm x 1.75mm 10p.	10	1	80	<b>180</b>
<b>WJE 05</b>	Wide blow gun (without coupling)	1	1	-	<b>41</b>
<b>WMG 00</b>	Wall mount for dispenser box	1	50	-	<b>185</b>
<b>WSC 07</b>	Polyester spray overall white - S 42-44	1	50	800	<b>169</b>
<b>WSC 08</b>	Polyester spray overall white - M 46-48	1	50	800	<b>169</b>
<b>WSC 09</b>	Polyester spray overall white - L 50-52	1	50	800	<b>169</b>
<b>WSC 10</b>	Polyester spray overall white - XL 54-56	1	50	800	<b>169</b>
<b>WSC 11</b>	Polyester spray overall white - XXL 58-60	1	50	800	<b>169</b>
<b>WWB 00</b>	Soft silicone blade	1	50	-	<b>50</b>

# LET'S GET **DIGITAL** WITH FINIXA!

Click the icons for more information



## **PLANTING A FOREST**

For a better tomorrow



## **SOCIAL MEDIA**

presence



## **FINIXA TV**

Check out our videos



## **NEWSLETTER**

in 5 languages



[www.finixa.com](http://www.finixa.com)