

WORK LIGHTS



LIGHTING SOLUTIONS FOR
THE AUTOMOTIVE INDUSTRY

2025

US CATALOG

LIGHTING SOLUTIONS FOR HIGH PERFORMANCE

Work light of the future



The sophisticated SCANGRIP work lights are second-to-none and made for the real professional who needs the best tool he can get for the task. The selected product line-up covers various kinds of work light solutions with superior quality across the entire range. These are lights made for work and built to last.

Latest technologies for best performance

SCANGRIP constantly push back the boundaries of LED lighting and battery technology, creating new cutting-edge work lights. We always reach for that extra brightness, that extra operation time, those little touches that make a real difference when you need the best work light you can get. We guarantee to provide you with only premium products for optimal performance.

Extreme durability and functional design

SCANGRIP work lights are extremely durable and made to last and do the job again and again. The entire product line is sturdy and endures the really demanding working environment which expose both the professional worker and his tools to rough, wet, and dirty conditions. The lights are covered by a high IP protection level to resist even outdoor use in all kinds of weather.





WORK LIGHTS OF THE FUTURE

3
years
warranty

PATENT PROTECTED

Designed by us. Manufactured by us.

POWERFUL HAND LAMPS WITH FLEXIBLE POSITIONING



RECHARGEABLE HAND LAMPS



ADJUSTABLE HOOKS



STRONG BUILT-IN
MAGNETS



FLEXIBLE POSITIONING




MINI MAG PRO Compact work light with spotlight and stepless dimmer

Up to 200 lumen Spot: 80 lumen
Operation time up to 20 h
IP54

Item no. 03.5692

\$ 39



BESTSELLER

MAG PRO Work light with spotlight and stepless dimmer

Up to 600 lumen Spot: 150 lumen
Operation time up to 15 h
IP54

Item no. 03.5690

\$ 62



COMPACT WORK LIGHTS FOR YOUR POCKET

RECHARGEABLE PENLIGHTS WITH WORK LIGHT




BESTSELLER

MAG PEN 3 Penlight with work light and adjustable magnet

Up to 150 lumen - Spot: 80 lumen
Operation time up to 20 h
IP20

Item no. 03.5116

\$ 36



SLIM Ultra-slim 3-in-1 inspection work light

Up to 500 lumen Spot: 100 lumen
Operation time up to 5 h
IP30

Item no. 03.5612

\$ 73



WORK PEN 200 R High performance penlight with work light

Up to 200 lumen Spot: 150 lumen
Operation time up to 10 h
IP30

Item no. 03.5127

\$ 34



Powerful work lights for demanding tasks which require efficient illumination.
Built-in magnets and brackets for easy, flexible positioning.

BESTSELLER **HEADLAMP WITH MAXIMUM FREEDOM TO WORK**



I-VIEW
Powerful headlamp with touchless on/off sensor and stepless dimmer function

Up to 400 lumen
Operation time up to 15 h
IP65

Item no. 03.5626

\$ 62



WIDE BEAM ANGLE ILLUMINATING ENTIRE WORK AREA



Designed for the I-VIEW headlamp

SCANGRIP POWERBANK
Powerbank for recharging any SCANGRIP work light as well as other devices

4000 mAh aluminum powerbank
IP20

Item no. 03.5782

\$ 39



NOVA - THE WORLD'S MOST DURABLE WORK LIGHTS



The original NOVA work lights are the best, most powerful and sturdy COB LED work lights on the market at all



NOVA MINI
Extremely compact handheld work light with stepless dimmer and strong built-in magnet

1000 lumen
Operation time up to 15 h
IP65

Item no. 03.6010

\$ 74



pat. pend.
SMART GRIP 4 in 1



BESTSELLER

NOVA R
Portable, handheld rechargeable work light

Up to 2000 lumen
Operation time up to 20 h
IP67

Item no. 03.5456US

\$ 134



USB power bank


NEW



Fits NOVA R and NOVA 2 CONNECT

\$ 14

Item no. 03.5922



SPECIALIZED WORK LIGHTS FOR AUTOMOTIVE REPAIR

INSPECTION HAND LAMPS



LINE LIGHT R
Ultra slim rechargeable inspection hand lamp

600 lumen Spot: 150 lumen
Operation time up to 1.5 h
IP65

Item no. 03.5244US

\$ 94



LINE LIGHT C+R
Ultra slim rechargeable inspection hand lamp with DUAL SYSTEM

900 lumen Spot: 150 lumen
Operation time up to 2.5 h
IP65

Item no. 03.5243US

\$ 124



Both delivered with adjustable hook with clip holder and magnet



ULTRA SLIM INSPECTION HAND LAMPS

Flexible gooseneck with suction cup

Item no. 03.5219



ø2.55x10.65in

\$ 29

Flexible gooseneck with magnet

Item no. 03.5218



ø2.36x11.06in

\$ 34

Clip with hook and magnet

Item no. 03.5312



\$ 9

UNDERHOOD LAMP



LINE LIGHT BONNET C+R
Extremely slim and powerful underhood light

1400 lumen
Operation time up to 3 h
IP65

Item no. 03.5240US

\$ 199



SUPERIOR UNDERHOOD LIGHT

STANDS AND SUSPENSIONS

Designed for flexible lighting positioning

To give you maximum flexibility, we have made a complete concept of accessories that allow you to place the lamps exactly where you need it wherever you are.



MAGNET BRACKET

For flexible positioning of NOVA 4 CONNECT on any magnetic surface

\$ 34

Item no. 03.5390



MAGNET BRACKET - Large

For flexible positioning of NOVA 10 CONNECT on any magnetic surface

\$ 54

Item no. 03.5391

SCANGRIP DIFFUSER - provides large dispersion and spreads the light



SCANGRIP DIFFUSER

Fits NOVA 4 CONNECT

\$ 19

Item no. 03.5750



SCANGRIP DIFFUSER-Large

Fits NOVA 10 CONNECT

\$ 24

Item no. 03.5751


Easy and safe mounting with strong magnets

TRIPOD
High stability tripod made of durable and sturdy powder coated steel

Max load 22 lbs
Weight 13 lbs

\$ 169

Item no. 03.5431



MAX 10ft



Welded steel mounting cap
0.4 in thread



360° locking system
for a firm grip

MIN 4.5ft



Ø 4ft



LIGHTING SOLUTIONS FOR THE AUTOMOTIVE INDUSTRY

All prices are gross prices, ex US warehouse and TAX exclusive. Prices are subject to change without notice. Nor is responsibility assumed for printing errors. Our GENERAL TERMS AND CONDITIONS apply for all business transacted with SCANGRIP.

SPECIALIZED WORK LIGHT SOLUTIONS

Light is an important tool for many tasks. We take that very seriously when developing specialist lights for niche markets such as lights for the painting and detailing industries.

Lighting solutions for lifts



MADE IN DENMARK



Portable lights for fast UV curing



Work lights for detailing and car paint



SCANGRIP.COM

See all our products at



Follow us at

MAG series



A	MAG PEN 3	MINI MAG PRO	MAG PRO
Product number	03.5116	03.5692	03.5690
Light source	COB LED Spot: CREE XP-G2	COB LED Spot: High power LED	COB LED Spot: High power LED
Luminous flux, lumen	15-150 Spot: 80	20-200 Spot: 80	60-600 Spot: 150
Adjustable light output	Stepless	Stepless	Stepless
Beam angle	-	-	-
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6500 K	6000 K
Operating time with max. lumen, h	2	2	1.5
Operating time with min. lumen, h	20	20	15
Charging time, h	3.5	3	4
Battery	3.7 V/750 mAh Li-ion	3.7 V/1200 mAh Li-ion	3.7 V/2600 mAh Li-ion
Protection class	IP20	IP54	IP54
Impact protection	IK07	IK07	IK07
Impact resistance	39.37 in	39.37 in	39.37 in
Cable	39.37 in USB	39.37 in USB	39.37 in USB
Operating voltage AC	-	-	-
Charging voltage/current DC	5 V/1 A	5 V/1 A	5 V/1 A
Power consumption	Max 2.5 W	Max 2.5 W	Max 6.5 W
Charger incl.	No	No	No
Temperature	14 to 104 °F	14 to 104 °F	14 to 104 °F
Dimensions	6.85 x 1.22 x 0.83 in	7.95 x 1.57 x 1.10 in	10.2 x 2.44 x 1.73 in
Net weight	0.172 lb	0.346 lb	0.719 lb
Price	\$ 36.00	\$ 39.00	\$ 62.00

FLASH LIGHT



SLIM



HEADLAMP



Optional accessory for 03.5626 I-VIEW



A	WORK PEN 200 R	SLIM	I-VIEW	POWERBANK
Product number	03.5127	03.5612	03.5626	03.5782
Light source	COB LED/CREE	COB LED Spot: High power LED	COB LED	-
Luminous flux, lumen	20-200 Spot: 150	250-500 Spot: 100	40-400	-
Adjustable light output	Stepless	2 levels	Stepless	-
Beam angle	105°/20°	-	120°/60°	-
Beam distance	40 m	-	-	-
CRI	Ra > 80	Ra > 80	Ra > 80	-
CCT	6000 K	6000 K	6000 K	-
Operating time with max. lumen, h	1	2.5	1.5	-
Operating time with min. lumen, h	10	5	15	-
Charging time, h	2.5	4.5	3.5	3
Battery	3.7 V/650 mAh Li-ion	3.8 V/2800 mAh Li-ion	3.8 V/1600 mAh Li-ion	3.65 V/4000 mAh
Protection class	IP30	IP30	IP65	IP20
Impact protection	IK07	IK07	IK07	IK07
Impact resistance	39.37 in	39.37 in	39.37 in	39.37 in
Cable	39.37 in USB	39.37 in USB	39.37 in USB	Spiral cable
Operating voltage AC	-	-	-	-
Charging voltage/current DC	5 V/1 A	5 V/1 A	5 V/1 A	5 V/2 A
Power consumption	4 W	Max 4 W	Max 3.25 W	Max 8 W
Charger incl.	No	No	No	-
Temperature	14 to 104 °F	14 to 104 °F	14 to 104 °F	14 to 104 °F
Dimensions	0.83 x 6.81 in	6.50 x 1.73 x 1.10 in	3.93 x 1.96 x 1.49 in	1.10 x 3.93 in
Net weight	0.119 lb	0.494 lb	0.352 lb	0.465 lb
Price	\$ 34.00	\$ 73.00	\$ 62.00	\$ 39.00

NOVA rechargeable series



A	NOVA MINI	NOVA R
Product number	03.6010	03.5456US
Light source	High efficiency COB LED	High efficiency COB LED
Luminous flux, lumen	100-1000	200-2000
Adjustable light output	Stepless	5 levels
Beam angle	-	-
CRI	Ra > 80	Ra > 80
CCT	6000 K	6000 K
Operating time with max. lumen, h	1.5	2
Operating time with min. lumen, h	15	20
Charging time, h	5	5
Battery	3.7 V/4000 mAh	7.3 V/4000 mAh Li-ion
Protection class	IP65	IP67
Impact protection	IK07	IK07
Impact resistance	39.37 in	39.37 in
Cable	39.37 in USB	39.37 in USB
Charging voltage/current DC	5 V/1 A	5 V/2 A
Power consumption	Max 10 W	Max 16 W
Battery incl.	-	-
Charger incl.	No	Yes
Temperature	14 to 104 °F	14 to 104 °F
Dimensions	4.09 x 1.50 x 3.78 in	6.42 x 2.48 x 6.42 in
Net weight	0.560 lb	1.742 lb
Price	\$ 74.00	\$ 134.00

* 80 %

LINE LIGHT inspection



A	LINE LIGHT C+R	LINE LIGHT R
Product number	03.5243US	03.5244
Light source	36 SMD LED Spot: CREE XP-G2	20 SMD LED Spot: CREE XP-G2
Luminous flux, lumen	900 Spot: 150	600 Spot: 150
Illuminance, lux@0.5 m	1800 Spot: 1500	1200 Spot: 1500
Adjustable light output	No	No
Beam angle	75° Spot: 50°	75° Spot: 50°
CRI	Ra > 80	Ra > 80
CCT	6500 K	6500 K
Operating time with max. lumen, h	2.5 Spot: 8	1.5 Spot: 4
Operating time with min. lumen, h	-	-
Charging time, h	4	6
Battery	3.7 V/5200 mAh Li-ion	3.7 V/2600 mAh Li-ion
Protection class	IP65	IP65
Impact protection	IK07	IK07
Impact resistance	39.37 in	39.37 in
Cable	16 ft/2x1 mm ² H05RN-F	1 m USB
Charging voltage/current DC	-	-
Power consumption	4.2 V/3.5 A	5 V/1 A
Battery incl.	Max 8 W	Max 5.5 W
Charger incl.	Yes	No
Temperature	14 to 104 °F	14 to 104 °F
Dimensions	ø 0.98 x 14.37 in	ø 0.98 x 14.06 in
Net weight	0.59 lb	0.48 lb
Price	\$ 124.00	\$ 94.00

UNDERHOOD LIGHT

A	LINE LIGHT BONNET C+R
Product number	03.5240US
Light source	64 SMD LED
Luminous flux, lumen	700-1400
Illuminance, lux@0.5 m	1000-2000
Adjustable light output	2 levels
Beam angle	75°
CRI	Ra > 80
CCT	6500 K
Operating time with max. lumen, h	1.5
Operating time with min. lumen, h	3
Charging time, h	4
Battery	3.7 V/5200 mAh Li-ion
Protection class	IP65
Impact protection	IK07
Impact resistance	39.37 in
Cable	16 ft /2x1.0 mm ² H05RN-F
Charging voltage/current DC	-
Power consumption	4.2 V/3.5 A
Battery incl.	Max 13 W
Charger incl.	Yes
Temperature	14 to 104°F
Dimensions	ø 0.98 x 40.43 in
Net weight	2.2 lb
Price	\$ 199.00



One lighting solution for all battery packs

JUST CONNECT

NEW

Compatible with:

AEG
BERNER
BOSCH/AMPSHARE
BOSCH GREEN
DEWALT
EINHELL
FEIN
FESTOOL
FLEX
HAZET
HIKOKI/METABO HPT
HILTI
INGERSOLL
MAKITA
MILWAUKEE
PANASONIC
RIDGID
RUPES
SNAP-ON
WÜRTH



Use your own 18 V/20 V battery pack for SCANGRIP CONNECT work lights

- **Work lights compatible with 18 V/20 V battery packs from all leading power tool brands**
- **Smart connector with BATTERY SAFETY SYSTEM**
- **Extremely powerful illumination and high durability**

With the new SCANGRIP CONNECT series, we have created a range of hybrid and innovative work lights compatible across all leading power tool brands – an outstanding lighting solution never seen before!

We connect the world of power tool batteries and professional work lights providing complete freedom to use a SCANGRIP work light regardless of your battery brand preference.

MAXIMAL FREEDOM

The SCANGRIP CONNECT range is compatible with the METABO/CAS battery system* and all other 18 V/20 V battery packs from leading power tools brands. As something unique, we also offer a POWER SUPPLY which can be used for direct power providing unlimited availability to light. With stands and suspensions available, the work lights can be placed anywhere you need efficient lighting offering complete flexibility at the worksite.

Use your own 18 V/20 V battery pack for SCANGRIP CONNECT work lights

JUST CONNECT

Add the connector matching your own 18 V/20 V battery pack



Convert your SCANGRIP CONNECT lamp to a corded model with the POWER SUPPLY



An integrated battery backup function prevents you from being without light at any time

(Applies to NOVA 4 CONNECT, NOVA 10 CONNECT and AREA 10 CONNECT)



*Compatible with METABO/CAS battery system

For METABO/CAS no connector is required

NOVA CONNECT series



D	NOVA 2 CONNECT	NOVA 4 CONNECT	NOVA 10 CONNECT
Product number	03.6100C	03.6101C	03.6102C
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED
Luminous flux, lumen	200-2000	400-4000	1000-10000
Adjustable light output	5 levels	5 levels	5 levels
Beam angle	110°	110°	110°
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K
Operating time with max. lumen, h	5.75@18 V 5.2 Ah battery	3@18 V 5.2 Ah battery	1.25@18 V 5.2 Ah battery
Operating time with min. lumen, h	58@18 V 5.2 Ah battery	31@18 V 5.2 Ah battery	12@18 V 5.2 Ah battery
Operating time: backup battery, h	-	2.5@10 %/400 lm	1@10 %/1000 lm
Battery	Compatible with METABO/CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO/CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO/CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP30	IP65 IP54 with battery cover	IP65 IP54 with battery cover
Impact protection	IK07	IK07	IK07
Impact resistance	39.37 in	39.37 in	39.37 in
Charger input voltage	-	-	-
Power consumption	Max 16 W	Max 30 W	Max 75 W
Battery incl.	No	No	No
Charger incl.	No	No	No
Power supply Incl.	No	No	No
Temperature	14 to 104 °F	14 to 104 °F	14 to 104 °F
Dimensions	6.34 x 6.46 x 3.07 in	10.54 x 9.06 x 4.7 in	11.97 x 11.50 x 5.16 in
Net weight	1.59 lb	5.18 lb	8.20 lb
Price	\$ 99	\$ 229	\$ 329

VEGA CONNECT series



D	VEGA 2 CONNECT	VEGA 4 CONNECT	BASIC CONNECT
Product number	03.6106C	03.6104C	03.6109C
Light source	60 LEDs	105 LEDs	30 LEDs
Luminous flux, lumen	1000/2000 (step 1/2)	2000/4000 (step 1/2)	500/1000 (step 1/2)
Adjustable light output	2 levels	2 levels	2 levels
Beam angle	100°	100°	110°
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K
Operating time with max. lumen, h	4.5@18 V 5.2 Ah battery	2.25@18 V 5.2 Ah battery	9@18 V 5.2 Ah battery
Operating time with min. lumen, h	9@18 V 5.2 Ah battery	4.5@18 V 5.2 Ah battery	18@18 V 5.2 Ah battery
Operating time: backup battery, h	-	-	-
Battery	Compatible with METABO/CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO/CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO/CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP54 with power supply IP30 with battery	IP54 with power supply IP30 with battery	IP30
Impact protection	IK06	IK07	IK07
Impact resistance	39.37 in	39.37 in	39.37 in
Charger input voltage	-	-	-
Power consumption	Max 20 W	Max 40 W	Max 10.5 W
Battery incl.	No	No	No
Charger incl.	No	No	No
Power supply incl.	No	No	No
Temperature	14 to 104 °F	14 to 104 °F	14 to 104 °F
Dimensions	7.87 x 8.19 x 3.07 in	11.02 x 11.38 x 4.06 in	6.22 x 3.11 x 2.44 in
Net weight	1.87 lb	4.45 lb	0.75 lb
Price	\$ 84	\$ 149	\$ 64



D AREA 10 CONNECT	
Product number	03.6103C
Light source	240 LEDs
Luminous flux, lumen	360°: 1000-10000 / 180°: 500-5000
Adjustable light output	5 levels
Beam angle	360°/180°
CRI	Ra > 80
CCT	6000 K
Operating time with max. lumen, h	1@18 V 5.2 Ah battery
Operating time with min. lumen, h	22@18 V 5.2 Ah battery
Operating time: backup battery, h	50 min@10 %/1000 lm
Battery	Compatible with METABO/CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP65 IP54 with battery cover
Impact protection	IK07
Impact resistance	39.37 in
Charger input voltage	-
Power consumption	Max 84 W
Battery incl.	No
Charger incl.	No
Power supply incl.	No
Temperature	14 to 104 °F
Dimensions	15.55 x 7.87 x 4.41 in
Net weight	8.16 lb
Price	\$ 399

D AREA 6 CONNECT	
Product number	03.6108C
Light source	160 LEDs
Luminous flux, lumen	3000/6000 (step 1/2)
Adjustable light output	2 levels
Beam angle	360°
CRI	Ra > 80
CCT	6000 K
Operating time with max. lumen, h	1.75@18 V 5.2 Ah battery
Operating time with min. lumen, h	6.5@18 V 5.2 Ah battery
Operating time: backup battery, h	-
Battery	Compatible with METABO/CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP54 with power supply IP30 with battery
Impact protection	IK07
Impact resistance	39.37 in
Charger input voltage	-
Power consumption	Max 54 W
Battery incl.	No
Charger incl.	No
Power supply incl.	No
Temperature	14 to 104 °F
Dimensions	ø7.68 x 14.29 in
Net weight	4.34 lb
Price	\$ 249

D TOWER 5 CONNECT	
Product number	03.6105C
Light source	120 LEDs
Luminous flux, lumen	2500/5000 (step 1/2)
Adjustable light output	2 levels
Beam angle	110°
CRI	Ra > 80
CCT	6000 K
Operating time with max. lumen, h	2@18 V 5.2 Ah battery
Operating time with min. lumen, h	4.5@18 V 5.2 Ah battery
Operating time: backup battery, h	-
Battery	Compatible with METABO/CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP30
Impact protection	IK07
Impact resistance	39.37 in
Charger input voltage	-
Power consumption	Max 45 W
Battery incl.	No
Charger incl.	No
Power supply incl.	No
Temperature	14 to 104 °F
Dimensions	4.76 x 6.02 x 35.12 in
Net weight	11.46 lb
Price	\$ 299

CONNECTORS

D SCANGRIP CONNECTORs for 18 V/20 V battery packs		Price
AEG/RIDGID US	03.6158C	\$ 15
BERNER	03.6155C	\$ 15
BOSCH/AMPSHARE	03.6140C	\$ 15
BOSCH GREEN	03.6141C	\$ 15
DEWALT	03.6142C	\$ 15
EINHELL	03.6143C	\$ 15
FEIN	03.6144C	\$ 15
FESTOOL	03.6153C	\$ 15
FLEX	03.6145C	\$ 15
HAZET	03.6146C	\$ 15
HIKOKI/METABO HPT	03.6147C	\$ 15
HILTI*	03.6157C	\$ 29
INGERSOLL	03.6152C	\$ 15
MAKITA	03.6148C	\$ 15
MILWAUKEE	03.6149C	\$ 15
PANASONIC	03.6156C	\$ 15
RIDGID	03.6154C	\$ 15
RUPES NEW	03.6159C	\$ 15
SNAP-ON	03.6151C	\$ 15
WÜRTH	03.6150C	\$ 15

BATTERY SAFETY SYSTEM



- Automatic discharge protection
- Overload protection
- Temperature surveillance
- Approved by TÜV Rheinland



Scan QR code to see TÜV Rheinland test report

Accessories



D CONNECT POWER SUPPLY	
Product number	03.6123CUS
Battery	-
Cable	5 m/2 x 0.75 mm² H05RN-F
Charger input voltage	100-240 V AC 50/60 Hz
Output power	Max 90 W
Charging time, h	-
Protection class	IP65
Impact protection	IK07
Impact resistance	39.37 in
Temperature	14 to 104 °F
Dimensions	4.88 x 3.27 x 2.83 in
Net weight	2.20 lb
Compatibility	SCANGRIP CONNECT work lights
Price	\$ 84

CAS BATTERY	CAS CHARGER SC30
18V Li-POWER 5.2Ah	
03.6121	03.6122US
18 V 5.2 Ah Li-power	-
-	1.35 m/2 x 0.75 mm² H03V VH2-F
-	220-240 V AC 50/60 Hz
-	Max 30 W
208 min @100 % with CAS charger 03.6122	-
IP20	IP20
-	-
-	-
14 to 104 °F	14 to 104 °F
4.76 x 3.17 x 2.60 in	5.91 x 5.51 x 2.95 in
1.48 lb	1.54 lb
-	12V-18V CAS battery
Price	\$ 149
	\$ 69



// SCANGRIP is Europe's leading manufacturer of work lights for professionals providing the strongest and most comprehensive ranges of work lights with the latest LED lighting technology available on the market.

SCANGRIP is innovation from Denmark and receives strong recognition in the marketplace for its product design, and the products are known for their high quality.

SCANGRIP strives for perfection, and is continuously optimizing and improving light output, battery capacity, design and ergonomics, durability, user-friendliness, and functionality. The aim is to set new standards for professional work lights.

SCANGRIP was established in 1906 and has a long, impressive history of manufacturing high-quality hand tools and work lights for the industrial, construction, and automotive sectors.

SCANGRIP is part of Hultafors Group - a global company offering a unique portfolio of premium brands within personal protection, tools, and other equipment for discerning craftsmen. Together, we are on a mission to create a better day for professional users.

