







One lighting solution for all battery packs

JUST CONNECT



Compatible with:

AEG BERNER BOSCH / AMPSHARE BOSCH GREEN

DEWALT

EINHELL FEIN

FESTOOL

FLEX

HAZET HIKOKI / METABO HPT

HILTI

INGERSOLL

MAKITA

MILWAUKEE

PANASONIC

RIDGID

SNAP-ON

WÜRTH



Use your own 18 V/20 V battery pack for SCANGRIP CONNECT work lights

- Work lights compatible with 18 V/20 V battery packs from all leading power tool brands
- Smart connector with BATTERY SAFETY SYSTEM
- Extremely powerful illumination and high durability

With the new SCANGRIP CONNECT series, we have created a range of hybrid and innovative work lights compatible across all leading power tool brands – an outstanding lighting solution never seen before!

We connect the world of power tool batteries and professional work lights providing complete freedom to use a SCANGRIP work light regardless of your battery brand preference.





MAXIMAL FREEDOM

The SCANGRIP CONNECT range is compatible with the METABO/CAS battery system* and all other 18 V/20 V battery packs from leading power tools brands. As something unique, we also offer a POWER SUPPLY which can be used for direct power providing unlimited availability to light. With stands and suspensions available, the work lights can be placed anywhere you need efficient lighting offering complete flexibility at the worksite.

Use your own 18 V/20 V battery pack for SCANGRIP CONNECT work lights



Convert your SCANGRIP CONNECT lamp to a corded model with the POWER SUPPLY



An integrated battery backup function prevents you from being without light at any time

(Applies to NOVA 4 CONNECT, NOVA 10 CONNECT and AREA 10 CONNECT)



ONE LIGHTING SOLUTION FOR ALL BATTERY PACKS

SCANGRIP is proud to present a complete range of outstanding and one-of-a-kind work lights compatible with all 18 V/20 V battery packs from leading power tool brands worldwide.

NEW

Scan QR code to see more about the CONNECT range



ONNECT is compatible with METABO/CAS attery system and II other 18 V/20 V battery

NOVA 4 CONNECT Work light with BLUETOOTH providing up to 4000 lumen IP65

\$229

Item no. 03.6101C



NOVA 10 CONNECT

Work light with BLUETOOTH providing up to 10000 lumen IP65

\$329

Item no. **03.6102C**





VEGA 2 CONNECT Floodlight providing up to 2000 lumen IP54

\$84

Item no. 03.6106C



VEGA 4 CONNECT Floodlight providing up to 4000 lumen IP54

\$ **149**Item no. **03.6104C**



CONNECT is compatible with METABO/CAS battery system and all other 18 V/20 V battery packs from leading power tool brands by using the SCANGRIP CONNECTOR. In addition, the SCANGRIP POWER SUPPLY can be used for direct power providing unlimited availability to light.













Strong built-in nylon strap with hook for suspension



AREA 10 CONNECT

360° work light with BLUETOOTH providing up to 10000 lumen IP65

TOWER 5 CONNECT Floodlight with built-in

tripod providing up to 5000 lumen IP30

Item no. 03.6105C



Item no. 03.6103C

AREA 6 CONNECT

Powerful 360° illumination of the working area providing up to 6000 lumen IP65



Item no. 03.6108C











Fits

SCANGRIP DIFFUSER

Fits NOVA 4 CONNECT

\$ 19

Item no. 03.5750





SCANGRIP DIFFUSER-Large
Fits NOVA 10 CONNECT

\$24

Item no.03.5751

Easy and safe mounting with strong magnets

THE WORLD'S MOST DURABLE HANDHELD WORK LIGHTS



BASIC CONNECT

Compact floodlight with flexible lamp head providing up to 1000 lumen IP30









Flexible, rotating lamp head

SCANGRIP DIFFUSER - Medium



Fits NOVA R and NOVA 2 CONNECT



\$ 14

Item no. 03.5922



The original NOVA work lights are the best, most powerful and sturdy COB LED work lights on the market at all



NOVA 2 CONNECT

Portable work light providing up to 2000 lumen IP30



Item no. **03.6100C**









NOVA MINI Rechargeable and extremely compact handheld work light with stepless dimmer and strong built-in magnet

1000 lumen Operation time up to 15 h IP65

\$ 74

Item no. 03.6010











SMART GRIP 4 in 1

BESTSELLER



NOVA R Portable, handheld rechargeable work light

Up to 2000 lumen Operation time up to 20 h IP67

\$134

Item no. 03.5456US









STANDS AND SUSPENSIONS

Designed for flexible lighting positioning



To give you maximum flexibility, we have made a complete concept of accessories that allow you to place the lamps exactly where you need it wherever you are.





MAGNET BRACKET

For flexible positioning of NOVA 4 CONNECT on any magnetic surface



Item no. **03.5390**





MAGNET BRACKET - Large

For flexible positioning of NOVA 10 CONNECT on any magnetic surface



Item no. **03.5391**

DUAL BRACKET

Dual bracket for positioning of two lamps on TRIPOD



Item no. 03.5308

SCAFFOLDING BRACKET

For flexible positioning on scaffoldings or any round object ø40-50 mm



Item no. 03.5341







Follow us at









See all our products at

SCANGRIP.COM

POWERFUL HAND LAMPS WITH FLEXIBLE POSITIONING



RECHARGEABLE HAND LAMPS









MINI MAG PRO Compact work light with spotlight and stepless dimmer

Up to 200 lumen Spot: 80 lumen Operation time up to 20 h IP54

\$39

Item no. 03.5692





BESTSELLER

MAG PRO Work light with spotlight and stepless dimmer

Up to 600 lumen Spot: 150 lumen Operation time up to 15 h IP54



Item no. 03.5690





COMPACT WORK LIGHTS FOR YOUR POCKET

RECHARGEABLE PENLIGHTS WITH WORK LIGHT



BESTSELLER

MAG PEN 3 Penlight with work light and adjustable magnet

Up to 150 lumen Spot: 80 lumen Operation time up to 20 h IP20

\$ 36

Item no. 03.5116





SLIM Ultra-slim 3-in-1 inspection work light

Up to 500 lumen Spot: 100 lumen Operation time up to 5 h IP30

\$ 73

Item no. 03.5612







WORK PEN 200 R High performance penlight with work light

Up to 200 lumen Spot: 150 lumen Operation time up to 10 h IP30

\$ 34

Item no. **03.5127**









Built-in magnets and brackets for easy, flexible positioning.



HEADLAMP WITH MAXIMUM FREEDOM TO WORK

BESTSELLER





Upgraded version

I-VIEW Powerful headlamp with touchless on/off sensor and stepless dimmer function

Up to 400 lumen Operation time up to 15 h





NEW







HARD HAT BRACKET Bracket for I-VIEW mounting

The bracket fits 03.5626 I-VIEW headlamp Incl. 3 pcs. ADHESIVE MOUNTING BASES



\$ 16

Item no. 03.5797







Designed for the I-VIEW headlamp

SCANGRIP POWERBANK Powerbank for recharging any SCANGRIP work light as well as other devices

4000mAh aluminum powerbank IP20





ADHESIVE MOUNTING BASES For 03.5797 HARD HAT BRACKET

3 pcs.



\$ 9

Item no. 03.5798



WIDE BEAM ANGLE ILLUMINATING ENTIRE WORK AREA



STANDARD headlamp



SCANGRIP headlamp

NOVA **CONNECT** series







D	NOVA 2 CONNECT NEW	NOVA 4 CONNECT NEW	NOVA 10 CONNECT
Product number	03.6100C	03.6101C	03.6102C
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED
LED performance, lumen/W	165	160	165
Luminous flux, lumen	200-2000	400-4000	1000-10000
Iluminance, lux@0.5 m	300-3000	600-6000	1600-16000
Adjustable light output	5 levels	5 levels	5 levels
Beam angle	110°	110°	110°
CRI	Ra > 80	Ra > 80	Ra > 80
ССТ	6000 K	6000 K	6000 K
Operating time with max. lumen, h	5.75@18 V 5.2 Ah battery	3 @18 V 5.2 Ah battery	1.25@18 V 5.2 Ah battery
Operating time with min. lumen, h	58@18 V 5.2 Ah battery	31@18 V 5.2 Ah battery	12@18 V 5.2 Ah battery
Operating time: backup battery, h	-	2.5@10% /400 lm	1@10% / 1000 lm
Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using th SCANGRIP CONNECTOR
Protection class	IP30	IP65 IP54 with battery cover	IP65 IP54 with battery cover
Impact protection	IK07	IK07	IK07
Impact resistance	39.37 in	39.37 in	39.37 in
Charger input voltage	-	-	-
Power consumption	Max 16 W	Max 30 W	Max 75 W
Battery incl.	No	No	No
Charger incl.	No	No	No
Power supply Incl.	No	No	No
Temperature	14 to 104 °F	14 to 104 °F	14 to 104 °F
Dimensions	6.34 x 6.46 x 3.07 in	10.54 x 9.06 x 4.7 in	11.97 x 11.50 x 5.16 in
Net weight	1.59 lb	5.18 lb	8.20 lb
Price	\$ 99	\$ 229	\$ 329

VEGA **CONNECT** series







D	VEGA 2 CONNECT NEW	VEGA 4 CONNECT NEW	
Product number	03.6106C	03.6104C	
Light source	60 LEDs	105 LEDs	
LED performance, lumen/W	189	189	
Luminous flux, lumen	1000 / 2000 (step 1 /2)	2000 / 4000 (step 1 / 2)	
Iluminance, lux@0.5 m	1500 / 3000 (step 1 / 2)	3000 / 6000 (step 1 / 2)	
Adjustable light output	2 levels	2 levels	
Beam angle	100°	100°	
CRI	Ra > 80	Ra > 80	
ССТ	6000 K	6000 K	
Operating time with max. lumen, h	4.5@18 V 5.2 Ah battery	2.25@18 V 5.2 Ah battery	
Operating time with min. lumen, h	9@18 V 5.2 Ah battery	4.5@18 V 5.2 Ah battery	
Operating time: backup battery, h	-	-	
Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	
Protection class	IP54 with power supply IP30 with battery	IP54 with power supply IP30 with battery	
Impact protection	IK06	IK07	
Impact resistance	39.37 in	39.37 in	
Charger input voltage	-	-	
Power consumption	Max 20W	Max 40 W	
Battery incl.	No	No	
Charger incl.	No	No	
Power supply incl.	No	No	
Temperature	14 to 104 °F	14 to 104 °F	
Dimensions	7.87 x 8.19 x 3.07 in	11.02 x 11.38 x 4.06 in	
Net weight	1.87 lb	4.45 lb	
Price	\$ 84	\$ 149	

BASIC CONNECT NEW
03.6109C
30 LEDs
189
500 / 1000 (step 1 / 2)
650 / 1300 (step 1 / 2)
2 levels
110°
Ra > 80
6000 K
9@18 V 5.2 Ah battery
18@18 V 5.2 Ah battery
-
Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
IP30
IK07
39.37 in
-
Max 10.5W
No
No
No
14 to 104 °F
6.22 x 3.11 x 2.44 in
0.75 lb
\$ 64











	D	AREA 10 CONNECT NEW	
	Product number	03.6103C	
	Light source	240 LEDs	
(1)	LED performance, lumen/W	189	
	Luminous flux, lumen	360°: 1000-10000 /180°: 500-5000	
	Iluminance, lux@0.5 m	300-3000	
	Adjustable light output	5 levels	
	Beam angle	360°/180°	
	CRI	Ra > 80	
	ССТ	6000 K	
	Operating time with max. lumen, h	1@18 V 5.2 Ah battery	
	Operating time with min. lumen, h	22@18 V 5.2 Ah battery	
	Operating time: backup battery, h	50min@10 % / 1000 lm	
	Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	
	Protection class	IP65 IP54 with battery cover	
	Impact protection	IK07	
	Impact resistance	39.37 in	
	Charger input voltage	-	
	Power consumption	Max 84 W	
	Battery incl.	No	
	Charger incl.	No	
	Power supply incl.	No	
	Temperature	14 to 104 °F	
	Dimensions	15.55 x 7.87 x 4.41 in	
	Net weight	8.16 lb	
	Price	\$ 399	

AREA 6 CONNECT NEW
03.6108C
160 LEDs
189
3000 / 6000 (step 1 / 2)
1500 / 3000 (step 1 / 2)
2 levels
360°
Ra > 80
6000 K
1.75@18 V 5.2 Ah battery
6.5@18 V 5.2 Ah battery
-
Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
IP54 with power supply IP30 with battery
IK07
39.37 in
-
Max 54 W
No
No
No
14 to 104 °F
ø7.68 x 14.29 in
4.34 lb
\$ 249

TOWER 5 CONNECT NEW
03.6105C
120 LEDs
189
2500 / 5000 (step 1 / 2)
4000 / 8000 (step 1 / 2)
2 levels
110°
Ra > 80
6000 K
2@18 V 5.2 Ah battery
4.5@18 V 5.2 Ah battery
-
Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
IP30
IK07
39.37 in
-
Max 45 W
No
No
No
14 to 104 °F
4.76 x 6.02 x 35.12 in
11.46 lb
\$ 299

CONNECTORS NEW

D SCANGRIP CO NNECTORs fo	Price		
AEG/RIDGID US 03.6158C		\$ 15	
BERNER	03.6155C	\$ 15	
BOSCH / AMPSHARE	03.6140C	\$ 15	
BOSCH GREEN	03.6141C	\$ 15	
DEWALT	03.6142C	\$ 15	
EINHELL	03.6143C	\$ 15	
FEIN	03.6144C	\$ 15	
FESTOOL	03.6153C	\$ 15	
FLEX	03.6145C	\$ 15	
HAZET	03.6146C	\$ 15	
HIKOKI / METABO HPT	03.6147C	\$ 15	
HILTI*	03.6157C	\$ 15	
INGERSOLL	03.6152C	\$ 15	
MAKITA	03.6148C	\$ 15	
MILWAUKEE	03.6149C \$ 15		
PANASONIC	03.6156C \$ 15		
RIDGID	03.6154C \$ 15		
SNAP-ON	03.6151C \$ 15		
WÜRTH	VÜRTH 03.6150C		



BATTERY SAFETY SYSTEM

- Automatic discharge protection
- Overload protection
- Temperature surveillance
- Approved by TÜV Rheinland




Scan QR code to see TÜV Rheinland test report

*21.6V

Accessories











CAS BATTERY 18V Li-POWER 5.2Ah	CAS CHARGER SC30	
03.6121	03.6122	
18 V 5.2 Ah Li-power	-	
-	1.35 m / 2 x 0.75mm² H03V VH2-F	
-	220-240V AC 50/60 Hz	
-	Max 30 W	
208 min @100 % with CAS charger 03.6122	-	
IP20	IP20	
-	-	
-	-	
-10 to +40 °C	32 to 104 °F	
4.76 x 3.17 x 2.60 in	5.91 x 5.51 x 2.95 in	
1.48 lb	1.54 lb	
-	12 V-18 V CAS battery	
\$ 149	\$ 69	









J	MAG series	
A	MAG PEN 3	
Product number	03.5116	
Light source	COB LED Spot: CREE XP-G2	

A	MAG PEN 3	MINI MAG PRO	MAG PRO
Product number	03.5116	03.5692	03.5690
Light source	COB LED Spot: CREE XP-G2	COB LED Spot: High power LED	COB LED Spot: High power LED
LED performance, lumen/W	180	165	185
Luminous flux, lumen	15-150 Spot: 80	20-200 Spot: 80	60-600 Spot: 150
Iluminance, lux@0.5 m	200 Spot: 2000	35-350 Spot: 700	90-900 Spot: 2000
Adjustable light output	Stepless	Stepless	Stepless
Beam angle	-	-	-
CRI	Ra > 80	Ra > 80	Ra > 80
ССТ	6000 K	6500 K	6000 K
Operating time with max. lumen, h	2	2	1.5
Operating time with min. lumen, h	20	20	15
Charging time, h	3.5	3	4
Battery	3.7V / 750 mAh Li-on	3.7V / 1200 mAh Li-ion	3.7V / 2600 mAh Li-ion
Protection class	IP20	IP54	IP54
Impact protection	IK07	IK07	IK07
Impact resistance	39.37in	39.37in	39.37in
Cable	39.37in USB	39.37in USB	39.37in USB
Operating voltage AC	-	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A	5 V / 1 A
Power consumption	Max 2.5 W	Max 2.5 W	Max 6.5 W
Charger incl.	No	No	No
Temperature	14°F to 104°F	14°F to 104°F	14°F to 104°F
Dimensions	6.85 x 1.22 x 0.83in	7.95 x 1.57 x 1.10in	10.2 x 2.44 x 1.73in
Net weight	0.172lb	0.346lb	0.719lb
Price	\$ 36	\$ 39	\$ 62







A	WORK PEN 200 R	SLIM	I-VIEW NEW
Product number	03.5127	03.5612	03.5626
Light source	COB LED / CREE	COB LED Spot: High power LED	COB LED
LED performance, lumen/W	120	155	180
Luminous flux, lumen	20-200 Spot: 150	250-500 Spot: 100	40-400
Iluminance, lux@0.5 m	400 Spot: 3500	400-800 Spot: 4800	100-1000
Adjustable light output	Stepless	2 levels	Stepless
Beam angle	105°/20°	-	120°/60°
Beam distance	40 m	-	-
CRI	Ra > 80	Ra > 80	Ra > 80
ССТ	6000 K	6000 K	6000 K
Operating time with max. lumen, h	1	2.5	1.5
Operating time with min. lumen, h	10	5	15
Charging time, h	2.5	4.5	3.5
Battery	3.7 V / 650 mAh Li-ion	3.8V/2800 mAh Li-ion	3.8V / 1600 mAh Li-on
Protection class	IP30	IP30	IP65
Impact protection	IK07	IK07	IK07
Impact resistance	39.37in	39.37in	39.37in
Cable	39.37in USB	39.37in USB	39.37in USB
Operating voltage AC	-	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A	5 V / 1 A
Power consumption	4 W	Max 4 W	Max 3.25 W
Charger incl.	No	No	No
Temperature	14°F to 104°F	14°F to 104°F	14°F to 104°F
Dimensions	0.83 x 6.81in	6.50 x 1.73 x 1.10in	3.93 x 1.96 x 1.49in
Net weight	0.119lb	0.494lb	0.352lb
Price	\$ 34	\$ 73	\$ 62

Optional accessory for 03.5626 I-VIEW



C POWERBANK		
03.5782		
-		
-		
-		
-		
-		
-		
-		
-		
-		
-		
-		
3		
3.65 V / 4000 mAh		
IP20		
IK07		
1 m		
Spiral cable		
-		
5 V/ 2 A		
Max 8 W		
-		
14°F to 104°F		
1.10 x3.93in		
0.465lb		
\$ 39		





// SCANGRIP is Europe's leading manufacturer of work lights for professionals providing the strongest and most comprehensive ranges of work lights with the latest LED lighting technology available on the market.

SCANGRIP is innovation from Denmark and receives strong recognition in the marketplace for its product design, and the products are known for their high quality.

SCANGRIP strives for perfection, and is continuously optimizing and improving light output, battery capacity, design and ergonomics, durability, user-friendliness, and functionality. The aim is to set new standards for professional work lights.

SCANGRIP was established in 1906 and has a long, impressive history of manufacturing high-quality hand tools and work lights for the industrial, construction, and automotive sectors.

SCANGRIP is part of Hultafors Group - a global company offering a unique portfolio of premium brands within personal protection, tools, and other equipment for discerning craftsmen. Together, we are on a mission to create a better day for professional users.

9.0496- WORK LIGHTS-US-CONSTRUCTION -2023-2 All prices are gross prices, ex US warehouse and TAX exclusive. Prices are

// SCANGRIP NORTH AMERICA, INC. 1201 Peachtree Street NE, Suite 100 Atlanta, Georgia 30361 USA +1 310 8665607 us@scangrip.com